




Climbing Workbook



SS24



DMM International

Y Glyn
Llanberis
Gwynedd
Wales
United Kingdom
LL55 4EL



General enquiries: +44 [0] 1286 872 222
Email: post@dmmwales.com





Disclaimer

Working at height, rock climbing, mountaineering and related activities are inherently dangerous. It is the responsibility of any person using this equipment to learn and practice the proper techniques for use of the equipment for its designated purposes safely and to foresee and take appropriate action in situations where rescue may be required. Even the correct use of equipment and techniques may result in fatal consequences. Medical conditions can affect the safety of the equipment user in normal and emergency use. Any person using this equipment assumes all risks and full responsibility for all damages or injury which may result from the use of it. There is no substitute for instruction by a trained and competent person.

DMM makes every effort to ensure the information in this brochure is correct and up to date. However we reserve the right to change product specification when or if deemed necessary. DMM International cannot be held responsible for any inaccuracies or omissions. If in doubt, please ask.



dmmwales.com



DMM Climbing was founded by climbers for climbers. This expertise is reflected in our product design and development, from cams and nuts to harnesses and quickdraws. DMM Climbing has built a solid reputation in the climbing industry for producing high-quality, innovative, and reliable equipment. Our products are trusted and used by climbers all over the world.

We are constantly pushing the boundaries of climbing gear design and innovation. One of the standout products in this catalogue is the Aether carabiner, DMM's lightest clean nose carabiner. The Aether features a clean nose design that reduces the risk of getting snagged on ropes, wires, or bolts. This innovative design makes the Aether a reliable and versatile carabiner for climbers of all levels.



CONTENTS

| | |
|--------------------|----|
| CAMS | 4 |
| NUTS | 8 |
| CARABINERS | 16 |
| QUICKDRAWS | 20 |
| SLINGS | 26 |
| LOCKING CARABINERS | 30 |
| BELAY & DESCENT | 36 |
| HARNESS | 40 |
| WINTER EQUIPMENT | 44 |
| BAGS & CHALK | 50 |
| WALLS & CENTRES | 54 |
| CLOTHING | 60 |

Cams



Mari Salvesen flashing *Belly Full of Bad Berries* (5.13b),
Indian Creek, USA

📷 Mary Eden



› Dragonfly Micro Cam Offsets

We have evolved the celebrated DMM Dragonfly Cam range to now include the Dragonfly Offsets, which alongside the Dragon Cams create the ultimate cam family. Designed for irregular, flared cracks and pin scars, the Dragonfly Micro Cam Offsets feature colour coded slings and thumb loops that allow you to make the correct placement when it matters most.



› Dragonfly Micro Cams

Versatile micro cam protection for narrow cracks, pin scars and small pockets. The size 1 Dragonfly is our smallest certified climbing cam. The range covers placements from 7.8 to 28.3mm and they all feature an extendable sling and TripleGrip lobes.



› Dragon Cams

A state of the art cam. The single stem, double axle design with a 13.75° camming angle and TripleGrip lobes make the most of every placement. The range covers placements from 14mm-195mm and they all feature an extendable sling; saving quickdraws.



› Bandolier

An adjustable bandolier that gives extra racking space.


| DESCRIPTION | PRODUCT CODE | COLOUR | CAM RANGE | WEIGHT | ACTIVE STRENGTH | PASSIVE STRENGTH | CONFORMANCE |
|-----------------------------|--------------|--------|---------------|--------|-----------------|------------------|--------------|
| DRAGONFLY CAM SIZE 1 GREEN | A7551A | Green | 7.8 - 11mm | 55g | 6kN | n/a | EN12276:2013 |
| DRAGONFLY CAM SIZE 2 RED | A7552A | Red | 8.7 - 12.9mm | 56g | 6kN | n/a | EN12276:2013 |
| DRAGONFLY CAM SIZE 3 GOLD | A7553A | Gold | 10.2 - 15.2mm | 65g | 8kN | n/a | EN12276:2013 |
| DRAGONFLY CAM SIZE 4 BLUE | A7554A | Blue | 12.1 - 17.9mm | 67g | 8kN | n/a | EN12276:2013 |
| DRAGONFLY CAM SIZE 5 SILVER | A7555A | Silver | 15.1 - 22.5mm | 70g | 9kN | n/a | EN12276:2013 |
| DRAGONFLY CAM SIZE 6 PURPLE | A7556A | Purple | 19 - 28.3mm | 73g | 9kN | n/a | EN12276:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | CAM RANGE | WEIGHT | ACTIVE STRENGTH | PASSIVE STRENGTH | CONFORMANCE |
|------------------------------------|--------------|---------------|-------------------------|--------|-----------------|------------------|--------------|
| DRAGONFLY OFFSET 2/3 RED/YELLOW | A75523 | Red/Yellow | 8.7-12.9 - 10.2-15.1mm | 56g | 6kN | n/a | EN12276:2013 |
| DRAGONFLY OFFSET 3/4 GOLD/BLUE | A75534 | Gold/Blue | 10.2-15.1 - 12.1-17.9mm | 67g | 6kN | n/a | EN12276:2013 |
| DRAGONFLY OFFSET 4/5 BLUE/GREY | A75545 | Blue/Grey | 12.1-17.9 - 15.1-22.5mm | 68g | 8kN | n/a | EN12276:2013 |
| DRAGONFLY OFFSET 5/6 SILVER/PURPLE | A75556 | Silver/Purple | 15.1-22.5 - 19-28.3mm | 71g | 9kN | n/a | EN12276:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | CAM RANGE | WEIGHT | ACTIVE STRENGTH | PASSIVE STRENGTH | CONFORMANCE |
|------------------------------|--------------|----------|-------------|--------|-----------------|------------------|---|
| DRAGON CAM SIZE 00 BLUE | A73500A | Blue | 14 - 21mm | 75g | 10kN | 9kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 0 SILVER | A7350A | Silver | 16 - 25mm | 85g | 14kN | 12kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 1 PURPLE | A7351A | Purple | 20 - 33mm | 103g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 2 GREEN | A7352A | Green | 24 - 41mm | 117g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 3 RED | A7353A | Red | 29 - 50mm | 128g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 4 GOLD | A7354A | Gold | 38 - 64mm | 154g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 5 BLUE | A7355A | Blue | 50 - 85mm | 208g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 6 SILVER | A7356A | Silver | 68 - 114mm | 299g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 7 PURPLE | A7357A | Purple | 88 - 149mm | 362g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SIZE 8 GREEN | A7358A | Green | 116 - 195mm | 515g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SET 0-5 ASSORTED | A7350/5A | Assorted | 16 - 85mm | 870g | 14kN | 12-14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SET 00-1 ASSORTED | A73500/1A | Assorted | 14 - 33mm | 263g | 10-14kN | 9-14kN | EN12276:2013, UIAA 125 Frictional Anchors |
| DRAGON CAM SET 2-4 ASSORTED | A7352/4A | Assorted | 24 - 64mm | 399g | 14kN | 14kN | EN12276:2013, UIAA 125 Frictional Anchors |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | CONFORMANCE |
|-------------|--------------|----------|--------|-------------|
| BANDOLIER | BANDOLIER | Grey/Red | 135g | N/A |

› Cam range overlap table



Nuts

Harriet Ridley on *Strawberries* (E7 6b),
Craig Bwlch y Moch, Tremadog, north Wales
📸 Ray Wood



› Halfnuts 1-11

Lightweight nuts that increase your protection options. Halfnuts excel in shallow placements, pin scars and situations where every gram counts.




› Wallnuts

Wallnuts are the backbone of a trad climbing rack. The tapered faces and sides provide secure placement options. Scooped faces aid stability and reduce weight.




› HB Alloy Offsets

Versatile nuts with an offset taper that allows them to protect flared and irregular cracks.



› Torque Nuts

Lightweight protection with an extendable Dynatec sling to help reduce rope drag. The camming action of the nut is ideal for protecting wider and parallel sided cracks.



› Wired Torque Nuts

Lightweight protection for wider and parallel sided cracks. Like our Torque Nuts they can be used in several orientations. Easier to control placing above your head. Great in winter.



› Micro Wallnuts

Straight sided micro-nuts that offer security in small placements.



› Peenuts

Offset micro-nuts that effectively protect small flared cracks and peg scars.



› IMP Brass Nuts

Straight sided brass micro-nuts that protect small cracks.



› HB Brass Offsets

Brass micro-nuts with an offset taper suitable for protecting small



› Nutbuster

An essential tool for retrieving stubborn rock climbing protection. Available in a choice of 4 colours



› Protection Packs

Sets of our passive protection that make the perfect starting point for building a comprehensive climbing rack.



Cams

Nuts

Carabiners

Quickdraws

Slings

Locking Carabiners

Belay & Descent

Harnesses

Winter Equipment

Walls & Centres

Bags & Chalk

Clothing

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|------------------|--------------|-----------|---------------|--------|----------|--------------|
| HALFNUT 1 | A1671A | Purple | 6.7 / 7.2mm | 10g | 4kN | EN12270:2013 |
| HALFNUT 2 | A1672A | Green | 8.2 / 7.9mm | 10g | 4kN | EN12270:2013 |
| HALFNUT 3 | A1673A | Silver | 9.4 / 8.9mm | 15g | 6kN | EN12270:2013 |
| HALFNUT 4 | A1674A | Gold | 11.0 / 9.9mm | 16g | 6kN | EN12270:2013 |
| HALFNUT 5 | A1675A | Blue | 13.2 / 11.3mm | 18g | 6kN | EN12270:2013 |
| HALFNUT 6 | A1676A | Red | 15.6 / 12.8mm | 21g | 6kN | EN12270:2013 |
| HALFNUT 7 | A1677A | Grey | 18.9 / 14.3mm | 22g | 6kN | EN12270:2013 |
| HALFNUT 8 | A1678A | Turquoise | 22.3 / 16.6mm | 25g | 7kN | EN12270:2013 |
| HALFNUT 9 | A1679A | Gold | 25.2 / 18.7mm | 28g | 7kN | EN12270:2013 |
| HALFNUT 10 | A1680A | Silver | 28.8 / 22.0mm | 39g | 9kN | EN12270:2013 |
| HALFNUT 11 | A1681A | Green | 33.0 / 24.5mm | 46g | 9kN | EN12270:2013 |
| HALFNUT SET 1-7 | A1671/77A | Assorted | 6.7 / 18.9mm | 112g | 4-6kN | EN12270:2013 |
| HALFNUT SET 8-11 | A1678/81A | Assorted | 16.6-33mm | 138g | 7-9kN | EN12270:2013 |
| HALFNUT SET 1-11 | A1671/81A | Assorted | 6.7 / 33mm | 250g | 4-9kN | EN12270:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|------------------|--------------|-----------|---------------|--------|----------|------------------------|
| WALLNUT | A1611AA | Purple | 6.7 / 14.3mm | 15g | 7kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1612AA | Green | 8.1 / 15.8mm | 26g | 9kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1613AA | Silver | 9.4 / 16.5mm | 28g | 11kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1614AA | Gold | 11.0 / 17.6mm | 30g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1615AA | Blue | 13.2 / 19.4mm | 32g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1616AA | Red | 15.6 / 22.6mm | 39g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1617AA | Grey | 18.9 / 25.8mm | 40g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1618AA | Turquoise | 22.3 / 29.0mm | 45g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1619AA | Gold | 25.2 / 32.1mm | 50g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1620AA | Silver | 28.8 / 32.6mm | 56g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT | A1621AA | Green | 33.1 / 37.4mm | 68g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT SET 1-6 | A1611/16AA | Assorted | 6.7 / 22.6mm | 170g | 7-12kN | EN12270:2013, UIAA 124 |
| WALLNUT SET 3-8 | A1613/18AA | Assorted | 9.4 / 29.0mm | 214g | 11-12kN | EN12270:2013, UIAA 124 |
| WALLNUT SET 7-11 | A1617/21AA | Assorted | 18.9 / 37.4mm | 259g | 12kN | EN12270:2013, UIAA 124 |
| WALLNUT SET 1-11 | A1611/21AA | Assorted | 6.7 / 37.4mm | 429g | 7-12kN | EN12270:2013, UIAA 124 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|--------------------------|--------------|-----------|---------------|--------|----------|------------------------|
| HB ALLOY OFFSET 7 | A1817AA | Gold | 12.0 / 15.1mm | 27g | 12kN | EN12270:2013, UIAA 124 |
| HB ALLOY OFFSET 8 | A1818AA | Blue | 13.5 / 17.9mm | 30g | 12kN | EN12270:2013, UIAA 124 |
| HB ALLOY OFFSET 9 | A1819AA | Red | 17.1 / 21.4mm | 37g | 12kN | EN12270:2013, UIAA 124 |
| HB ALLOY OFFSET 10 | A1820AA | Grey | 19.4 / 25.1mm | 45g | 12kN | EN12270:2013, UIAA 124 |
| HB ALLOY OFFSET 11 | A1821AA | Turquoise | 23.2 / 30.0mm | 56g | 12kN | EN12270:2013, UIAA 124 |
| HB ALLOY OFFSET SET 7-11 | A1817/21AA | Assorted | 12.0 / 30.0mm | 195g | 12kN | EN12270:2013, UIAA 124 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|--------------------|--------------|----------|---------------|--------|----------|------------------------|
| TORQUE NUT 1 | A1741 | Green | 31.0 / 41.0mm | 54g | 14kN | EN12270:2013, UIAA 124 |
| TORQUE NUT 2 | A1742 | Red | 36.0 / 49.0mm | 70g | 14kN | EN12270:2013, UIAA 124 |
| TORQUE NUT 3 | A1743 | Gold | 44.0 / 59.0mm | 104g | 14kN | EN12270:2013, UIAA 124 |
| TORQUE NUT 4 | A1744 | Blue | 54.0 / 71.0mm | 146g | 14kN | EN12270:2013, UIAA 124 |
| TORQUE NUT SET 1-4 | A1741/44 | Assorted | 31.0 / 71.0mm | 374g | 14kN | EN12270:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|--------------------------|--------------|----------|---------------|--------|----------|--------------|
| WIRED TORQUE NUT 1 | A1751A | Green | 31.0 / 41.0mm | 69g | 12kN | EN12270:2013 |
| WIRED TORQUE NUT 2 | A1752A | Red | 36.0 / 49.0mm | 86g | 12kN | EN12270:2013 |
| WIRED TORQUE NUT 3 | A1753A | Gold | 44.0 / 59.0mm | 114g | 12kN | EN12270:2013 |
| WIRED TORQUE NUT 4 | A1754A | Blue | 54.0 / 71.0mm | 161g | 12kN | EN12270:2013 |
| WIRED TORQUE NUT SET 1-4 | A1751/54A | Assorted | 31.0 / 71.0mm | 430g | 12kN | EN12270:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|---------------------|--------------|----------|--------------|--------|----------|------------------------|
| WALLNUT 00 | A1600AA | Gold | 4.0 / 9.7mm | 5g | 2kN | EN12270:2013, UIAA 124 |
| WALLNUT 0 | A1610AA | Blue | 4.6 / 10.8mm | 6g | 2kN | EN12270:2013, UIAA 124 |
| WALLNUT 0.5 | A1658AA | Red | 5.1 / 11.7mm | 9g | 4kN | EN12270:2013, UIAA 124 |
| WALLNUT 0.75 | A1659AA | Grey | 5.9 / 12.6mm | 10g | 6kN | EN12270:2013, UIAA 124 |
| WALLNUT SET 00-0.75 | A1600/59AA | Assorted | 4.0 / 12.6mm | 30g | | EN12270:2013, UIAA 124 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|----------------|--------------|----------|--------------|--------|----------|------------------------|
| PEENUT 1 | A1511AA | Red | 6.5 / 11.5mm | 8g | 4kN | EN12270:2013, UIAA 124 |
| PEENUT 2 | A1512AA | Grey | 6.8 / 12.1mm | 9g | 5kN | EN12270:2013, UIAA 124 |
| PEENUT 3 | A1513AA | Purple | 7.8 / 12.7mm | 10g | 5kN | EN12270:2013, UIAA 124 |
| PEENUT 4 | A1514AA | Green | 8.9 / 13.2mm | 16g | 8kN | EN12270:2013, UIAA 124 |
| PEENUT 5 | A1515AA | Silver | 9.2 / 13.9mm | 18g | 8kN | EN12270:2013, UIAA 124 |
| PEENUT SET 1-5 | A1511/15AA | Assorted | 6.5 / 13.9mm | 61g | | EN12270:2013, UIAA 124 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|-----------------------|--------------|----------|--------------|--------|----------|------------------------|
| IMP BRASS NUT 1 | A1721A | Blue | 4.0 / 5.6mm | 4g | 4kN | EN12270:2013, UIAA 124 |
| IMP BRASS NUT 2 | A1722A | Red | 4.8 / 6.4mm | 8g | 5kN | EN12270:2013, UIAA 124 |
| IMP BRASS NUT 3 | A1723A | Silver | 6.4 / 7.9mm | 10g | 5kN | EN12270:2013, UIAA 124 |
| IMP BRASS NUT 4 | A1724A | Purple | 7.9 / 9.5mm | 13g | 7kN | EN12270:2013, UIAA 124 |
| IMP BRASS NUT 5 | A1725A | Green | 9.5 / 11.7mm | 16g | 7kN | EN12270:2013, UIAA 124 |
| IMP BRASS NUT SET 2-4 | A1722/24A | Assorted | 4.8 / 9.5mm | 31g | | EN12270:2013, UIAA 124 |
| IMP BRASS NUT SET 1-5 | A1721/25A | Assorted | 4.0 / 11.7mm | 51g | | EN12270:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|-------------------------|--------------|----------|--------------|--------|----------|------------------------|
| HB BRASS OFFSET 0 | A1700A | Gold | 3.7 / 5.5mm | 4g | 2kN | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 1 | A1701A | Blue | 4.3 / 6.5mm | 7g | 4kN | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 2 | A1702A | Red | 5.6 / 7.5mm | 9g | 5kN | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 3 | A1703A | Grey | 6.0 / 8.5mm | 10g | 5kN | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 4 | A1704A | Purple | 7.5 / 10.2mm | 14g | 7kn | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 5 | A1705A | Green | 8.6 / 11.7mm | 17g | 7kn | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET 6 | A1706A | Silver | 9.8 / 13.9mm | 24g | 10kN | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET SET 2-4 | A1702/04A | Assorted | 5.6 / 10.2mm | 33g | | EN12270:2013, UIAA 124 |
| HB BRASS OFFSET SET 0-6 | A1700/06A | Assorted | 3.7 / 13.9mm | 85g | | EN12270:2013, UIAA 124 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|---|--------------|----------|-----------|--------|----------|--------------|
| WALLNUT SET 1-11, ALLOY OFFSET SET 7-11. | NUTSET1 | Assorted | | 624g | | EN12270:2013 |
| WALLNUT SET 1-11, TORQUE SET 1-4. | NUTSET2 | Assorted | | 803g | | EN12270:2013 |
| WALLNUT SET 1-11, ALLOY OFFSET SET 7-11, TORQUE SET 1-4 | NUTSET3 | Assorted | | 998g | | EN12270:2013 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | STRENGTH | CONFORMANCE |
|-------------|--------------|--------|-----------|--------|----------|-------------|
| NUTBUSTER | C1252BLK | Black | | 45g | | ONA |
| NUTBUSTER | C1251GR | Green | | 57g | | ONA |
| NUTBUSTER | C1251OR | Orange | | 57g | | ONA |
| NUTBUSTER | C1251RD | Red | | 57g | | ONA |



Carabiners

Lewis Perrin Williams onsighting *The Cad* (E6 6a), at North Stack, Gogarth, north Wales.
📷 Ray Wood


New

› Aether

Introducing Aether - the epitome of functional excellence in carabiner design for climbing and mountaineering. Engineered with state-of-the-art precision and advanced design, Aether offers exceptional performance and unmatched functionality.

With its clean nose design, Aether minimizes the possibility of getting snagged on ropes, wires, or bolts. The carabiner's lightweight structure is unparalleled and is one of the lightest carabiners available in the market. Additionally, Aether's generous rope radiuses provide an optimal balance between reducing drag, minimizing the force on protection, and extending the longevity of the rope.

This product's structural design and build make it the perfect gear choice for both experienced climbers and novice mountaineers.



| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|-----------|--------|-----------------|------------------|------------------|--------------|------------------------------|
| AETHER | A498MG | Matt Grey | 54 x 91mm | 28g | 8kN | 8kN | 21kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| AETHER | A498TQ | Turquoise | 54 x 91mm | 28g | 8kN | 8kN | 21kN | 23mm | EN12275:2013 B, UIAA121:2009 |

› Alpha Wire

Ergonomic, full-sized, clean-nosed carabiner for all climbing and mountaineering disciplines.



MAJOR AXIS | 25kN
WEIGHT | 36g

› Spectre

A classic all-round carabiner suitable for trad, sport and winter climbing.



MAJOR AXIS | 24kN
WEIGHT | 33g

› Phantom

Weighing just 28g but still achieving 23kN strength, the Phantom is the perfect carabiner when weight is the prime concern.



MAJOR AXIS | 23kN
WEIGHT | 28g

› Alpha Sport Straight

An ergonomic sport climbing carabiner that gives confident handling, easy clipping, and durability for working routes.



MAJOR AXIS | 24kN
WEIGHT | 46g



› Alpha Sport Bent

The ergonomic Alpha shape with a hot-forged, curved gate for smooth clipping on the rope end of a sport quickdraw.



MAJOR AXIS | 24kN
WEIGHT | 47g



› Shadow Straight

A lightweight sport carabiner that is still tough enough to withstand working routes. Also ideal for climbers who occasionally trad climb.



MAJOR AXIS | 24kN
WEIGHT | 42g



› Alpha Steel

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha biners. Available with or without a captive bar.

MAJOR AXIS | 26kN
WEIGHT | 134g



› Shadow Bent

A lightweight and clean nose sport carabiner for the rope clipping end of a quickdraw.



MAJOR AXIS | 24kN
WEIGHT | 43g



› PerfectO Straight


A compact, true oval carabiner that maintains ease of use and is suitable for racking gear.



MAJOR AXIS | 24kN
WEIGHT | 50g



› Alpha Wire 6 Colour Pack



› Spectre 6 Colour Pack



› WallDO

The WallDO is an Offset oval wiregate, with a large gate opening and narrow nose, the WallDO can be clipped into anything from complicated anchors to tiny pegs.



MAJOR AXIS | 23kN
WEIGHT | 37g



› Revolver

The innovative combination of a pulley wheel in a carabiner for reducing rope drag. It can also be used in an improvised hauling system.



MAJOR AXIS | 24kN
WEIGHT | 51g



› Phantom 6 Colour Pack



› PerfectO 4 Colour Pack




› XSRE

A fully featured miniature carabiner that can be used for any non-safety critical use that comes to mind.



MAJOR AXIS | 4kN
WEIGHT | 8g
NON PPE




› XSRE Wire

With an offset oval wiregate and I-Beam construction for optimum strength to weight ratio.



MAJOR AXIS | 4kN
WEIGHT | 8g
NON PPE



› WallDo 4 Colour Pack



Cams

Nuts

Carabiners

Quickdraws

Slings

Locking Carabiners

Belay & Descent

Harnesses

Winter Equipment

Walls & Centres

Bags & Chalk

Clothing

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|-----------|--------|--------------------|---------------------|---------------------|-----------------|------------------------------|
| AETHER | A498MG | Matt Grey | 54 x 91mm | 28g | 8kN | 8kN | 21kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| AETHER | A498TQ | Turquoise | 54 x 91mm | 28g | 8kN | 8kN | 21kN | 23mm | EN12275:2013 B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|--------------------------|--------------|-----------|------------|--------|--------------------|---------------------|---------------------|-----------------|------------------------------|
| ALPHA WIRE | A608BL | Blue | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE | A608GD | Gold | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE | A608GR | Green | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE | A608MG | Matt Grey | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE | A608PR | Purple | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE | A608RD | Red | 60 x 100mm | 36g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA WIRE COLOUR 6 PACK | A608-P6 | Assorted | | 216g | 9kN | 9kN | 25kN | 27mm | EN12275:2013 B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------------------|--------------|-----------|-----------|--------|--------------------|---------------------|---------------------|-----------------|------------------------------|
| SPECTRE | A358BL | Blue | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358GL | Gold | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358GR | Green | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358MG | Matt Grey | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358PR | Purple | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358RD | Red | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE | A358 | Silver | 56 x 97mm | 33g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE - 6 PACK | A358SI-P6 | Silver | 56 x 97mm | 165g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |
| SPECTRE COLOUR - 6 PACK | A358-P6 | Assorted | 56 x 97mm | 198g | 9kN | 8kN | 24kN | 23mm | EN12275:2013 B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------------------|--------------|-----------|-----------|--------|--------------------|---------------------|---------------------|-----------------|--------------------------------------|
| PHANTOM | A318BL | Blue | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318GL | Gold | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318GR | Green | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318MG | Matt Grey | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318OR | Orange | 52 x 99mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318PR | Purple | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318RD | Red | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318 | Silver | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM | A318BLT | Titanium | 52 x 89mm | 28g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |
| PHANTOM COLOUR - 6 PACK | A318-P6 | Assorted | 52 x 89mm | 168g | 9kN | 7kN | 23kN | 21mm | EN12275:2013 B, UIAA121:2009 Class B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|---------------------------|--------------|---------------|------------|--------|--------------------|---------------------|---------------------|-----------------|---------------------------------|
| ALPHA SPORT STRAIGHT GATE | A521LG | Titanium/Lime | 61 x 102mm | 46g | 9kN | 8kN | 24kN | 22mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA SPORT STRAIGHT GATE | A521RD | Titanium/Red | 61 x 102mm | 46g | 9kN | 8kN | 24kN | 22mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA SPORT BENT GATE | A526LG | Lime/Titanium | 61 x 102mm | 46g | 9kN | 8kN | 24kN | 25mm | EN12275:2013 B, UIAA121:2009 |
| ALPHA SPORT BENT GATE | A526RD | Red/Titanium | 61 x 102mm | 46g | 9kN | 8kN | 24kN | 25mm | EN12275:2013 B, UIAA121 Class B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|----------------------|--------------|-----------------|------------|--------|--------------------|---------------------|---------------------|-----------------|--------------------------------------|
| SHADOW STRAIGHT GATE | A301BL | Titanium/Blue | 58 x 102mm | 42g | 10kN | 9kN | 24kN | 20mm | EN12275:2013 B, UIAA121:2009 Class B |
| SHADOW STRAIGHT GATE | A301P | Titanium/Purple | 58 x 102mm | 42g | 10kN | 9kN | 24kN | 20mm | EN12275:2013 B, UIAA121:2009 Class B |
| SHADOW BENT GATE | A306BL | Blue/Titanium | 58 x 102mm | 43g | 10kN | 9kN | 24kN | 25mm | EN12275:2013 B, UIAA121:2009 Class B |
| SHADOW BENT GATE | A306P | Purple/Titanium | 58 x 102mm | 43g | 10kN | 9kN | 24kN | 25mm | EN12275:2013 B, UIAA121:2009 Class B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|----------------------|--------------|---------------------------|-----------|--------|--------------------|---------------------|---------------------|-----------------|------------------|
| PERFECTO | A591 | Titanium/Lime | 56 x 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO | A591BL | Blue/Titanium | 56 x 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO | A591GR | Green/Titanium | 56 x 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO | A591MG | Matt Grey | 56 X 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO | A591OR | Orange/Titanium | 56 x 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO | A591RD | Red/Titanium | 56 x 95mm | 50g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |
| PERFECTO RACK 4 PACK | A591-P4 | Green/Blue/Red/ Orange | 56 x 95mm | 200g | 7kN | 7kN | 24kN | 19mm | EN12275:2013 X/B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|-----------|--------|--------------------|---------------------|---------------------|-----------------|----------------|
| WALLDO | A408BL | Blue | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408GR | Green | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408LG | Lime | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408MG | Matt Grey | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |

| | | | | | | | | | |
|-----------------|---------|-----------|-----------|------|-----|-----|------|------|----------------|
| WALLDO | A408OR | Orange | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408PK | Pink | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408PR | Purple | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408RD | Red | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO | A408TQ | Turquoise | 56 x 97mm | 37g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |
| WALLDO - 4 PACK | A408-P4 | Assorted | 56 x 97mm | 148g | 7kN | 9kN | 23kN | 25mm | EN12275:2013 B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|------------|--------|--------------------|---------------------|---------------------|-----------------|--------------------------------------|
| REVOLVER | A238LG | Lime | 59 x 103mm | 51g | 9kN | 7kN | 24kN | 24mm | EN12275:2013 B, UIAA121:2009 Class B |
| REVOLVER | A238MG | Matt Grey | 59 x 103mm | 51g | 9kN | 7kN | 24kN | 24mm | EN12275:2013 B, UIAA121:2009 Class B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|-----------|--------|--------------------|---------------------|---------------------|-----------------|-------------|
| XSRE WIRE | A538GR | Green | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |
| XSRE WIRE | A538LG | Lime | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |
| XSRE WIRE | A538MG | Grey | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |
| XSRE WIRE | A538PR | Purple | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |
| XSRE WIRE | A538RD | Red | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |
| XSRE WIRE | A538TQ | Turquoise | 34 x 60mm | 9g | | | 4kN | 16mm | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|---------------------|--------------|--------------------|-----------|--------|--------------------|---------------------|---------------------|-----------------|-------------|
| XSRE MINI CARABINER | A531GR | Green/Titanium | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |
| XSRE MINI CARABINER | A531LG | Lime | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |
| XSRE MINI CARABINER | A531MG | Matt Grey | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |
| XSRE MINI CARABINER | A531PR | Purple/Titanium | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |
| XSRE MINI CARABINER | A531RD | Red/Titanium | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |
| XSRE MINI CARABINER | A531TQ | Turquoise/Titanium | 32 x 57mm | 8g | | | 4kN | 13mm | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (GATE OPEN) | MBS (MINOR AXIS) | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|------------------------------|--------------|------------|------------|--------|--------------------|---------------------|---------------------|-----------------|----------------|
| ALPHA STEEL | C526 | Black/Lime | 62 x 107mm | 134g | 14kN | 9kN | 26kN | 25mm | EN12275:2013 B |
| ALPHA STEEL WITH CAPTIVE BAR | C526CB | Black/Lime | 62 x 107mm | 135g | 14kN | 9kN | 26kN | 25mm | EN12275:2013 B |

Quickdraws



› Alpha Wire

An ergonomic full size wire gate quickdraw with a clean nose and wide gate opening for easy clipping.

11mm Dynatec
12cm, 18cm, 25cm



› Aether

New

With its clean nose design, Aether minimizes the possibility of getting snagged on ropes, wires, or bolts. The carabiner's lightweight structure is unparalleled and is one of the lightest carabiners available in the market.

11mm Dynatec
12cm, 18cm, 25cm



› Alpha Sport

An ergonomic sport climbing quickdraw that gives confident handling, easy clipping, and durability for working routes.

Nylon vari-width
12cm, 18cm, 25cm



› Shadow

A lightweight sport quickdraw that is still tough enough to withstand working routes. Ideal for redpointing and onsighting.

Nylon vari-width
12cm, 18cm, 25cm



› Spectre

A classic all-round quickdraw that is suitable for trad, sport or winter climbing.

11mm Dynatec
12cm, 18cm, 25cm



› Phantom

Starting from just 65g, the Phantom is the perfect quickdraw when weight is the prime concern. Alpine 60cm quickdraw also available.

11mm Dynatec
12cm, 18cm, 25cm, 60cm



› Shadow/Spectre Hybrid

A Shadow/Spectre hybrid on a vari-width quickdraw for long sport routes when weight saving is at a premium.

Nylon vari-width
12cm, 18cm, 25cm



› Alpha Steel

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha biners.

MAJOR AXIS: 26kN

Nylon vari-width
12cm, 18cm



> Alpha Wire 6 pack

11mm Dynatec
12cm, 18cm, 25cm



New

> Aether 6 pack

11mm Dynatec
12cm, 18cm, 25cm



> Spectre 6 pack

11mm Dynatec
12cm, 18cm, 25cm



> Phantom 6 pack

11mm Dynatec
12cm, 18cm, 25cm



> Alpha Sport 6 pack

Nylon vari-width
12cm, 18cm, 25cm



> Shadow 6 pack

Nylon vari-width
12cm, 18cm, 25cm



> Shadow/Spectre
Hybrid 6 pack

Nylon vari-width
12cm, 18cm



| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|------------------------------|--------------|---------------------|--------|--------|--------------|----------------------------|
| AETHER QUICKDRAW 12CM | A498-12TQ | Matt Grey/Turquoise | 12cm | 65g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER QUICKDRAW 12CM 6 PACK | A498-12TQP6 | Matt Grey/Turquoise | 12cm | 390g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER QUICKDRAW 18CM | A498-18TQ | Matt Grey/Turquoise | 18cm | 67g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER QUICKDRAW 18CM 6 PACK | A498-18TQP6 | Matt Grey/Turquoise | 18cm | 402g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER QUICKDRAW 25CM | A498-25TQ | Matt Grey/Turquoise | 25cm | 70g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER QUICKDRAW 25CM 6 PACK | A498-25TQP6 | Matt Grey/Turquoise | 25cm | 420g | 23mm | EN12275:2013 B, EN566:2017 |
| AETHER ALPINE QUICKDRAW 60CM | A498-60TQ | Matt Grey/Turquoise | 60cm | 76g | 23mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|----------------------------------|--------------|---------------|--------|--------|--------------|----------------------------|
| ALPHA WIRE QUICKDRAW 12CM | A608-12RD | Matt Grey/Red | 12cm | 79g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA WIRE QUICKDRAW 12CM 6 PACK | A608-12RDP6 | Matt Grey/Red | 12cm | 474g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA WIRE QUICKDRAW 18CM | A608-18RD | Matt Grey/Red | 18cm | 81g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA WIRE QUICKDRAW 18CM 6 PACK | A608-18RDP6 | Matt Grey/Red | 18cm | 486g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA WIRE QUICKDRAW 25CM | A608-25RD | Matt Grey/Red | 25cm | 84g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA WIRE QUICKDRAW 25CM 6 PACK | A608-25RDP6 | Matt Grey/Red | 25cm | 504g | 25mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|-------------------------------|--------------|-----------------|--------|--------|--------------|----------------------------|
| SPECTRE QUICKDRAW 12CM | A358-12BLA | Matt Grey/Blue | 12cm | 75g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 12CM 6 PACK | A358-12BLAP6 | Matt Grey/Blue | 12cm | 450g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 18CM | A358-18BLA | Matt Grey/Blue | 18cm | 77g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 18CM 6 PACK | A358-18BLAP6 | Matt Grey/Blue | 18cm | 462g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 25CM | A358-25BLA | Matt Grey/Blue | 25cm | 80g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 25CM 6 PACK | A358-25BLAP6 | Matt Grey/Blue | 25cm | 480g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 12CM | A358-12GRA | Matt Grey/Green | 12cm | 75g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 12CM 6 PACK | A358-12GRAP6 | Matt Grey/Green | 12cm | 450g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 18CM | A358-18GRA | Matt Grey/Green | 18cm | 77g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 18CM 6 PACK | A358-18GRAP6 | Matt Grey/Green | 18cm | 462g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 25CM | A358-25GRA | Matt Grey/Green | 25cm | 80g | 23mm | EN12275:2013 B, EN566:2017 |
| SPECTRE QUICKDRAW 25CM 6 PACK | A358-25GRAP6 | Matt Grey/Green | 25cm | 400g | 23mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|--------------------------------------|--------------|------------------|--------|--------|--------------|----------------------------|
| PHANTOM QUICKDRAW 12CM | A318-12ORA | Matt Grey/Orange | 12cm | 65g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM QUICKDRAW 12CM 6 PACK | A318-12ORAP6 | Matt Grey/Orange | 12cm | 390g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM QUICKDRAW 18CM | A318-18ORA | Matt Grey/Orange | 18cm | 67g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM QUICKDRAW 18CM 6 PACK | A318-18ORAP6 | Matt Grey/Orange | 18cm | 402g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM QUICKDRAW 25CM | A318-25ORA | Matt Grey/Orange | 25cm | 70g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM QUICKDRAW 25CM 6 PACK | A318-25ORAP6 | Matt Grey/Orange | 25cm | 70g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM ALPINE QUICKDRAW 60CM | A318-60ORA | Matt Grey/Orange | 60cm | 76g | 21mm | EN12275:2013 B, EN566:2017 |
| PHANTOM ALPINE QUICKDRAW 60CM 2 PACK | A318-60ORP2 | Matt Grey/Orange | 60cm | 152g | 21mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|-----------------------------------|---------------|---------------|--------|--------|--------------|----------------------------|
| ALPHA SPORT QUICKDRAW 12CM | A526LG-12VW | Titanium/Lime | 12cm | 112g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 12CM 6 PACK | A526LG-12VWP6 | Titanium/Lime | 12cm | 672g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 18CM | A526LG-18VW | Titanium/Lime | 18cm | 117g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 18CM 6 PACK | A526LG-18VWP6 | Titanium/Lime | 18cm | 702g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 25CM | A526LG-25VW | Titanium/Lime | 25cm | 122g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 25CM 6 PACK | A526LG-25VWP6 | Titanium/Lime | 25cm | 672g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 12CM | A526RD-12VW | Titanium/Red | 12cm | 112g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 12CM 6 PACK | A526RD-12VWP6 | Titanium/Red | 12cm | 672g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 18CM | A526RD-18VW | Titanium/Red | 18cm | 117g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 18CM 6 PACK | A526RD-18VWP6 | Titanium/Red | 18cm | 672g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 25CM | A526RD-25VW | Titanium/Red | 25cm | 122g | 22/25mm | EN12275:2013 B, EN566:2017 |
| ALPHA SPORT QUICKDRAW 25CM 6 PACK | A526RD-25VWP6 | Titanium/Red | 25cm | 560g | 22/25mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|------------------------------|--------------|-----------------|--------|--------|--------------|----------------------------|
| SHADOW QUICKDRAW 12CM | A306BL-12 | Titanium/Blue | 12cm | 103g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 12CM 6 PACK | A306BL-12P6 | Titanium/Blue | 12cm | 618g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 18CM | A306BL-18 | Titanium/Blue | 18cm | 108g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 18CM 6 PACK | A306BL-18P6 | Titanium/Blue | 18cm | 648g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 25CM | A306BL-25 | Titanium/Blue | 25cm | 113g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 25CM 6 PACK | A306BL-25P6 | Titanium/Blue | 25cm | 678g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 12CM | A306P-12VW | Titanium/Purple | 12cm | 103g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 12CM 6 PACK | A306P-12VWP6 | Titanium/Purple | 12cm | 618g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 18CM | A306P-18VW | Titanium/Purple | 18cm | 108g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 18CM 6 PACK | A306P-18VWP6 | Titanium/Purple | 18cm | 648g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 25CM | A306P-25VW | Titanium/Purple | 25cm | 113g | 20/25mm | EN12275:2013 B, EN566:2017 |
| SHADOW QUICKDRAW 25CM 6 PACK | A306P-25VWP6 | Titanium/Purple | 25cm | 678g | 20/25mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|---|-----------------|-----------------|--------|--------|--------------|----------------------------|
| SHADOW/SPECTRE HYBRID QUICKDRAW 12CM | A301-358PR-12 | Titanium/Purple | 12cm | 93g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 12CM 6 PACK | A301-358PR-12P6 | Titanium/Purple | 12cm | 558g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 18CM | A301-358PR-18 | Titanium/Purple | 18cm | 98g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 18CM 6 PACK | A301-358PR-18P6 | Titanium/Purple | 18cm | 588g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 25CM | A301-358PR-25 | Titanium/Purple | 25cm | 103g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 12CM | A301-358BL-12 | Titanium/Blue | 12cm | 93g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 12CM 6 PACK | A301-358BL-12P6 | Titanium/Blue | 12cm | 558g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 18CM | A301-358BL-18 | Titanium/Blue | 18cm | 98g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 18CM 6 PACK | A301-358BL-18P6 | Titanium/Blue | 18cm | 588g | 20/23mm | EN12275:2013 B, EN566:2017 |
| SHADOW/SPECTRE HYBRID QUICKDRAW 25CM | A301-358BL-25 | Titanium/Blue | 25cm | 103g | 20/23mm | EN12275:2013 B, EN566:2017 |

| PRODUCT DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | GATE OPENING | CONFORMANCE |
|------------------------------------|--------------|--------------|--------|--------|--------------|--|
| ALPHA STEEL QUICKDRAW 12CM | C526-12 | Black | 12cm | 151g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA STEEL/MAILLON QUICKDRAW 12CM | C526-12MR | Silver/Black | 12cm | 288g | 25mm | EN12275:2013 B, EN566:2017, EN12275:2013 |
| ALPHA STEEL QUICKDRAW 18CM | C526-18 | Black | 18cm | 156g | 25mm | EN12275:2013 B, EN566:2017 |
| ALPHA STEEL/MAILLON QUICKDRAW 18CM | C526-18MR | Silver/Black | 18cm | 293g | 25mm | EN12275:2013 B, EN566:2017, EN12275:2013 |

Slings





› Dynatec 8mm

Ultra-thin, lightweight slings for minimising rack weight and ideal for threads



› Dynatec 11mm

Lightweight Dynatec quickdraw slings with in-built keeper.



› Dynatec 11mm

Lightweight slings for creating threads, runners and anchors.



› Nylon Vari-width

Sport climbing slings that are easy to pull on when working routes. Rubber keeper included.




› Nylon 16mm

Durable nylon slings for creating threads and anchors.



› Nylon 26mm

Strong and durable nylon slings for heavy duty use.



› Dynatec Daisy Chains

Dynatec daisy chain for aid climbing



| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|-------------------------------|--------------|--------|--------|--------|-------|----------|-------------|
| 8MM DYNATEC SLING GREEN 30CM | SP0830GR | 30cm | Green | 10g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING GREY 30CM | SP0830GY | 30cm | Grey | 10g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING GOLD 60CM | SP0860GD | 60cm | Gold | 19g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING PURPLE 60CM | SP0860PR | 60cm | Purple | 24g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING GREY 120CM | SP08120GY | 120cm | Grey | 35g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING RED 120CM | SP08120RD | 120cm | Red | 35g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING GREEN 240CM | SP08240GR | 240cm | Green | 68g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING BLUE 240CM | SP08240BL | 240cm | Blue | 68g | 8mm | 22kN | EN566:2017 |
| 8MM DYNATEC SLING BLUE 400CM | SP08400BL | 400cm | Blue | 66g | 8mm | 22kN | EN566:2017 |

| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|--|--------------|--------|--------|--------|-------|----------|---|
| 11MM DYNATEC QUICKDRAW SLING GREY 12CM | SP1112ASGY | 12cm | Grey | 9g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC QUICKDRAW SLING GREY 18CM | SP1118AS | 18cm | Grey | 18g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC QUICKDRAW SLING GREY 25CM | SP1125ASGY | 25cm | Grey | 0g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC QUICKDRAW SLING RED 12CM | SP1112ASRD | 12cm | Red | 0g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC QUICKDRAW SLING RED 18CM | SP1118ASRD | 18cm | Red | 0g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC QUICKDRAW SLING RED 25CM | SP1125AS | 25cm | Red | 14g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |

| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|------------------------------------|--------------|--------|--------|--------|-------|----------|---|
| 11MM DYNATEC SLING GREEN 30CM | SP1130GR | 30cm | Green | 15g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING GOLD 60CM | SP1160GD | 60cm | Gold | 26g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING ORANGE 60CM | SP1160OR | 60cm | Orange | 200g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING PURPLE 60CM | SP1160PR | 60cm | Purple | 26g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING 11MM GREY 120CM | SP11120GY | 120cm | Grey | 52g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING 11MM LIME 120CM | SP11120LG | 120cm | Lime | 200g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING 11MM RED 120CM | SP11120RD | 120cm | Red | 52g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING BLUE 240CM | SP11240BL | 240cm | Blue | 104g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |
| 11MM DYNATEC SLING GREEN 240CM | SP11240GR | 240cm | Green | 104g | 11mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B, UIAA104 |


| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|---|--------------|--------|------------|--------|---------|----------|-------------|
| NYLON VARIWIDTH LOGO QUICKDRAW SLING 12CM | MA16SL12 | 12cm | Anthracite | 18g | 16-25mm | 22kN | EN566:2017 |
| NYLON VARIWIDTH LOGO QUICKDRAW SLING 18CM | MA16SL18 | 18cm | Anthracite | 24g | 16-25mm | 22kN | EN566:2017 |
| NYLON VARIWIDTH LOGO QUICKDRAW SLING 25CM | MA16SL25 | 25cm | Anthracite | 33g | 16-25mm | 22kN | EN566:2017 |
| NYLON VARIWIDTH QUICKDRAW KEEPER 5 PACK | KEEPVW-P5 | - | Black | 29g | - | - | ONA |

| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|------------------------------|--------------|--------|--------|--------|-------|----------|--------------------------------------|
| 16MM NYLON SLING RED 60CM | MA1660RD | 60cm | Red | 47g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |
| 16MM NYLON SLING BLACK 60CM | MA1660BLK | 60cm | Black | 47g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |
| 16MM NYLON SLING BLUE 120CM | MA16120BL | 120cm | Blue | 92g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |
| 16MM NYLON SLING BLACK 120CM | MA16120BLK | 120cm | Black | 92g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |
| 16MM NYLON SLING RED 240CM | MA16240RD | 240cm | Red | 180g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |
| 16MM NYLON SLING BLACK 240CM | MA16240BLK | 240cm | Black | 180g | 16mm | 22kN | EN566:2017, EN354:2010, EN795:2012 B |

| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|------------------------------|--------------|--------|--------|--------|-------|----------|--------------------------------------|
| 26MM NYLON SLING BLACK 60CM | MA2660BLK | 60cm | Black | 72g | 26mm | 30kN | EN566:2017, EN354:2010, EN795:2012 B |
| 26MM NYLON SLING BLACK 120CM | MA26120BLK | 120cm | Black | 138g | 26mm | 30kN | EN566:2017, EN354:2010, EN795:2012 B |
| 26MM NYLON SLING BLACK 240CM | MA26240BLK | 240cm | Black | 276g | 26mm | 30kN | EN566:2017, EN354:2010, EN795:2012 B |

| DESCRIPTION | PRODUCT CODE | LENGTH | COLOUR | WEIGHT | WIDTH | STRENGTH | CONFORMANCE |
|-------------------------------------|--------------|--------|--------|--------|-------|------------|-------------|
| 11MM DYNATEC DAISY CHAIN BLUE 135CM | DCDY135BL | 135cm | Blue | 0g | 11mm | 22kN (2kN) | EN566:2017 |
| 11MM DYNATEC DAISY CHAIN RED 135CM | DCDY135RD | 135cm | Red | 65g | 11mm | 22kN (2kN) | EN566:2017 |

Locking Carabiners





Shadow HMS

A large, yet lightweight, HMS carabiner with a short gate to maximise gate opening. The deep and wide top basket can take three clove hitches (<9.5mm rope).



MAJOR AXIS | 27kN
WEIGHT | 70g

SCREWGATE, KWIKLOCK, LOCKSAFE



Phantom HMS

A compact, lightweight carabiner ideally suited for belaying and rigging.



MAJOR AXIS | 25kN
WEIGHT | 56g

SCREWGATE, KWIKLOCK, LOCKSAFE



Ceros

The Ceros features an internal wiregate to correctly align the carabiner on the belay loop; minimising the chance of cross-loading. The horn prevents devices from rotating to the spine of the carabiner.



MAJOR AXIS | 25kN
WEIGHT | 86g

SCREWGATE, KWIKLOCK, LOCKSAFE



Belay Master

A belay carabiner with a nylon clip that prevents cross-loading and ensures the gate is closed and locked.



MAJOR AXIS | 25kN
WEIGHT | 93g

SCREWGATE



Phantom

A lightweight locking carabiner that helps minimise rack weight.



MAJOR AXIS | 24kN
WEIGHT | 42g

SCREWGATE



Shadow

A mid-size multipurpose locking carabiner.



MAJOR AXIS | 24kN
WEIGHT | 50g

SCREWGATE, KWIKLOCK, LOCKSAFE



Ultra O

A very stable locking carabiner that gives predictable loading and allows attachments to sit centrally.



MAJOR AXIS | 25kN
WEIGHT | 67g

SCREWGATE, KWIKLOCK, LOCKSAFE



PerfectO

A compact, true oval carabiner that is easy to use one-handed. It provides effective centring of loads.



MAJOR AXIS | 24kN
WEIGHT | 60g

SCREWGATE, KWIKLOCK, LOCKSAFE

“Tools of the Trad” is a YouTube series designed to help climbers learn the essential techniques and skills needed for trad climbing. With expert guidance from Alice Kerr - local climbing and mountaineering instructor, the series covers everything from gear selection and placement to rope management and anchor building. Each episode is packed with practical advice, tips, and demonstrations that are sure to help climbers of all levels improve their skills and enjoy the sport even more. Whether you’re a beginner or an experienced climber looking to brush up on your skills, “Tools of the Trad” is an excellent resource that is sure to inspire and educate.






Revolver

A locking carabiner with an integrated pulley wheel that reduces friction and rope drag. It can be used in lightweight hauling systems.



| | |
|------------|------|
| MAJOR AXIS | 24kN |
| WEIGHT | 63g |

SCREWGATE, KWIKLOCK, LOCKSAFE



XSRE Lock

Useful on a harness to organise gear as it is clipping keys onto a belt loop. The screwgate locking version gives increased security when required.



XSRE Lock Captive Bar

Locking screwgate and captive bar for extra security. The removable threaded captive bar helps ensure the correct orientation with lanyards and holds components securely.



| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|----------------------|--------------|----------------|-----------|--------|------------------|------------------|-----------------|--------------|--------------------------------|
| SHADOW HMS SCREWGATE | A682LG | Lime | TBC | 70g | 26kN | 9kN | 7kN | 22mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS SCREWGATE | A682MG | Matt Grey | TBC | 70g | 26kN | 9kN | 7kN | 22mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS SCREWGATE | A682OR | Orange | TBC | 70g | 26kN | 9kN | 7kN | 22mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS SCREWGATE | A682 | Titanium/Lime | TBC | 70g | 26kN | 9kN | 7kN | 22mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS KWIKLOCK | A683 | Titanium/Red | TBC | 76g | 26kN | 9kN | 7kN | 21mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS LOCKSAFE | A687 | Titanium/Green | TBC | 76g | 26kN | 9kN | 7kN | 21mm | EN12275:2013 B/H, EN362:2004 B |
| SHADOW HMS LOCKSAFE | A687MG | Matt Grey | TBC | 77g | 26kN | 9kN | 7kN | 21mm | EN12275:2013 B/H, EN362:2004 B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|-----------------------|--------------|---------------|-----------|--------|------------------|------------------|-----------------|--------------|--------------------------------|
| PHANTOM HMS SCREWGATE | A572LG | Lime | 71 x 96mm | 56g | 25kN | 9kN | 7kN | 20mm | EN362:2004 B, EN12275:2013 B/H |
| PHANTOM HMS SCREWGATE | A572MG | Matt Grey | 71 x 96mm | 56g | 25kN | 9kN | 7kN | 20mm | EN362:2004 B, EN12275:2013 B/H |
| PHANTOM HMS SCREWGATE | A572OR | Orange | 71 x 96mm | 56g | 25kN | 9kN | 7kN | 20mm | EN362:2004 B, EN12275:2013 B/H |
| PHANTOM HMS SCREWGATE | A572 | Titanium/Lime | 71 x 96mm | 56g | 25kN | 9kN | 7kN | 20mm | EN362:2004 B, EN12275:2013 B/H |
| PHANTOM HMS LOCKSAFE | A577MG | Matt Grey | 71 x 96mm | 62g | 25kN | 9kN | 7kN | 19mm | EN362:2004 B, EN12275:2013 B/H |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|-----------------|--------------|----------------|------------|--------|------------------|------------------|-----------------|--------------|------------------------------------|
| CEROS SCREWGATE | A562LG | Lime | 74 x 121mm | 86g | 25kN | 7kN | 7kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS SCREWGATE | A562MG | Matt Grey | 74 x 121mm | 0g | 25kN | 7kN | 7kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS SCREWGATE | A562OR | Orange | 74 x 121mm | 86g | 25kN | 7kN | 7kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS SCREWGATE | A562 | Titanium/Lime | 74 x 121mm | 86g | 25kN | 7kN | 7kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS KWIKLOCK | A563 | Titanium/Red | 74 x 121mm | 92g | 25kN | 7kN | 7kN | 19mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS LOCKSAFE | A567 | Titanium/Green | 74 x 121mm | 93g | 25kN | 7kN | 7kN | 19mm | EN362:2004 B/T, EN12275:2013 B/H/T |
| CEROS LOCKSAFE | A567MG | Matt Grey | 74 x 121mm | 93g | 25kN | 7kN | 7kN | 19mm | EN362:2004 B/T, EN12275:2013 B/H/T |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|-------------------------------|--------------|---------------|------------|--------|------------------|------------------|-----------------|--------------|--|
| BELAY MASTER | A872LG | Lime | 70 x 115mm | 93g | 25kN | 10kN | 8kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009 |
| BELAY MASTER | A872MG | Matt Grey | 70 x 115mm | 93g | 25kN | 10kN | 8kN | 24mm | EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009 |
| BELAY MASTER | A872OR | Orange | 70 x 115mm | 93g | 25kN | 10kN | 8kN | 24mm | EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009 |
| BELAY MASTER | A872 | Titanium/Lime | 70 x 115mm | 93g | 25kN | 10kN | 8kN | 20mm | EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009 |
| BELAY MASTER CLIP (OLD GATES) | A860-02 | Black | | 25g | | | | | ONA |
| BELAY MASTER CLIP (NEW GATES) | A860-02S | Black | | 25g | | | | | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|--------------------------------|--------------|-----------------------|------------|--------|------------------|------------------|-----------------|--------------|--|
| SHADOW SCREWGATE | A302LG | Lime | 62 x 102mm | 50g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW SCREWGATE | A302MG | Matt Grey | 62 x 102mm | 50g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW SCREWGATE | A302OR | Orange | 62 x 102mm | 50g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW SCREWGATE | A302 | Titanium/Lime | 62 x 102mm | 50g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW SCREWGATE COLOUR 3 PACK | A302-P3 | Blue/Red/Green | 62 x 102mm | 150g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW SCREWGATE COLOUR 3 PACK | A302-P3A | Lime/Matt Grey/Orange | 62 x 102mm | 150g | 24kN | 7kN | 9kN | 18mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW KWIKLOCK | A303 | Titanium/Red | 62 x 102mm | 57g | 24kN | 7kN | 9kN | 17mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW LOCKSAFE | A307 | Titanium/Green | 62 x 102mm | 58g | 24kN | 7kN | 9kN | 17mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| SHADOW LOCKSAFE | A307MG | Matt Grey | 62 x 102mm | 50g | 24kN | 7kN | 9kN | 17mm | EN362:2004 B, EN12275:2013 B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|-------------------|--------------|---------------|-----------|--------|------------------|------------------|-----------------|--------------|--|
| PHANTOM SCREWGATE | A312LG | Lime | 54 x 94mm | 42g | 24kN | 9kN | 9kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| PHANTOM SCREWGATE | A312MG | Matt Grey | 54 x 94mm | 42g | 24kN | 9kN | 9kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| PHANTOM SCREWGATE | A312OR | Orange | 54 x 94mm | 42g | 24kN | 9kN | 9kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| PHANTOM SCREWGATE | A312 | Titanium/Lime | 54 x 94mm | 42g | 24kN | 9kN | 9kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|---------------------------------|--------------|-----------------------|------------|--------|------------------|------------------|-----------------|--------------|--|
| ULTRA O SCREWGATE | A322LG | Lime | 63 x 109mm | 68g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O SCREWGATE | A322MG | Matt Grey | 63 x 109mm | 67g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O SCREWGATE | A322OR | Orange | 63 x 109mm | 68g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O SCREWGATE | A322 | Titanium/Lime | 63 x 109mm | 68g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O SCREWGATE COLOUR 3 PACK | A322-P3 | Blue/Red/Green | 63 x 109mm | 204g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O SCREWGATE COLOUR 3 PACK | A322-P3A | Lime/Matt Grey/Orange | 63 x 109mm | 204g | 25kN | 12kN | 7kN | 22mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O KWIKLOCK | A323 | Titanium/Red | 63 x 109mm | 74g | 25kN | 12kN | 7kN | 19mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O LOCKSAFE | A327 | Titanium/Green | 63 x 109mm | 74g | 25kN | 12kN | 7kN | 19mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |
| ULTRA O LOCKSAFE | A327MG | Matt Grey | 63 x 109mm | 74g | 25kN | 12kN | 7kN | 19mm | EN362:2004 B, EN12275:2013 X/B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|--------------------|--------------|-----------|-----------|--------|------------------|------------------|-----------------|--------------|--------------------------------|
| PERFECTO SCREWGATE | A592LG | Lime | 56 X 95mm | 60g | 24kN | 7kN | 7kN | 16mm | EN12275:2013 X/B, EN362:2004 B |
| PERFECTO SCREWGATE | A592MG | Matt Grey | 56 X 95mm | 0g | 24kN | 7kN | 7kN | 16mm | EN12275:2013 X/B, EN362:2004 B |
| PERFECTO SCREWGATE | A592OR | Orange | 56 X 95mm | 60g | 24kN | 7kN | 7kN | 16mm | EN12275:2013 X/B, EN362:2004 B |
| PERFECTO LOCKSAFE | A597MG | Matt Grey | 56 X 95mm | 66g | 24kN | 7kN | 7kN | 15mm | EN12275:2013 X/B, EN362:2004 B |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | MBS (MINOR AXIS) | MBS (GATE OPEN) | GATE OPENING | CONFORMANCE |
|--------------------|--------------|----------------|------------|--------|------------------|------------------|-----------------|--------------|--|
| REVOLVER SCREWGATE | A272LG | Lime | 60 x 109mm | 63g | 24kN | 8kN | 8kN | 16mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| REVOLVER SCREWGATE | A272MG | Matt Grey | 60 x 109mm | 63g | 24kN | 8kN | 8kN | 16mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| REVOLVER SCREWGATE | A272 | Titanium/Lime | 60 x 109mm | 63g | 24kN | 8kN | 8kN | 16mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| REVOLVER KWIKLOCK | A273 | Titanium/Red | 60 x 109mm | 69g | 24kN | 8kN | 8kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| REVOLVER LOCKSAFE | A277 | Titanium/Green | 60 x 109mm | 70g | 24kN | 8kN | 8kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |
| REVOLVER LOCKSAFE | A277MG | Matt Grey | 60 x 109mm | 70g | 24kN | 8kN | 8kN | 15mm | EN362:2004 B, EN12275:2013 B, UIAA121:2009 |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-----------------------|--------------|-----------|-----------|--------|------------------|--------------|-------------|
| XSRE LOCK CAPTIVE BAR | A482CBGR | Green | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK CAPTIVE BAR | A482CBLG | Lime | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK CAPTIVE BAR | A482CBMG | Matt Grey | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK CAPTIVE BAR | A482CBPR | Purple | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK CAPTIVE BAR | A482CBRD | Red | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK CAPTIVE BAR | A482CBTQ | Turquoise | 35 x 57mm | 10g | 4kN | 12mm | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | DIMENSION | WEIGHT | MBS (MAJOR AXIS) | GATE OPENING | CONFORMANCE |
|-------------|--------------|-----------|-----------|--------|------------------|--------------|-------------|
| XSRE LOCK | A532GR | Green | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK | A532LG | Lime | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK | A532MG | Matt Grey | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK | A532PR | Purple | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK | A532RD | Red | 35 x 57mm | 10g | 4kN | 12mm | ONA |
| XSRE LOCK | A532TQ | Turquoise | 35 x 57mm | 10g | 4kN | 12mm | ONA |



[Cams](#)

[Nuts](#)

[Carabiners](#)

[Quickdraws](#)

[Slings](#)

[Locking Carabiners](#)

[Belay & Descent](#)

[Harnesses](#)

[Winter Equipment](#)

[Walls & Centres](#)

[Bags & Chalk](#)

[Clothing](#)



Belay & Descent





› **Pivot**

A versatile, high performance belay device. The Pivot's shackle reduces the force needed to initiate lowering, increasing control when lowering one or two seconds in guide mode.

✓



› **Pivot/Phantom HMS Belay Set**

A compact and lightweight technical belay set.

✓



› **Mantis**

A very lightweight belay device that inspires confident belaying. It is suitable for all round climbing with single, half, or twin ropes.

✓



› **Mantis/ Shadow HMS Belay Set**

A compact and lightweight technical belay set.

✓



› **Figure 8**

The classic abseil device, ideal for walls and centres running group abseil sessions.

✓

✓



› **Bat Plate**

Generous radii allow direct attachment of textiles as well as carabiners. The oversized hole allows for effortless centralising of anchors and gives a perfect clipping-in point. Ideal for big walls and complex rigging.

ROPE PROTECTION



› **ProPad+ Rope Protector**

Heavy duty canvas/coir rope protector that can be attached to edges. Replaceable wear sheet adds longevity.



› **K-Pro Rope Protector**

Heavy duty kevlar/canvas rope protector that can be attached to ropes. The ultimate in-line rope protection.

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | ROPE DIAMETER | CONFORMANCE |
|-----------------------|--------------|-----------|--------|---|--|
| PIVOT | A1160LG | Lime | 72g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN15151-2:2012 |
| PIVOT | A1160MG | Matt Grey | 72g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN15151-2:2012 |
| PIVOT | A1160OR | Orange | 72g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN15151-2:2012 |
| PIVOT/PHANTOM HMS SET | A1160LG/572 | Lime | 130g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN12275:2013 H, EN362:2004 B, EN15151-2:2012 |
| PIVOT/PHANTOM HMS SET | A1160MG/572 | Matt Grey | 130g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN12275:2013 H, EN362:2004 B, EN15151-2:2012 |
| PIVOT/PHANTOM HMS SET | A1160OR/572 | Orange | 130g | half/twin: 7.3mm-9.2mm single: 8.7mm-11mm | EN12275:2013 H, EN362:2004 B, EN15151-2:2012 |


| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | ROPE DIAMETER | CONFORMANCE |
|-----------------------|--------------|------------------|--------|---|--|
| MANTIS | A1165LG | Lime | 45g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |
| MANTIS | A1165MG | Matt Grey | 45g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |
| MANTIS | A1165OR | Orange | 45g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |
| MANTIS/SHADOW HMS SET | A1165LG/682 | Lime | 131g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN12275:2013 B/H, EN362:2004 B, EN15151-2:2012 |
| MANTIS/SHADOW HMS SET | A1165MG/682 | Matt Grey | 131g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN12275:2013 B/H, EN362:2004 B, EN15151-2:2012 |
| MANTIS/SHADOW HMS SET | A1165OR/682 | Orange/Matt Grey | 131g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN12275:2013 B/H, EN362:2004 B, EN15151-2:2012 |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | ROPE DIAMETER | CONFORMANCE |
|-----------------|--------------|-----------|--------|---|----------------|
| FIGURE 8 LIME | A1150LG | Lime | 116g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |
| FIGURE OF EIGHT | A1150MG | Matt Grey | 116g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |
| FIGURE 8 | A1150P | Silver | 116g | half/twin: 7.3mm-9.2mm single: 8.5mm-11mm | EN15151-2:2012 |

| DESCRIPTION | PRODUCT CODE | MBS | WEIGHT | DIMENSIONS | CONFORMANCE |
|--------------|--------------|------|--------|---------------|---|
| BAT PLATE XS | RIG-XS-OR | 36KN | 37g | 62 x 62 x 8mm | Manufacturers Technical Specification QAP99 |

| DESCRIPTION | PRODUCT CODE | COLOUR | CONFORMANCE |
|------------------------------------|--------------|----------|-------------|
| K-PRO CANVAS/ARAMID ROPE PROTECTOR | K-PRO50 | Blue/Red | ONA |
| K-PRO CANVAS/ARAMID ROPE PROTECTOR | K-PRO80 | Blue/Red | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | CONFORMANCE |
|-------------------|--------------|-----------------|-------------|
| PROPAD+ EDGE MAT | PROPAD+ | Blue/Red/Yellow | ONA |
| PROPAD+ WEARSHEET | WEARSHEET | Yellow | ONA |



Harnesses

A solid red horizontal bar, likely a decorative element or a placeholder for a logo.



› **Trance**

Lightweight and high performance. Perfect for modern sport climbing and hard trad climbing. Fixed leg loops. Available in XS-L

WEIGHT: 315 / 335 / 355 / 370g



› **Mithril**

Men's lightweight, highly breathable, fully adjustable harness for climbing in all seasons

WEIGHT: 350 / 365 / 370 / 390g



› **Venture**

Women's lightweight, highly breathable, fully adjustable harness for climbing in all seasons.

WEIGHT: 320 / 340 / 365 / 380g



› **Renegade**

All season, all mountain harness with reinforced lumbar support and hypalon inserts for winter racking. Plentiful gear loops for carrying the biggest of racks.

WEIGHT: 395 / 415 / 450g



› **Puma**

A supportive, fully featured women's all round harness that is suitable for climbing in summer and winter.

WEIGHT: 350 / 370 / 395 / 430g



› **Viper**

A perfect first harness. Highly featured and comfortable.

WEIGHT: 365 / 400 / 435g



› **Vixen**

A perfect first harness for women. Highly featured and comfortable.

WEIGHT: 345 / 360 / 370 / 410g



› **Trance Kids**

Lightweight and high performance kids harness. Fixed leg loops.

WEIGHT: 295g



› **Tomcat**

The Tomcat is a well featured harness that is sized specifically for younger climbers.

WEIGHT: 385g



› **Tom Kitten**

A full body kids harness that maximises support and stability for younger climbers.

WEIGHT: 330g

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|-------------------------|
| TRANCE | HUI02PR-XS | Purple | XS | 310g | 28 - 31 | 70 - 77 | 19 - 21 | 49 - 53 | EN12277:2015 +A1:2018 C |
| TRANCE | HUI02PR-S | Purple | S | 320g | 30 - 33 | 77 - 84 | 21 - 22 | 53 - 57 | EN12277:2015 +A1:2018 C |
| TRANCE | HUI02PR-M | Purple | M | 340g | 32 - 35 | 82 - 90 | 23 - 24 | 57 - 60 | EN12277:2015 +A1:2018 C |
| TRANCE | HUI02PR-L | Purple | L | 350g | 36 - 39 | 90 - 98 | 24 - 25 | 60 - 64 | EN12277:2015 +A1:2018 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|-------------------------|
| MITHRIL | HM101RD-S | Red | S | 358g | 28 - 31 | 70 - 80 | 20 - 26 | 52 - 67 | EN12277:2015 +A1:2018 C |
| MITHRIL | HM101RD-M | Red | M | 375g | 31 - 35 | 78 - 88 | 22 - 28 | 56 - 71 | EN12277:2015 +A1:2018 C |
| MITHRIL | HM101RD-L | Red | L | 391g | 34 - 38 | 86 - 96 | 24 - 30 | 60 - 75 | EN12277:2015 +A1:2018 C |
| MITHRIL | HM101RD-XL | Red | XL | 408g | 37 - 41 | 94 - 104 | 25 - 31 | 64 - 79 | EN12277:2015 +A1:2018 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|-------------------------|
| VENTURE | HW101BL-XS | Blue | XS | 320g | 22 - 26 | 56 - 66 | 18 - 24 | 46 - 61 | EN12277:2015 +A1:2018 C |
| VENTURE | HW101BL-S | Blue | S | 340g | 25 - 29 | 64 - 74 | 20 - 26 | 52 - 67 | EN12277:2015 +A1:2018 C |
| VENTURE | HW101BL-M | Blue | M | 365g | 28 - 32 | 72 - 82 | 22 - 28 | 56 - 71 | EN12277:2015 +A1:2018 C |
| VENTURE | HW101BL-L | Blue | L | 380g | 31 - 35 | 80 - 90 | 24 - 30 | 60 - 75 | EN12277:2015 +A1:2018 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|----------------|
| RENEGADE | HM103RD-S | Red | S | 395g | 25 - 31 | 64 - 79 | 18 - 23 | 45 - 58 | EN12277:2015 C |
| RENEGADE | HM103RD-M | Red | M | 415g | 30 - 36 | 75 - 91 | 20 - 25 | 50 - 63 | EN12277:2015 C |
| RENEGADE | HM103RD-L | Red | L | 450g | 34 - 41 | 87 - 104 | 22 - 28 | 55 - 70 | EN12277:2015 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|----------------|
| PUMA | HW103PR-XS | Purple | XS | 350g | 22 - 27 | 57 - 69 | 17 - 20 | 43 - 52 | EN12277:2015 C |
| PUMA | HW103PR-S | Purple | S | 370g | 24 - 28 | 61 - 71 | 19 - 22 | 47 - 56 | EN12277:2015 C |
| PUMA | HW103PR-M | Purple | M | 395g | 26 - 31 | 66 - 80 | 21 - 24 | 53 - 62 | EN12277:2015 C |
| PUMA | HW103PR-L | Purple | L | 430g | 30 - 36 | 75 - 91 | 23 - 26 | 58 - 67 | EN12277:2015 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|----------------|
| VIPER | HM104BL-S | Blue | S | 365g | 25 - 31 | 64 - 79 | 18 - 23 | 45 - 58 | EN12277:2015 C |
| VIPER | HM104BL-M | Blue | M | 400g | 30 - 36 | 75 - 91 | 20 - 25 | 50 - 63 | EN12277:2015 C |
| VIPER | HM104BL-L | Blue | L | 435g | 34 - 41 | 87 - 104 | 22 - 28 | 55 - 70 | EN12277:2015 C |
| VIPER PACK | HM104PKBL-S | Blue | S | 800g | 25 - 31 | 64 - 79 | 18 - 23 | 45 - 58 | EN12277:2015 C |
| VIPER PACK | HM104PKBL-M | Blue | M | 800g | 30 - 36 | 75 - 91 | 20 - 25 | 50 - 63 | EN12277:2015 C |
| VIPER PACK | HM104PKBL-L | Blue | L | 0g | 34 - 41 | 87 - 104 | 22 - 28 | 55 - 70 | EN12277:2015 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|------------|------|---------|------------|------------|-----------|----------------|----------------|
| VIXEN | HW104BL-XS | Light Blue | XS | 345g | 22 - 27 | 57 - 69 | 17 - 20 | 43 - 52 | EN12277:2015 C |
| VIXEN | HW104BL-S | Light Blue | S | 360g | 24 - 28 | 61 - 71 | 19 - 22 | 47 - 56 | EN12277:2015 C |
| VIXEN | HW104BL-M | Light Blue | M | 370g | 26 - 31 | 66 - 80 | 21 - 24 | 53 - 62 | EN12277:2015 C |
| VIXEN | HW104BL-L | Light Blue | L | 410g | 30 - 36 | 75 - 91 | 23 - 26 | 58 - 67 | EN12277:2015 C |
| VIXEN PACK | HW104PKBL-XS | Light Blue | XS | 22 - 27 | 57 - 69 | 17 - 20 | 43 - 52 | EN12277:2015 C | |
| VIXEN PACK | HW104PKBL-S | Light Blue | S | 24 - 28 | 61 - 71 | 19 - 22 | 47 - 56 | EN12277:2015 C | |
| VIXEN PACK | HW104PKBL-M | Light Blue | M | 26 - 31 | 66 - 80 | 21 - 24 | 53 - 62 | EN12277:2015 C | |
| VIXEN PACK | HW104PKBL-L | Light Blue | L | 30 - 36 | 75 - 91 | 23 - 26 | 58 - 67 | EN12277:2015 C | |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|--------|------|--------|------------|------------|-----------|-----------|-------------------------|
| TRANCE | HUI02PR-XXS | Purple | XXS | 295g | 25-28 | 64-70 | 18-19 | 45-49 | EN12277:2015 +A1:2018 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | TORSO HEIGHT(CM) | TORSO HEIGHT (IN) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|----------|----------|--------|------------------|-------------------|-----------|-----------|----------------|
| TOM KITTEN | TOMK | Red/Grey | One size | 330g | 35-62 | 14-24 | 9 - 22 | 23 - 55 | EN12277:2015 B |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | WAIST (IN) | WAIST (CM) | LEGS (IN) | LEGS (CM) | CONFORMANCE |
|-------------|--------------|----------|----------|--------|------------|------------|-----------|-----------|-------------------------|
| TOMCAT | TOMC | Red/Grey | One size | 385g | 20 - 30 | 50 - 75 | 16 - 20 | 40 - 50 | EN12277:2015 +A1:2018 C |

Winter Equipment



› Switch

The Switch is instantly recognisable as a top end ice axe. An aggressively curved shaft gives optimal clearance for steep terrain. Both the shaft and pick are T rated, which along with the full strength handle and double riveted construction, means the Switch can stand up to the harshest treatment.



› Apex

A high performance ice axe that excels on steep routes and for technical mountaineering. The shaft curve has been precisely designed to give clearance and stability on steep ground while remaining effective when plunging, daggering and moving on easier angled snow slopes. The Apex is fully T rated, and the head and handle are double riveted onto the lightweight aluminium shaft.



New colours

› Spire Tech

The Spire Tech is a modern, versatile & lightweight snow & ice tool. The bent shaft and machined grips make it suitable for more technical or sustained terrain when walking, mountaineering or ski touring. The refined design and careful material choices result in a 45cm axe that weighs in at only 323g.



New colours

› Spire

The Spire is our new lightweight mountaineering axe that's tough enough to deal with the demands of modern winter mountaineering, yet light enough for general walking and ski touring. Optimised lightweight tubing and a complete re-design of our bungs and steelwork has found a fine balance that means it carries without effort yet can penetrate ice and cut steps when required.



› Vertex

A very lightweight technical mountaineering tool with modular pick system, for use in a wide variety alpine terrain. The shaft geometry is straight enough to be efficient on less steep ground and for plunging in snow yet curved enough to have a precise swing and provide clearance over ice bulges.



› Flux

At 35cm in length, the Flux is suited for ski mountaineering, ski touring and winter fell running. The Flux is light and compact enough to carry easily, fitting into most backpacks comfortably.

New



› Deadman

The Deadman offers protection when snow is the only option.



› Bulldog & Terrier

Versatile drive-in pieces of winter protection that can create secure placements in frozen turf and thin cracks.



› Slide Lock Leash

Intuitive to use and operable with one hand featuring a minimalist design for improved functionality and durability.



› Vault

A robust aluminium racking carabiner that keeps valuable ice screws safe and secure, and allows efficient selection of the correct length.



| | |
|--------|-----|
| MBS | 3kN |
| WEIGHT | 63g |




› Grippy Grip Tape

Grippy Grip Tape in three metre rolls is perfect for providing extra grip when using the upper hand rest and provides extra insulation.

› Freedom Single Leash


Single sprung tether that gives the freedom of climbing leashless, but stop you losing your axe if you drop it.




Additional XSRE Lock Captive Bar

› Freedom Revo Leash



Double sprung tethers with built in swivel that give the freedom of climbing leashless, but stop you losing your axe if you drop it leashless.



Additional XSRE Lock Captive Bar



XSRE Swivel minimises tangles



| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|---------------|--------------|--------|--------|--------|-----------------------------|
| SWITCH AXE | A0391 | Red | 50cm | 684g | EN13089:2011+A1:2015 Type 2 |
| SWITCH HAMMER | A0392 | Red | 50cm | 676g | EN13089:2011+A1:2015 Type 2 |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|--------|--------|-----------------------------|
| APEX AXE | A0381 | Green | 50cm | 673g | EN13089:2011+A1:2015 Type 2 |
| APEX HAMMER | A0382 | Green | 50cm | 658g | EN13089:2011+A1:2015 Type 2 |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|--------|--------|-----------------------------|
| SPIRE TECH | A0441 | Red | 45cm | 323g | EN13089:2011+A1:2015 Type 1 |
| SPIRE TECH | A0442 | Red | 50cm | 337g | EN13089:2011+A1:2015 Type 1 |
| SPIRE TECH | A0443 | Red | 55cm | 351g | EN13089:2011+A1:2015 Type 1 |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|--------|--------|-----------------------------|
| SPIRE | A0446 | Red | 55cm | 352g | EN13089:2011+A1:2015 Type 1 |
| SPIRE | A0447 | Red | 60cm | 366g | EN13089:2011+A1:2015 Type 1 |
| SPIRE | A0448 | Red | 65cm | 380g | EN13089:2011+A1:2015 Type 1 |
| SPIRE | A0449 | Red | 75cm | 409g | EN13089:2011+A1:2015 Type 1 |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|---------------|--------------|--------|--------|--------|-----------------------------|
| VERTEX ADZE | A0473 | Red | 50cm | 430g | EN13089:2011+A1:2015 Type 2 |
| VERTEX HAMMER | A0474 | Red | 50cm | 430g | EN13089:2011+A1:2015 Type 2 |
| VERTEX ADZE | A0471 | Red | 55cm | 445g | EN13089:2011+A1:2015 Type 2 |
| VERTEX HAMMER | A0472 | Red | 55cm | 445g | EN13089:2011+A1:2015 Type 2 |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|--------|--------|-----------------------------|
| FLUX HAMMER | A0450 | Red | 35cm | 238g | EN13089:2011+A1:2015 Type 1 |
| FLUX ADZE | A0453 | Red | 35cm | 238g | |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|--------|---|
| DEADMAN | A1300 | Red | 360g | Manufacturers Technical Specification QAP74 |

| DESCRIPTION | PRODUCT CODE | COLOUR | STRENGTH | WEIGHT | CONFORMANCE |
|-------------|--------------|--------|----------|--------|---|
| BULLDOG | C1375 | Black | 15kN | 150g | Manufacturers Technical Specification QAP77 |
| TERRIER | C1385 | Black | 15kN | 73g | Manufacturers Technical Specification QAP77 |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | CONFORMANCE |
|---------------------------|--------------|--------|--------|-------------|
| FREEDOM REVO XSRE LEASH | A0235 | Black | 94g | ONA |
| FREEDOM REVO LEASH | A0237 | Black | 70g | ONA |
| FREEDOM SINGLE XSRE LEASH | A0236 | Black | 39g | ONA |
| FREEDOM SINGLE LEASH | A0238 | Black | 27g | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | CONFORMANCE |
|------------------|--------------|--------|--------|-------------|
| SLIDE LOCK LEASH | A0140 | Black | 25g | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | CONFORMANCE |
|------------------|--------------|--------|------|--------|-------------|
| GRIPPY GRIP TAPE | A0PIB-3 | Black | 3m | 37g | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | GATE OPENING | WEIGHT | CONFORMANCE |
|-----------------|--------------|------------|--------------|--------|-------------|
| VAULT WIRE GATE | A558LG | Lime | 24mm | 63g | ONA |
| VAULT WIREGATE | A558MG | Matt Grey | 24mm | 63g | ONA |
| VAULT WIRE GATE | A558 | Silver/Red | 24mm | 63g | ONA |

- See website for winter spares: dmmwales.com/climbing-products/winter-equipment

Bags & Chalk



Will Bosi has made the first repeat of Nalle Hukkataival's Burden of Dreams 9A, the world's first 9A boulder in Lappnor, east of Helsinki, Finland.

[Band of Birds](#)



› Short Haul

A compact version of our popular Flight bag that looks as good going to the office or heading to the gym after work. Laptops up to 15 inches can be carried in a built-in sleeve.

VOLUME: 30l



› Flight

A sport climbing pack, sized to give you maximum carrying capacity and still fit most airline hand luggage restrictions.

VOLUME: 45l



› Classic Rope Bag

The Classic Rope Bag with an internal tarp transports your rope and accessories efficiently and comfortably.

VOLUME: 32l



› Pitcher

A simple and versatile tarp based rope bag that is ideal for the climbing wall.

VOLUME: 26l



› Zenith

A streamlined climbing pack for carrying equipment on multipitch routes.

VOLUME: 18l



› Porter

A robust equipment storage bag that is ideal for moving heavy loads.

VOLUME: 45 / 70l



› Edge

A chalk bucket with plenty of carrying capacity for all your bouldering essentials.



› Traction

A medium sized chalk bag suitable for all types of climbing.





› Trad

A large chalk bag for carrying lots of chalk on long routes.



› Tube

A classic style chalk bag suitable for all types of climbing.



| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------|--------------|--------|--------|--------|
| SHORT HAUL | BC22BK | Black | 30L | 800g |
| SHORT HAUL | BC22BL | Blue | 30L | 800g |
| SHORT HAUL | BC22RD | Red | 30L | 800g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------|--------------|--------|--------|--------|
| FLIGHT | BC21BK | Black | 45L | 1560g |
| FLIGHT | BC21BL | Blue | 45L | 1560g |
| FLIGHT | BC21RD | Red | 45L | 1560g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|------------------|--------------|--------|--------|--------|
| CLASSIC ROPE BAG | RB31BK | Black | 32L | 650g |
| CLASSIC ROPE BAG | RB31BL | Blue | 32L | 650g |
| CLASSIC ROPE BAG | RB31RD | Red | 32L | 650g |
| CLASSIC ROPE BAG | RB31YE | Yellow | 32L | 650g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|------------------|--------------|--------|--------|--------|
| PITCHER ROPE BAG | RB32BL | Blue | 26L | 470g |
| PITCHER ROPE BAG | RB32RD | Red | 26L | 470g |
| PITCHER ROPE BAG | RB32YE | Yellow | 26L | 470g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------|--------------|--------|--------|--------|
| ZENITH | BC20BL | Blue | 18L | 580g |
| ZENITH | BC20RD | Red | 18L | 580g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-----------------|--------------|--------|--------|--------|
| PORTER ROPE BAG | BI23BLK-45 | Black | 45L | 1250g |
| PORTER ROPE BAG | BI23BLK-70 | Black | 70L | 1420g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------|--------------|--------|--------|--------|
| TRANSIT | BI22BLK-30 | Black | 30L | 690g |
| TRANSIT | BI22BLK-45 | Black | 45L | 782g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------|--------------|--------|--------|--------|
| TOOL BAG | BI21BLK-4 | Black | 4L | 184g |
| TOOL BAG | BI21BLK-6 | Black | 6L | 238g |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT |
|------------------------|--------------|--------|--------|
| EDGE BOULDER CHALK BAG | CB34BL | Blue | 278g |
| EDGE BOULDER CHALK BAG | CB34RD | Red | 278g |
| EDGE BOULDER CHALK BAG | CB34YE | Yellow | 278g |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT |
|----------------|--------------|--------|--------|
| TRAD CHALK BAG | CB33BK | Black | 103g |
| TRAD CHALK BAG | CB33BL | Blue | 103g |
| TRAD CHALK BAG | CB33RD | Red | 103g |
| TRAD CHALK BAG | CB33YE | Yellow | 103g |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT |
|--------------------|--------------|--------|--------|
| TRACTION CHALK BAG | CB32BK | Black | 109g |
| TRACTION CHALK BAG | CB32BL | Blue | 109g |
| TRACTION CHALK BAG | CB32RD | Red | 109g |
| TRACTION CHALK BAG | CB32YE | Yellow | 109g |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT |
|----------------|--------------|--------|--------|
| TUBE CHALK BAG | CB31BK | Black | 79g |
| TUBE CHALK BAG | CB31BL | Blue | 79g |
| TUBE CHALK BAG | CB31RD | Red | 79g |
| TUBE CHALK BAG | CB31YE | Yellow | 79g |

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT |
|----------------|--------------|--------|--------|
| CHALK BAG BELT | CB2506BK | Black | 88g |
| CHALK BAG BELT | CB2506GY | Grey | 88g |
| CHALK BAG BELT | CB2506PR | Purple | 88g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|-------------------|--------------|--------|----------|--------|
| CHALK BALL | DMMCBALLS | ONA | One size | 56g |
| CRUSHED CHALK BAG | DMMCBAG | ONA | 250g | 250g |

| DESCRIPTION | PRODUCT CODE | COLOUR | VOLUME | WEIGHT |
|--------------|--------------|--------|--------|--------|
| LIQUID CHALK | DMMCLIQUID | ONA | 200ml | 197g |
| FINGER TAPE | DMMCFT25 | ONA | | 62g |



› Chalk Ball

Chalk balls keep chalk contained, and are sized to give your hands a good covering with just one squeeze.



› Chalk Bag

The Crushed Chalk bag contains 250g of pure magnesium carbonate, enough for the biggest boulder bucket.



› Liquid Chalk

Liquid chalk forms a dry layer on your skin, keeping your hands dry on routes and boulder problems.



› Finger Tape

Low stretch finger tape for injury support, and taping flappers and cuts.

Walls & Centres

A solid red horizontal bar located at the bottom left of the page, below the main heading.



› Stal Anchor

A truly independent and equalised stainless steel climbing wall anchor available in three configurations. Features low profile updated 'puks'. Compatible with Quad Conversion Kit.



› Coron Helmet

The Coron has an ABS shell with EPS liner developed with intensive use in mind. It has click wheel adjustment and centre replaceable components.
SIZE RANGE: 54-62CM
WEIGHT: 365G



› Brenin Threadback

A new harness/buckle combination for 2020, bringing all day confidence buckles to the Brenin design.



› Brenin Slidelock

Improving on our classic Brenin harness, with increased durability, safety point colour coding and new slidelock stainless buckles, vertical tie-in-points & belay loop design.



› Statement

A tough, single rope that is suited for use at the wall. Now comes with tangle free 3D coil technology for easy uncoiling.
DIAMETER: 10.0mm



› Super Big Jim

A durable dynamic rope built for heavy duty use at climbing walls and outdoor centres.

DIAMETER: 10.5mm



› Centre Threadback

A robust centre harness with a horizontal tie-in point with increased durability, larger size tolerance for the smaller user, safety point colour coding and threadback stainless buckles.



› Centre Slidelock

A robust centre harness with a horizontal tie-in with increased durability, larger size tolerance for the smaller user, safety point colour coding and new slidelock stainless buckles.



› Accessory Cord

Supple, robust accessory cords of various diameters.



› Low-Stretch Rope Lanyard

Sewn termination, low-stretch rope lanyards.



› Chest Harness

For increased security in situations where inversion is possible, using our new slidelock stainless buckles for easy adjustment.



› Bridge Sling

The Bridge increases the speed and security of connecting our Chest and centre sit harnesses. Available in Small and Large sizes.

| DESCRIPTION | PRODUCT CODE | COLOUR | WEIGHT | CONFORMANCE |
|-----------------------------------|--------------|--------------|--------|------------------------------|
| STAL STAINLESS ANCHOR | ST-SSTP | Black/Silver | 1310g | ONA |
| STAL STAINLESS BOTTOM ROPE ANCHOR | ST-SSTPMR | Black/Silver | 0g | ONA |
| STAL STAINLESS LEAD ANCHOR | ST-SSTPAS | Black/Silver | 1866g | ONA |
| STAL BOTTOM ROPE/LEAD ANCHOR | ST-SSTPMRAS | Black/Silver | 0g | ONA |
| STAL QUAD ANCHOR | ST-SSTPQ | Black/Silver | 1866g | ONA |
| 10MM MAILLON | PPENZ10 | Silver | 137g | EN362:2004, EN12275:2013 B/H |

| DESCRIPTION | PRODUCT CODE | COLOUR | WAIST IN | WAIST CM | LEGS IN | LEGS CM | SIZE | WEIGHT | CONFORMANCE |
|-------------------|--------------|-------------------|----------|----------|---------|---------|---------|--------|----------------|
| BRENIN THREADBACK | HC301 | Anthracite/Blue | 18 - 49 | 45 - 125 | 18 - 31 | 45 - 80 | Regular | 450g | EN12277:2015 C |
| BRENIN THREADBACK | HC301XL | Anthracite/Orange | 18 - 49 | 45 - 125 | 18 - 31 | 45 - 80 | XL | 450g | EN12277:2015 C |
| BRENIN SLIDELOCK | HC302 | Anthracite/Blue | 18 - 49 | 45 - 125 | 18 - 31 | 45 - 80 | Regular | 450g | EN12277:2015 C |
| BRENIN SLIDELOCK | HC302XL | Anthracite/Orange | 18 - 49 | 45 - 125 | 18 - 31 | 45 - 80 | XL | 450g | EN12277:2015 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | WAIST IN | WAIST CM | LEGS IN | LEGS CM | SIZE | WEIGHT | CONFORMANCE |
|-------------------|--------------|-------------------|----------|----------|---------|---------|---------|--------|----------------|
| CENTRE THREADBACK | HC201 | Anthracite/Blue | 16 - 49 | 40 - 125 | 16 - 28 | 40 - 70 | Regular | 405g | EN12277:2015 C |
| CENTRE THREADBACK | HC201XL | Anthracite/Orange | 16 - 49 | 40 - 125 | 16 - 28 | 40 - 70 | XL | 405g | EN12277:2015 C |
| CENTRE SLIDELOCK | HC202 | Anthracite/Blue | 16 - 49 | 40 - 125 | 16 - 28 | 40 - 70 | Regular | 405g | EN12277:2015 C |
| CENTRE SLIDELOCK | HC202XL | Anthracite/Orange | 16 - 49 | 40 - 125 | 16 - 28 | 40 - 70 | XL | 405g | EN12277:2015 C |

| DESCRIPTION | PRODUCT CODE | COLOUR | WAIST IN | WAIST CM | SIZE | WEIGHT | CONFORMANCE |
|-------------------------|--------------|-------------------|----------|----------|----------|--------|-------------------------|
| CHEST HARNESS SLIDELOCK | CH402 | Anthracite/Blue | 30 - 45 | 75 - 115 | One size | 310g | EN12277:2015 +A1:2018 D |
| CHEST HARNESS SLIDELOCK | CH402XL | Anthracite/Orange | 30 - 45 | 75 - 115 | One size | 310g | EN12277:2015 +A1:2018 D |

| DESCRIPTION | PRODUCT CODE | COLOUR | LENGTH | WEIGHT | CONFORMANCE |
|-------------------------|--------------|--------|--------|--------|-------------|
| BRIDGE SLING BLACK 15CM | MA16BS-15 | Black | 15cm | 34g | EN566:2017 |
| BRIDGE SLING BLACK 20CM | MA16BS-20 | Black | 20cm | 42g | EN566:2017 |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | CONFORMANCE |
|-----------------------------|--------------|--------|----------|--------|-------------|
| LEG LOOP STRETCH WEBBING | HS102 | Black | One size | 21g | ONA |
| LEG LOOP STRETCH WEBBING XL | HS103 | Black | One size | 21g | ONA |
| GEAR LOOP | HS101 | Black | One size | 21g | ONA |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE | WEIGHT | CONFORMANCE |
|--------------|--------------|--------|-----------|--------|--------------|
| CORON HELMET | HELMC-R | Red | 54 - 62cm | 350g | EN12492:2012 |
| CORON HELMET | HELMC-W | White | 54 - 62cm | 350g | EN12492:2012 |

| DESCRIPTION | PRODUCT CODE | ROPE DIAMETER | LENGTH | COLOUR | WEIGHT (g/m) | CONFORMANCE |
|-------------|--------------|---------------|--------|--------|--------------|----------------------|
| STATEMENT | RPI02BL-30 | 10mm | 30m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-40 | 10mm | 40m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-50 | 10mm | 50m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-60 | 10mm | 60m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-70 | 10mm | 70m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-100 | 10mm | 100m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02BL-300 | 10mm | 300m | Blue | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-30 | 10mm | 30m | Copper | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-40 | 10mm | 40m | Copper | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-50 | 10mm | 50m | Copper | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-60 | 10mm | 60m | Copper | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-100 | 10mm | 100m | Copper | 62g | EN892:2012 + A1 2016 |
| STATEMENT | RPI02CO-300 | 10mm | 300m | Copper | 62g | EN892:2012 + A1 2016 |

| DESCRIPTION | PRODUCT CODE | ROPE DIAMETER | LENGTH | COLOUR | WEIGHT (g/m) | CONFORMANCE |
|---------------|--------------|---------------|--------|---------------|--------------|----------------------|
| SUPER BIG JIM | RPI92BL-30 | 10.5mm | 30m | Midnight Blue | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92BL-40 | 10.5mm | 40m | Midnight Blue | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92BL-100 | 10.5mm | 100m | Midnight Blue | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92BL-200 | 10.5mm | 200m | Midnight Blue | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92BL-300 | 10.5mm | 300m | Midnight Blue | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92OR-30 | 10.5mm | 30m | Orange | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92OR-40 | 10.5mm | 40m | Orange | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92OR-100 | 10.5mm | 100m | Orange | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92OR-200 | 10.5mm | 200m | Orange | 70g | EN892:2012 + A1 2016 |
| SUPER BIG JIM | RPI92OR-300 | 10.5mm | 300m | Orange | 70g | EN892:2012 + A1 2016 |

| DESCRIPTION | PRODUCT CODE | ROPE DIAMETER | LENGTH | COLOUR | WEIGHT | CONFORMANCE |
|-------------|--------------|---------------|--------|-----------------|--------|---------------|
| WORKSAFE | RP901WI-50 | 11mm | 50m | White/Blue/Grey | 3750g | EN1891:1998 A |
| WORKSAFE | RP901WI-100 | 11mm | 100m | White/Blue/Grey | 7500g | EN1891:1998 A |
| WORKSAFE | RP901WI-200 | 11mm | 200m | White/Blue/Grey | 15000g | EN1891:1998 A |
| WORKSAFE | RP901WI-700 | 11mm | 700m | White/Blue/Grey | 52500g | EN1891:1998 A |
| WORKSAFE | RP901BK-50 | 11mm | 50m | Black | 3750g | EN1891:1998 A |
| WORKSAFE | RP901BK-100 | 11mm | 100m | Black | 7500g | EN1891:1998 A |
| WORKSAFE | RP901BK-200 | 11mm | 200m | Black | 15000g | EN1891:1998 A |
| WORKSAFE | RP901BK-700 | 11mm | 700m | Black | 52500g | EN1891:1998 A |

| DESCRIPTION | PRODUCT CODE | ROPE DIAMETER | LENGTH | COLOUR | WEIGHT | CONFORMANCE |
|---------------|--------------|---------------|--------|----------------|--------|---------------|
| WORKSAFE PLUS | RP910WI-50 | 10mm | 50m | White/Red/Grey | 3300g | EN1891:1998 A |
| WORKSAFE PLUS | RP910WI-100 | 10mm | 100m | White/Red/Grey | 6600g | EN1891:1998 A |
| WORKSAFE PLUS | RP910WI-200 | 10mm | 200m | White/Red/Grey | 13200g | EN1891:1998 A |
| WORKSAFE PLUS | RP910WI-700 | 10mm | 700m | White/Red/Grey | 46200g | EN1891:1998 A |
| WORKSAFE PLUS | RP915WI-50 | 10.5mm | 50m | White/Red/Grey | 3600g | EN1891:1998 A |
| WORKSAFE PLUS | RP915WI-100 | 10.5mm | 100m | White/Red/Grey | 7200g | EN1891:1998 A |
| WORKSAFE PLUS | RP915WI-200 | 10.5mm | 200m | White/Red/Grey | 14400g | EN1891:1998 A |
| WORKSAFE PLUS | RP915WI-700 | 10.5mm | 700m | White/Red/Grey | 50400g | EN1891:1998 A |
| WORKSAFE PLUS | RP911WI-50 | 11mm | 50m | White/Red/Grey | 3750g | EN1891:1998 A |
| WORKSAFE PLUS | RP911WI-100 | 11mm | 100m | White/Red/Grey | 7500g | EN1891:1998 A |
| WORKSAFE PLUS | RP911WI-200 | 11mm | 200m | White/Red/Grey | 15000g | EN1891:1998 A |
| WORKSAFE PLUS | RP911WI-700 | 11mm | 700m | White/Red/Grey | 52500g | EN1891:1998 A |
| WORKSAFE PLUS | RP911BK-50 | 11mm | 50m | Black | 3300g | EN1891:1998 A |
| WORKSAFE PLUS | RP911BK-100 | 11mm | 100m | Black | 6600g | EN1891:1998 A |
| WORKSAFE PLUS | RP911BK-200 | 11mm | 200m | Black | 15010g | EN1891:1998 A |
| WORKSAFE PLUS | RP911BK-700 | 11mm | 700m | Black | 46200g | EN1891:1998 A |

| DESCRIPTION | PRODUCT CODE | ROPE DIAMETER | LENGTH | COLOUR | WEIGHT | CONFORMANCE |
|----------------|--------------|---------------|--------|--------|--------|-------------|
| ACCESSORY CORD | RP002BL-100 | 2mm | 100m | Blue | 210g | EN564:2014 |
| ACCESSORY CORD | RP003NA-100 | 3mm | 100m | Indigo | 600g | EN564:2014 |
| ACCESSORY CORD | RP004GR-100 | 4mm | 100m | Green | 1000g | EN564:2014 |
| ACCESSORY CORD | RP005RD-100 | 5mm | 100m | Red | 1500g | EN564:2014 |
| ACCESSORY CORD | RP006OR-100 | 6mm | 100m | Orange | 1500g | EN564:2014 |
| ACCESSORY CORD | RP007YE-100 | 7mm | 100m | Yellow | 3200g | EN564:2014 |
| ACCESSORY CORD | RP008GR-100 | 8mm | 100m | Green | 4100g | EN564:2014 |



Clothing

New

Get ready to climb in style with the new DMM clothing range featuring our iconic logo design, available in bold red, cool olive, and classic blue.


Designed with climbers in mind, our t-shirts are made with high-quality, climbing-specific functional materials that ensure durability and freedom of movement.

Whether you're a seasoned climber or just starting out, the DMM climbing clothing range is the perfect choice for anyone who wants to climb with confidence and style. Shop our selection of colors and sizes today and experience the ultimate combination of comfort, quality, and functionality at the crag.

› Men's DMM T-shirt

Whether you're bouldering, sport climbing, or trad climbing, our men's DMM t-shirts are designed to keep you comfortable and unrestricted in movement. And with three vibrant color options to choose from - red, olive, and blue - you can express your personal style while tackling your favorite routes.

Made with high-quality, soft materials and featuring the iconic DMM logo, our t-shirts provide a unique and fashionable look that's perfect for climbing.



New

› Women's DMM T-shirt

Introducing the new women's DMM logo t-shirt range - the perfect choice for female climbers who want to look and feel great on the crag.

Made with high-quality, soft materials and featuring the iconic DMM logo, our t-shirts provide a unique and fashionable look that's perfect for climbing. Designed with a focus on comfort and unrestricted movement, our women's DMM logo t-shirts are ideal for bouldering, sport climbing, and trad climbing.

Available in a range of sizes and colors, you can find the perfect fit for your climbing adventures.



New

› Unisex DMM Hoodie

Get ready to take your climbing gear to the next level with the new unisex DMM hoodie, available in stylish red or classic grey.

Made with high-quality, soft materials, our hoodie is designed to keep you warm and comfortable during your climb. The unisex design ensures a comfortable fit for all, while the bold red and classic grey color options provide a unique and versatile look.

Whether you're warming up, belaying, or just relaxing between climbs, the DMM hoodie is the perfect choice for any climbing enthusiast.



| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|-----------------------------------|--------------|--------|------|
| LOGO T-SHIRT MEN'S MOLTEN LAVA S | SM6ML-S | Red | S |
| LOGO T-SHIRT MEN'S MOLTEN LAVA M | SM6ML-M | Red | M |
| LOGO T-SHIRT MEN'S MOLTEN LAVA L | SM6ML-L | Red | L |
| LOGO T-SHIRT MEN'S MOLTEN LAVA XL | SM6ML-XL | Red | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|----------------------------------|--------------|--------|------|
| LOGO T-SHIRT MEN'S WARM OLIVE S | SM6WO-S | Olive | S |
| LOGO T-SHIRT MEN'S WARM OLIVE M | SM6WO-M | Olive | M |
| LOGO T-SHIRT MEN'S WARM OLIVE L | SM6WO-L | Olive | L |
| LOGO T-SHIRT MEN'S WARM OLIVE XL | SM6WO-XL | Olive | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|-------------------------------|--------------|--------|------|
| LOGO T-SHIRT MEN'S CYANEUS S | SM6CY-S | Blue | S |
| LOGO T-SHIRT MEN'S CYANEUS M | SM6CY-M | Blue | M |
| LOGO T-SHIRT MEN'S CYANEUS L | SM6CY-L | Blue | L |
| LOGO T-SHIRT MEN'S CYANEUS XL | SM6CY-XL | Blue | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|-------------------------------------|--------------|--------|------|
| LOGO T-SHIRT WOMEN'S MOLTEN LAVA S | SW6ML-S | Red | S |
| LOGO T-SHIRT WOMEN'S MOLTEN LAVA M | SW6ML-M | Red | M |
| LOGO T-SHIRT WOMEN'S MOLTEN LAVA L | SW6ML-L | Red | L |
| LOGO T-SHIRT WOMEN'S MOLTEN LAVA XL | SW6ML-XL | Red | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|------------------------------------|--------------|--------|------|
| LOGO T-SHIRT WOMEN'S WARM OLIVE S | SW6WO-S | Olive | S |
| LOGO T-SHIRT WOMEN'S WARM OLIVE M | SW6WO-M | Olive | M |
| LOGO T-SHIRT WOMEN'S WARM OLIVE L | SW6WO-L | Olive | L |
| LOGO T-SHIRT WOMEN'S WARM OLIVE XL | SW6WO-XL | Olive | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|---------------------------------|--------------|--------|------|
| LOGO T-SHIRT WOMEN'S CYANEUS S | SW6CY-S | Blue | S |
| LOGO T-SHIRT WOMEN'S CYANEUS M | SW6CY-M | Blue | M |
| LOGO T-SHIRT WOMEN'S CYANEUS L | SW6CY-L | Blue | L |
| LOGO T-SHIRT WOMEN'S CYANEUS XL | SW6CY-XL | Blue | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|-----------------------------------|--------------|--------|------|
| LOGO HOODIE UNISEX MOLTEN LAVA S | SU2ML-S | Red | S |
| LOGO HOODIE UNISEX MOLTEN LAVA M | SU2ML-M | Red | M |
| LOGO HOODIE UNISEX MOLTEN LAVA L | SU2ML-L | Red | L |
| LOGO HOODIE UNISEX MOLTEN LAVA XL | SU2ML-XL | Red | XL |

| DESCRIPTION | PRODUCT CODE | COLOUR | SIZE |
|-----------------------------------|--------------|--------|------|
| LOGO HOODIE UNISEX FORGED IRON S | SU2FI-S | Grey | S |
| LOGO HOODIE UNISEX FORGED IRON M | SU2FI-M | Grey | M |
| LOGO HOODIE UNISEX FORGED IRON L | SU2FI-L | Grey | L |
| LOGO HOODIE UNISEX FORGED IRON XL | SU2FI-XL | Grey | XL |

CUSTOMER SERVICES

Our Customer Service team is here to help our distributors, retailers and end users with any queries relating to our products and service.

The team have a wide knowledge of production, retail, industry and recreational use of our products. We have completed PPE inspection courses to provide advice and inspect returned products. We pride ourselves by answering any enquiry quickly and concisely.

Our goal is to help you with any queries relating to product, sales, delivery, use, repair, service, inspection and warranty.

If you have any questions/queries about a DMM product or wish to talk to the Customer Services team please email us at cs@dmmwales.com or call +44 (0) 1286 872 222.

We take great pride in our products and strive to produce impeccable goods. However, if a product does not perform to your satisfaction please email cs@dmmwales.com with the following:

- A brief explanation
- Serial number of the product
- Date and place of purchase (with a copy of the receipt)
- Pictures of the product
- Your preferred email, address and telephone number.

We will reply with the appropriate course of action.

Regular inspection and servicing of your kit is essential as this will highlight any possible problems (see the product user instruction leaflet for more information). In the event of finding a fault, damage, or if you are unsure about a product you should stop using it immediately and contact us at cs@dmmwales.com.

Full details about inspection and maintenance of all DMM products are included in the user instructions supplied with every product, these can also be found on the relevant product pages on our website. We highly recommend that our customers read these instructions and adhere to the recommendations set out in them.

Returns

When goods are returned to us we will carry out a full investigation through our quality system and inform you of the outcome.

To return goods for inspection please see dmmclimbing.com/About/Returns-Servicing-Repairs or email us at returns@dmmwales.com for further instruction.

All returned cases are individually investigated and overseen by our group quality assurance manager. We work with our worldwide distributors and retailers to handle this process quickly and efficiently.

Servicing, Repairs and Re-slinging

We offer servicing for DMM Cams and will re-sling Torque Nuts if they pass a safety inspection.

Prior to sending them to us, we ask you to inspect and assess your gear in accordance to the supplied user instructions and inspection criteria. These are also available as PDF's on the product pages of our website. If you feel that your gear has more service to give, please go to dmmclimbing.com/About/Returns-Servicing-Repairs for further information.

NB. We endeavour to carry out this service ASAP but during busy times this may take up to four weeks. Please allow plenty of time for this service and plan well in advance of your next climbing trip.

All DMM Cams & Torque Nuts can now be re-slung in North America

We are very pleased to have a 'Partner in Climb' in the USA.

Mountain Tools in California will re-sling any DMM Cams or Torque Nuts. Their service page has the full details: mntools.com/cat/rcimb/cams/mt_camresling.htm.

Mountain Tools offer a re-sling service only. They will not perform a safety inspection on the product. If you are in any doubt of the integrity of your DMM products you should stop using it immediately, ask a competent person to check them or contact us for advice at cs@dmmwales.com.

RESPONSIBLE MANUFACTURING

DMM manufactures equipment used for climbing and working at height. Manufacturing these products has an effect on the environment. Conscious of this, we are taking positive steps towards reducing our impact whilst improving the quality of life and well-being of our employees.

What we are doing:

- DMM hardware is made in our factory here in Wales, UK. This allows us to keep our supply chains as short as possible and support the local economy.
- By manufacturing high quality, durable products, we maximise the product lifespan. With careful maintenance, some of our products can potentially last more than a lifetime.
- Recycling all waste metal from our production process.
- Processing the water used in the rumbling process creating filtered clean water that goes to the local waste water treatment plant to be made safe for household consumption.
- Our packaging is undergoing a redesign, changing over to more environmentally and sustainable materials.
- Using EarthPositive organic clothing in our range, and supporting carbon reduction and the Fair Wear Foundation.
- Offering cam reslinging and servicing to extend their life.
- Making continual improvements to the working environments at DMM.
- DMM is an Investors in People Gold Award company.



BS EN ISO 9001:2015 Quality Assurance Management System

The quality management system maintained by DMM is registered to BS EN ISO 9001:2015 quality management system requirements. The main aim of this system is reflected in our mission statement:

“Together each one of us will make a better, safer product for our customers”

Our system has evolved and continues to evolve as a result of nearly 30 years of development, investment and improvement to all of our activities. ‘Quality’ both actual and perceived is our number one objective, reflecting the fact that each and every day thousands of people around the world rely on DMM products to save their lives. Our system is audited and supervised by SGS (UK) Ltd and other independent third party auditors (e.g. customers and potential customers, trading standards and other regulatory bodies) at regular intervals to ensure continuing compliance to the requirements of BS EN ISO 9001:2015, and as part of our commitment to continuous improvement.

CE Marking and Product Conformance

The CE marking process is known as ‘type examination’ and is an important supplement to our quality management system. In line with the requirements of European Union Personal Protective Equipment [PPE] Directive/Regulation, all products designed and manufactured by DMM which are classified as PPE are independently type examined and tested to the relevant European Standard for Mountaineering and/or Industrial Fall Arrest. Only after meeting the requirements of the PPE Directive/Regulation and the relevant European standard are we allowed to place the “CE” mark on our products. Type examination and CE marking is a legal requirement in Europe for all height safety PPE whether for industrial or leisure use.

BS EN ISO 9001:2015 compliance and CE marking/product conformance are monitored by CEN [Committee for European Normalisation] Notified Body SGS. It is also a legal requirement that we maintain our quality management system as part of the PPE Directive/Regulation ‘CE’ marking process.

In addition, many DMM products also conform to other non-European standards (for example ANSI and CAN/CSA for North American conformance). More information about these products can be found on our web site or by enquiring directly to our sales team.

3-Sigma Testing

This is our system for setting and monitoring the strength ratings as marked on our products, in-line with the minimum requirements of the relevant European and other standards, the ‘3 Sigma Testing’ method. DMM were the first company in our industry to use this Statistical Quality Control [SQC] technique. Using test data derived from samples tested to destruction at the design stage we can set the strength rating of the product. We then have a system of ongoing batch testing which monitors and ensures that the rated strength is maintained and actually exceeded.

Part of our philosophy at DMM is to continue to improve the breaking strength of our products in excess of the standards which may be required. We do this to lessen the chance of failure in situations and conditions which might not be reflected in the standard but which we know as climbers ourselves can cause product failure.

UIAA Safety Labels


The UIAA (Union of International Alpinists Associations) is a body which promotes the safety and interests of all parties involved in mountaineering and related activities worldwide. The UIAA publish standards for mountaineering equipment which supplement the requirements of the corresponding European standards mentioned above.

Investor in People

DMM were the first manufacturing company in Wales to be registered to the Investor in People [IIP] standard [July 1992] and in September 2016 we achieved the prestigious *Gold Award*. This standard is people orientated and its main objectives are: [a] to develop strategies to improve the performance of the organisation through its people; [b] to ensure that the organisation takes action in order to improve its performance through its people; and [c] to evaluate the impact of this investment in people on the performance of the organisation. IIP is more than just a training system. The IIP system is a key mechanism that helps us to target areas for improvement in all aspects of the business.



MADE IN WALES



Manufacturing high-quality safety equipment since 1981