



W O R K B O O K
W O R K B O O K
W O R K B O O K
W O R K B O O K
W O R K B O O K
W O R K B O O K
W O R K B O O K
W O R K B O O K



2627



the swiss freeski company
based in vevey.

ski programm

gravity
hybrid
elevation

26
27

ski series

revolution
fly
sequence
alp tracks

production

le châble_CH
nové město_CZ

Born to Ride Free. Built to Last.

fewer models.
sharper choice.
pure design.
pure creativity.



For over twenty years, Movement has been shaping a vision of free-spirited skiing, inspired by an ever-changing environment. True to our values, we promote authenticity, passion and creativity, crafting skis that reflect the spirit of those who build them and the energy of mountain lovers.

This year marks a new milestone: while part of our production is carried out in the Czech Republic at Kästle, our light-touring ranges are now manufactured in Switzerland, at First Track in Val de Bagnes. With strong positioning, Movement returns with a modern and creative range, redesigned for greater clarity and consistency.

Each model has its own purpose, united by a single objective: to offer the best skiing experience, without compromise.

SKIS

revolution - fly - sequence - alp tracks

13

POLES

branded - slash - x-plore

44

HELMETS

45

3tech alpi - 3tech tour

SKINS

46

mohair - mix - cut-to-fit

BINDINGS

47

a230 - alpinist - griffon - squire

BAG

48

alpi race

TECHNOLOGIES

WOODCORES



pure poplar woodcore
for powerful, energetic skiing.



hybrid paulownia / poplar
for a lightweight, responsive ride.



pure paulownia woodcore
for ultra-lightweight touring.

FIBERS



BIAXIAL GLASS FIBER

torsional control and balanced
power transmission.



BIAXIAL FLAX FIBER

natural vibration damping and
smooth, stable ride feel.



UD GLASS FIBER

increased longitudinal
strength and efficient power.



HYBRID GLASS | CARBON

increased stiffness, precision,
and high-energy rebound.



the Amplitex flax fiber is
sourced directly through our
Swiss partner Bcomp.



UD CARBON FIBER

maximum longitudinal stiff-
ness and precision.

REINFORCEMENTS



TITANAL PLATE

full-length titantal plate
for maximum stability and powerful
energy transmission.



DOUBLE PLATE REINFORCEMENT

TITANAL / FIBERGLASS

ø 4.1 x 9.5 mm

titantal & fiberglass binding plates
for reinforced binding retention
and improved power transmission.



WOOD REINFORCEMENT

ø 3.5 x 9.5 mm

birch binding plates
hard-wood inserts to reduce
weight, ensuring screw retention.

EDGES



2.0 mm x 2.0 mm

robust alpine edges for relentless
grip and long-lasting durability.



1.7 mm x 2.0 mm

light edges engineered for long
days and high-mountain versatility.



BASE
ALL TERRAIN

all our skis feature a high-density
sintered base for durability.

BASES



At Movement, ski development is driven by real-world testing, rider feedback and precise engineering. We rely on the expertise of athletes, guides and passionate skiers who push our prototypes in demanding conditions, allowing us to refine every construction choice. Data, field experience and craftsmanship work hand in hand to create skis that feel intuitive, reactive and reliable in the mountains.

Because performance isn't defined in a lab alone, it's proven on snow, by those who live for the freedom to explore further.

ski
technologies

swiss research & design

movement

All research and design are done in-house at our headquarters in Vevey, ensuring full creative control and technical precision.

our new production sites

first track

Our premium touring series is proudly manufactured in Le Châble, at First Track, Swiss manufacturing facility. This local production gives us great flexibility, tight control, and enables us to pursue the highest standards of Swiss craftsmanship. Designed and built in the Alps.

kästle

Last season, we introduced our new main manufacturing partner, based in Nové Město na Moravě. The collaboration between Kästle and Movement is built to last, grounded in shared values, technical expertise, and a deep respect for craftsmanship. This alliance reflects our commitment to quality and precision manufacturing.



movement HQ

first track

kästle factory

01

gravity
GOING DOWN



02

hybrid
UP & DOWN



03

elevation
GOING UP



CARVER
PLAYFUL
POWDER

AGILITY
EXPLORATION
VERSATILE

ADVENTURE
JOURNEY
LIGHTNESS

THE FREESKI PROGRAM

**78**

dynamic
powerful
precise

78W

dynamic
powerful
precise

88

carver
energetic
stable

88W

carver
energetic
stable

revolution

S E R I E S



POPLAR



BIAXIAL GLASS FIBER



UD GLASS FIBER



ALPINE



DPR


DOUBLE PLATE REINFORCEMENT

4.1 x 9.5 mm

A GRAVITY SERIES

Engineered for skiers who thrive on groomed terrain, this resort ski combines a subtle tip rocker with a responsive flex for quick edge-to-edge transitions and confident carving. Its agile, energetic character makes it ideal for exploring the full variety of runs within the resort, from smooth arcs to tight, technical turns. This year, the REVOLUTION Series is available in two waist widths, offering more choice to match style and preferences. Whether you prioritize lightning-fast transitions or added stability, the REVOLUTION delivers a fun, high-performance ride that turns every piste into your personal playground.





ref MOV-A-25080

A GRAVITY SERIES

revolution**78**

<u>SIZES</u> [cm]	159	166	173	180
<u>NOSE</u> [mm]	127	129	131	133
<u>WIDTH</u> [mm]	78	78	78	78
<u>TAIL</u> [mm]	107	109	111	113
<u>RADIUS</u> [m]	12.5	13.0	13.5	14.0
<u>WEIGHT</u> [gr]	1290	1410	1500	1580



ref MOV-A-25081

A GRAVITY SERIES

revolution**78W**

<u>SIZES</u> [cm]	152	159	166	173
<u>NOSE</u> [mm]	125	127	129	131
<u>WIDTH</u> [mm]	78	78	78	78
<u>TAIL</u> [mm]	105	107	109	111
<u>RADIUS</u> [m]	12.0	12.5	13.0	13.5
<u>WEIGHT</u> [gr]	1240	1290	1410	1500



ref MOV-A-25082

A GRAVITY SERIES

revolution**88**

<u>SIZES</u> [cm]	164	173	182
<u>NOSE</u> [mm]	130	133	136
<u>WIDTH</u> [mm]	88	88	88
<u>TAIL</u> [mm]	112	115	118
<u>RADIUS</u> [m]	14.0	14.5	15.0
<u>WEIGHT</u> [gr]	1510	1610	1710



ref MOV-A-25083

A GRAVITY SERIES

revolution**88w**

<u>SIZES</u> [cm]	155	164	173
<u>NOSE</u> [mm]	127	130	133
<u>WIDTH</u> [mm]	88	88	88
<u>TAIL</u> [mm]	109	112	115
<u>RADIUS</u> [m]	13.5	14.0	14.5
<u>WEIGHT</u> [gr]	1410	1510	1610



92

aerial
intuitive
park

102

creative
reliable
versatile

112

big mountain
charger
surfy

FLY

SERIES

WOOD  CORE
POPLAR



BIAXIAL GLASS FIBER



UD GLASS FIBER



ALPINE

EDGE



DPR


DOUBLE PLATE REINFORCEMENT

4.1 x 9.5 mm

A GRAVITY SERIES

Creative by design, the FLY Series is built for freedom on the ground and in the air. Inspired by the playful spirit of modern freeskiing, this line includes three unisex models that merge progressive shape with technical performance. A double rocker profile and newschool geometry make for fluid transitions from powder lines to park features. Lightweight yet strong, the poplar woodcore delivers smooth flex and responsive handling across all terrain. Balanced, agile and bold, the FLY Series is made to move without limits.






ref MOV-A-25070

A GRAVITY SERIES

FLY**92**

<u>SIZES</u> [cm]	160	168	176	184
<u>NOSE</u> [mm]	122	123	124	125
<u>WIDTH</u> [mm]	92	92	92	92
<u>TAIL</u> [mm]	117	118	119	120
<u>RADIUS</u> [m]	12.5	13.5	14.5	15.5
<u>WEIGHT</u> [gr]	1510	1610	1720	1860



ref MOV-A-25071

A GRAVITY SERIES

FLY**102**

<u>SIZES</u> [cm]	170	178	186
<u>NOSE</u> [mm]	127	128	129
<u>WIDTH</u> [mm]	102	102	102
<u>TAIL</u> [mm]	122	123	124
<u>RADIUS</u> [m]	16.5	17.5	18.5
<u>WEIGHT</u> [gr]	1750	1860	1950



ref MOV-A-25072

A GRAVITY SERIES

FLY

112

<u>SIZES</u> [cm]	182	190
<u>NOSE</u> [mm]	137	139
<u>WIDTH</u> [mm]	112	112
<u>TAIL</u> [mm]	132	134
<u>RADIUS</u> [m]	18.5	19.5
<u>WEIGHT</u> [gr]	2010	2200





86

accessible
agile
manoeuvrable

92

all-terrain
effective
forgiving

98

authentic
homogenous
freetouring

104

deep snow
responsive
wide

sequence


S E R I E S



A HYBRID SERIES

Versatile and precise, the SEQUENCE Series is built for seamless transitions from touring lines to resort laps. Designed as a unisex hybrid ski, it brings together advanced engineering and natural materials to meet the demands of modern mountain exploration. Constructed with premium flax fiber, the series balances performance, durability and environmental consciousness. Clean, efficient and purposeful, the SEQUENCE Series reflects a new standard in all-mountain touring.






A HYBRID SERIES

sequence

86

<u>SIZES</u> [cm]	154	161	169	177
<u>NOSE</u> [mm]	117	119	122	124
<u>WIDTH</u> [mm]	86	86	86	86
<u>TAIL</u> [mm]	106	108	111	113
<u>RADIUS</u> [m]	13.5	14.0	14.5	15.0
<u>WEIGHT</u> [gr]	1180	1280	1390	1490



A HYBRID SERIES

sequence

92

<u>SIZES</u> [cm]	154	161	169	177	185
<u>NOSE</u> [mm]	120	122	127	129	132
<u>WIDTH</u> [mm]	92	92	92	92	92
<u>TAIL</u> [mm]	109	111	116	118	121
<u>RADIUS</u> [m]	14.0	14.5	15.0	15.5	16.0
<u>WEIGHT</u> [gr]	1250	1340	1460	1560	1680




ref MOV-A-25042

A HYBRID SERIES

sequence

98

SIZES [cm]	164	172	180	188
NOSE [mm]	128	130	132	134
WIDTH [mm]	98	98	98	98
TAIL [mm]	117	119	121	123
RADIUS [m]	15.0	16.0	17.0	18.0
WEIGHT [gr]	1520	1660	1750	1860



ref MOV-A-25043

A HYBRID SERIES

sequence

104

SIZES [cm]	180	188
NOSE [mm]	136	138
WIDTH [mm]	104	104
TAIL [mm]	125	127
RADIUS [m]	18.0	19.0
WEIGHT [gr]	1830	1950



76

velocity
sharp
confident

84

fast
steep
ultra-light

90

accessible
forgiving
light

96

agile
flexible
resilient

102

courageous
intrepid
wise

alp tracks

S E R I E S



PAULOWNIA



HYBRID GLASS CARBON



UD CARBON FIBER

WOOD REINFORCEMENT
0.35 x 8.5 mm

AN ELEVATION SERIES

The ALP TRACKS Series represents the highest level of agility and performance in ultralight ski touring. Engineered for those who push the limits in the mountains, these skis combine advanced carbon construction with premium materials, now proudly manufactured in Switzerland. Designed with strict weight criteria, they deliver exceptional efficiency, precision and freedom of movement on the ascent, without compromising control on the descent. The ALP TRACKS series features a refined shape for even greater versatility and performance across a variety of alpine terrain.





AN ELEVATION SERIES

alp tracks**76**

<u>SIZES</u> [cm]	160	168	176
<u>NOSE</u> [mm]	112	113	114
<u>WIDTH</u> [mm]	76	76	76
<u>TAIL</u> [mm]	93	94	95
<u>RADIUS</u> [m]	18.5	19.0	19.5
<u>WEIGHT</u> [gr]	970	1010	1050

swiss
made.

AN ELEVATION SERIES

alp tracks**84**

<u>SIZES</u> [cm]	154	161	169	177
<u>NOSE</u> [mm]	113	114	115	116
<u>WIDTH</u> [mm]	84	84	84	84
<u>TAIL</u> [mm]	97	98	99	100
<u>RADIUS</u> [m]	19.0	19.5	20.0	20.5
<u>WEIGHT</u> [gr]	1010	1040	1100	1160



ref MOV-A-25021

AN ELEVATION SERIES

alp tracks

90

SIZES [cm]	154	162	170	178	186
NOSE [mm]	122	124	126	128	130
WIDTH [mm]	90	90	90	90	90
TAIL [mm]	106	108	110	112	114
RADIUS [m]	17.0	17.5	18.0	18.5	19.0
WEIGHT [gr]	1080	1120	1200	1280	1340

swiss
made.

ref MOV-A-25022

AN ELEVATION SERIES

alp tracks

96

SIZES [cm]	162	170	178	186
NOSE [mm]	128	130	132	134
WIDTH [mm]	96	96	96	96
TAIL [mm]	110	112	114	116
RADIUS [m]	18.0	18.5	19.0	19.5
WEIGHT [gr]	1250	1340	1400	1460



ref MOV-A-25023

AN ELEVATION SERIES


alp tracks**102**

<u>SIZES</u> [cm]	170	178	186
<u>NOSE</u> [mm]	132	134	136
<u>WIDTH</u> [mm]	102	102	102
<u>TAIL</u> [mm]	116	118	120
<u>RADIUS</u> [m]	18.0	19.0	20.0
<u>WEIGHT</u> [gr]	1380	1440	1480





R E N T A L
R E N T A L
R E N T A L
R E N T A L
R E N T A L
R E N T A L
R E N T A L
R E N T A L




RENTAL

revolution

artistic carving movement

78

SIZES	[cm]	152	159	166	173	180
NOSE	[mm]	125	127	129	131	133
WIDTH	[mm]	78	78	78	78	78
TAIL	[mm]	105	107	109	111	113
RADIUS	[m]	12.0	12.5	13.0	13.5	14.0



RENTAL

revolution

artistic carving movement

88

SIZES	[cm]	155	164	173	182
NOSE	[mm]	127	130	133	136
WIDTH	[mm]	88	88	88	88
TAIL	[mm]	109	112	115	118
RADIUS	[m]	13.5	14.0	14.5	15.0



A C C E S S O R I E S
A C C E S S O R I E S
A C C E S S O R I E S
A C C E S S O R I E S
A C C E S S O R I E S
A C C E S S O R I E S
A C C E S S O R I E S

BRANDED

The pole in its minimalist style. 18 mm aluminum, ergonomic and grippy handle, a precise and robust companion.



ref MOV-D-24300

SIZE
100|105|110|115
120|125|130|135

COLOR
black
white

SHAFT
alu 7075, 18mm

GRIP
racing

TIP
insert steel tip

BASKET
70mm black-white

SLASH

A single strand pole for all freeski practises. This pole is a must-have for exploring unlimited playgrounds.



ref MOV-D-24321

SIZE
110|115|120
125|130|135

COLOR
black

SHAFT
alu 7075, 18mm

GRIP
bubble foam

TIP
steel

BASKET
92mm black-white

X-PLORE new colors

A lightweight two-tube aluminum pole with a long handle and reliable grip. Solid and efficient, the ultimate ski touring pole.



ref MOV-D-26311

SIZE
90-140cm

COLOR
pink
beige
softgreen

SHAFT
alu 7075, 18mm

GRIP
long eva black

TIP
varia flex-carbid

BASKET
90 + 55mm black

Our triple-standard, multi-function helmets are approved for skiing, mountain biking, road biking and climbing. The efficient ventilation system regulates air flow during exercise. Two interiors are supplied with the helmet. A lightweight liner for summer use (cycling and mountaineering) and a lined liner for winter use.

3TECH ALPI new colors

HONEYCOMB



ref MOV-C-26200

unisex

XS-S (52-56cm), M (56-58cm), L (58-60cm)

colors black | off-white | blue grey | soft green

biking
CE-EN 1078

skiing
CE-EN 1077

mountaineering
CE-EN 12492

3TECH TOUR new colors

HONEYCOMB



ref MOV-C-26201

unisex

XS-S (52-56cm), M (56-58cm), L (58-60cm)

colors white/merlot | white/dark blue | white/orange

CONSTRUCTION

light in-mold

WINTER LINING

ear pads

VENTILATION

passive

WEIGHT

350 g

RACE HOTMELT 

COLLTEX



SIZE

CUTTED

alp tracks 76
alp tracks 84MOHAIR HOTMELT 

COLLTEX



SIZE

CUTTED

by models

LIGHT TOURING

A230 

SELUN



DIN 3.0 - 13.0

STOPPER 85mm to 110mm

WEIGHT 230g (with breaks)

TOURING

ALPINIST 8 | 10 | 12 

MARKER



ALPINIST 8

DIN 3.0 - 8.0

STOPPER 90mm

ALPINIST 10

DIN 4.0 - 10.0

STOPPER 90mm


ALPINIST 12

DIN 6.0 - 12.0

STOPPER 90mm

MIX HOTMELT 

COLLTEX

SIZE
CUTTED
by modelsCUT-TO-FIT SET 

COLLTEX

SIZE
110MM
120MM
130MM
140MM

TOURING

ALPINIST DEMO 8 | 10

MARKER



DEMO 8

DIN 3.0 - 8.0

STOPPER 90mm

DEMO 10

DIN 4.0 - 10.0

STOPPER 90/105mm

RESORT

GRIFFON 13 MN | DEMO

MARKER



GRIFFON 13 MN

DIN 4.0 - 13.0

STOPPER 90-120mm

GRIFFON 13 TCX DEMO

DIN 4.0 - 13.0

STOPPER 90-120mm

RESORT

SQUIRE 11 | DEMO

MARKER



SQUIRE 11

DIN 3.0 - 11.0

STOPPER 90-110mm

SQUIRE 11 TCX DEMO

DIN 3.0 - 11.0

STOPPER 90/100mm

drybase

All Colltex ski skins are now coated with the newly developed «Dry-base» special coating. This coating on the back of the fabric prevents water from penetrating and keeps the skins dry and light. Furthermore, this treatment creates an optimal chemical bond with the hotmelt glue. As a result, the glue adheres optimally to the back of the ski skin and it is very difficult for the glue to tear off. With this innovation, ski tourers benefit from even better performance on the mountain.

ALPI RACE new color

24L

Our ALPI RACE 24L backpack was developed in collaboration with our best athletes competing in the ski mountaineering world cup. Some of the features that set it apart from the classic touring backpack are its fast ski carrying system (two pairs), crampon compartment, removable helmet net, ice axe attachments, water bottle holder, pull loop and other accessories.



VOLUME

24L

COLOR

black

WEIGHT

570g

ref MOV-J-26700




MOVEMENT

MODEL	CM	SIDE CUT	R	GR	MODEL	CM	SIDE CUT	R	GR
revolution 78	159	127 78 107	12.5	1290	FLY 92	160	122 92 117	12.5	1680
	166	129 78 109	13.0	1410		168	123 92 118	13.5	1740
	173	131 78 111	13.5	1500		176	124 92 119	14.5	1800
	180	133 78 113	14.0	1580		184	125 92 120	15.5	1860
revolution 78w	152	125 78 105	12.0	1240	FLY 102	170	127 102 122	16.5	1800
	159	127 78 107	12.5	1290		178	128 102 123	17.5	1880
	166	129 78 109	13.0	1410		186	129 102 124	18.5	1960
	173	131 78 111	13.5	1500					
revolution 88	164	130 88 112	14.0	1510	FLY 112	182	137 112 132	18.5	2020
	173	133 88 115	14.5	1610		190	139 112 134	19.5	2120
	182	136 88 118	15.0	1710					
revolution 88w	155	127 88 109	13.5	1410	alp tracks 76	160	112 76 93	18.5	970
	164	130 88 112	14.0	1510		168	113 76 94	19.0	1010
	173	133 88 115	14.5	1610		176	114 76 95	19.5	1050
sequence 86	154	117 86 106	13.5	1180	alp tracks 84	154	113 84 97	19.0	1010
	161	119 86 108	14.0	1280		161	114 84 98	19.5	1040
	169	122 86 111	14.5	1390		169	115 84 99	20.0	1100
	177	124 86 113	15.0	1490		177	116 84 100	20.5	1160
sequence 92	154	120 92 109	14.0	1250	alp tracks 90	154	122 90 106	17.0	1080
	161	122 92 111	14.5	1340		162	124 90 108	17.5	1120
	169	127 92 116	15.0	1460		170	126 90 110	18.0	1200
	177	129 92 118	15.5	1560		178	128 90 112	18.5	1280
	185	132 92 121	16.0	1680		186	130 90 114	19.0	1340
sequence 98	164	128 98 117	15.0	1520	alp tracks 96	162	128 96 110	18.0	1250
	172	130 98 119	16.0	1660		170	130 96 112	18.5	1340
	180	132 98 121	17.0	1750		178	132 96 114	19.0	1400
	188	134 98 123	18.0	1860		186	134 96 116	19.5	1460
sequence 104	180	136 104 125	18.0	1830	alp tracks 102	170	132 102 116	18.0	1380
	188	138 104 127	19.0	1950		178	134 102 118	19.0	1440
						186	136 102 120	20.0	1480

FW2627

GRAVITY




HYBRID



ELEVATION



movementskis.com



movement sa
rue du jura 10
1800 vevey
2025 © movement
movementskis.com