




Climbing Workbook 2026



CLIMB NOW WORK LATER



DMM International
Lon Cae Ffynnon,
Cibyn Industrial Estate,
Caernarfon,
Gwynedd,
LL55 2BD

General enquiries: +44 [0] 1286 872 222
Email: cs@dmmwales.com

Disclaimer: Working at height, rock climbing, mountaineering and related activities are inherently dangerous. It is the responsibility of any person using this equipment to learn and practice the proper techniques for use of the equipment for its designated purposes safely and to foresee and take appropriate action in situations where rescue may be required. Even the correct use of equipment and techniques may result in fatal consequences. Medical conditions can affect the safety of the equipment user in normal and emergency use. Any person using this equipment assumes all risks and full responsibility for all damages or injury which may result from the use of it. There is no substitute for instruction by a trained and competent person. DMM makes every effort to ensure the information in this brochure is correct and up to date. However we reserve the right to change product specification when or if deemed necessary. DMM International cannot be held responsible for any inaccuracies or omissions. If in doubt, please ask.



Welcome to the DMM Climbing Workbook 2026

DMM Climbing was founded by climbers for climbers. This expertise is reflected in our product design and development, from cams and nuts to harnesses, carabiners and quickdraws. DMM Climbing has built a solid reputation in the climbing industry for producing high-quality, innovative, and reliable equipment. Our products are trusted and used by climbers all over the world. We are constantly pushing the boundaries of climbing gear design and innovation.







CONTENTS

CAMS	6
NUTS	10
CARABINERS	18
QUICKDRAWS	26
SLINGS	34
LOCKING CARABINERS	38
BELAY & DESCENT	46
HARNESS	50
ROPES AND CORDS	54
WINTER EQUIPMENT	60
BAGS & CHALK	66
WALLS & CENTRES	70
CLOTHING RANGE	74
MERCHANDISE	78

Cams





› Dragon Cams

The Dragon's striking TripleGrip cam lobes feature an increased contact area with a raw aluminium finish and additional bite points. These features work together to increase friction between the cam lobe and the rock it's placed in. This increases holding power and reduces walking, particularly in slick or soft rock types and marginal placements.

Single stem, dual axle design gives Dragon cams 360° flexibility and a substantial expansion range, increasing performance in sub-optimal placements and helping you get the right piece first time. The Dragon cams hot-forged thumb press gives stable handling and reduces fumbling from gloved hands and pumped fingers. It allows the Dragon to have an extendable sling with no strength penalty, reducing the number of quickdraws needed to extend placements and minimising rack weight.

Sizes: 00, 0, 1, 2, 3, 4, 5, 6, 7, 8

› Dragonfly Cams

Versatile micro cam protection for narrow cracks, pin scars and small pockets. The size 1 Dragonfly is our smallest certified climbing cam. The range covers placements from 7.8 to 28.3mm and they all feature an extendable sling and TripleGrip lobes.

Sizes: 1, 2, 3, 4, 5, 6



› Dragonfly Cam Offsets

We evolved the celebrated DMM Dragonfly Cam range to include the Dragonfly Offsets, which alongside the Dragon Cams create the ultimate cam family. Designed for irregular, flared cracks and pin scars, the Dragonfly Micro Cam Offsets feature colour coded slings and thumb loops that allow you to make the correct placement when it matters most.

Sizes: 2/3, 3/4, 4/5, 5/6



› Dragon Cams


CAM SIZE	PRODUCT CODE	COLOUR	ACTIVE STRENGTH	PASSIVE STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 00-1	A73500/1A	Assorted	10-14kN	9-14kN	263g	14 - 33mm	ENI2276:2013 UIAA 125
Set / 0-5	A7350/5A	Assorted	14kN	12-14kN	870g	16 - 85mm	ENI2276:2013 UIAA 125
Set / 2-4	A7352/4A	Assorted	14kN	14kN	399g	24 - 64mm	ENI2276:2013 UIAA 125
Single / 00	A73500A	Blue	10kN	9kN	75g	14 - 21mm	ENI2276:2013 UIAA 125
Single / 0	A7350A	Silver	14kN	12kN	85g	16 - 25mm	ENI2276:2013 UIAA 125
Single / 1	A7351A	Purple	14kN	14kN	103g	20 - 33mm	ENI2276:2013 UIAA 125
Single / 2	A7352A	Green	14kN	14kN	117g	24 - 41mm	ENI2276:2013 UIAA 125
Single / 3	A7353A	Red	14kN	14kN	128g	29 - 50mm	ENI2276:2013 UIAA 125
Single / 4	A7354A	Gold	14kN	14kN	154g	38 - 64mm	ENI2276:2013 UIAA 125
Single / 5	A7355A	Blue	14kN	14kN	208g	50 - 85mm	ENI2276:2013 UIAA 125
Single / 6	A7356A	Silver	14kN	14kN	299g	68 - 114mm	ENI2276:2013 UIAA 125
Single / 7	A7357A	Purple	14kN	14kN	362g	88 - 149mm	ENI2276:2013 UIAA 125
Single / 8	A7358A	Green	14kN	14kN	515g	116 - 195mm	ENI2276:2013 UIAA 125

› Dragonfly Cams

CAM SIZE	PRODUCT CODE	COLOUR	ACTIVE STRENGTH	PASSIVE STRENGTH	WEIGHT	RANGE	CERTIFICATION
1	A7551A	Green	6kN	No passive strength	55g	7.8 - 11mm	ENI2276:2013
2	A7552A	Red	6kN	No passive strength	56g	8.7 - 12.9mm	ENI2276:2013
3	A7553A	Gold	8kN	No passive strength	65g	10.2 - 15.2mm	ENI2276:2013
4	A7554A	Blue	8kN	No passive strength	67g	12.1 - 17.9mm	ENI2276:2013
5	A7555A	Silver	9kN	No passive strength	70g	15.1 - 22.5mm	ENI2276:2013
6	A7556A	Purple	9kN	No passive strength	73g	19 - 28.3mm	ENI2276:2013

› Dragonfly Cam Offsets

CAM SIZE	PRODUCT CODE	COLOUR	ACTIVE STRENGTH	PASSIVE STRENGTH	WEIGHT	RANGE	CERTIFICATION
2/3	A75523	Red/Yellow	6kN	No passive strength	56g	8.7 - 12.9 and 10.2 - 15.1mm	ENI2276:2013
3/4	A75534	Gold/Blue	6kN	No passive strength	67g	10.2 - 15.1 and 12.1 - 17.9mm	ENI2276:2013
4/5	A75545	Blue/Grey	8kN	No passive strength	68g	12.1 - 17.9 and 15.1 - 22.5mm	ENI2276:2013
5/6	A75556	Silver/Purple	9kN	No passive strength	71g	15.1 - 22.5 and 19 - 28.3mm	ENI2276:2013



Nuts



> Halfnuts

Lightweight nuts that increase your protection options. Halfnuts excel in shallow placements, pin scars and situations where every gram counts.

Sizes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11



> Wallnuts

Wallnuts are the backbone of a trad climbing rack. The tapered faces and sides provide secure placement options. Scooped faces aid stability and reduce weight.

Sizes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11



> HB Alloy Offsets

Versatile nuts with an offset taper that allows them to protect flared and irregular cracks.


Sizes: 7, 8, 9, 10, 11



> Torque Nuts

Lightweight protection with an extendable Dynatec sling to help reduce rope drag. The camming action of the nut is ideal for protecting wider and parallel sided cracks.


Sizes: 1, 2, 3, 4



> Wired Torque Nuts

Lightweight protection for wider and parallel sided cracks. Like our Torque Nuts they can be used in several orientations. Easier to control placing above your head. Great in winter.

Sizes: 1, 2, 3, 4



› **Micro Walnuts**

A micro nut featuring a large surface area to dissipate force in fragile rock, with straight sides for versatile protection in small cracks

Sizes: 00, 0, 1/2, 3/4



› **Peenuts**

A micro nut with an asymmetrical taper for flared and irregular cracks, featuring a large surface area to dissipate force and provide secure placements in fragile rock


Sizes: 1, 2, 3, 4, 5



› **IMP Brass Nuts**

A brass micro nut for the smallest marginal placements, featuring wires soldered directly to the head for increased strength and a self-equalising swage for improved security in technical cracks.

Sizes: 1, 2, 3, 4, 5



› **HB Brass Offsets**


A brass micro nut with an asymmetrical taper for small flared cracks and pin scars, featuring soldered wires for increased strength and a self-equalising swage for secure protection in marginal placements.

Sizes: 0, 1, 2, 3, 4, 5, 6



› **Protection Packs**

Sets of our passive protection that make the perfect starting point for building a comprehensive climbing rack.





> Nutbuster

An essential tool for retrieving stubborn rock climbing protection. Available in a choice of 4 colours.



PRODUCT NAME	PRODUCT CODE
Nutbuster Green	C1251GR
Nutbuster Orange	C1251OR
Nutbuster Red	C1251RD
Nutbuster Black	C1252BLK

> Halfnuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-11	A1671/B1A	Assorted		250g		EN12270:2013
Set / 1-7	A1671/77A	Assorted		112g		EN12270:2013
Set / 8-11	A1678/B1A	Assorted		138g		EN12270:2013
Single / 1	A1671A	Purple	4kN	10g	6.7 - 7.2mm	EN12270:2013
Single / 2	A1672A	Green	4kN	10g	7.9 - 8.2mm	EN12270:2013
Single / 3	A1673A	Silver	6kN	15g	8.9 - 9.4mm	EN12270:2013
Single / 4	A1674A	Gold	6kN	16g	9.9 - 11.0mm	EN12270:2013
Single / 5	A1675A	Blue	6kN	18g	11.3 - 13.2mm	EN12270:2013
Single / 6	A1676A	Red	6kN	21g	12.8 - 15.6mm	EN12270:2013
Single / 7	A1677A	Grey	6kN	22g	14.3 - 18.9mm	EN12270:2013
Single / 8	A1678A	Turquoise	7kN	25g	16.6 - 22.3mm	EN12270:2013
Single / 9	A1679A	Gold	7kN	28g	18.7 - 25.2mm	EN12270:2013
Single / 10	A1680A	Silver	9kN	39g	22.0 - 28.8mm	EN12270:2013
Single / 11	A1681A	Green	9kN	46g	24.5 - 33.0mm	EN12270:2013

› Wallnuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-11	A1611/21AA	Assorted		429g		EN12270:2013 UIAA 124
Set / 1-6	A1611/16AA	Assorted		170g		EN12270:2013 UIAA 124
Set / 3-8	A1613/18AA	Assorted		214g		EN12270:2013 UIAA 124
Set / 7-11	A1617/21AA	Assorted		259g		EN12270:2013 UIAA 124
Single / 1	A1611AA	Purple	7kN	15g	6.7 - 14.3mm	EN12270:2013 UIAA 124
Single / 2	A1612AA	Green	9kN	26g	8.1 - 15.8mm	EN12270:2013 UIAA 124
Single / 3	A1613AA	Silver	11kN	28g	9.4 - 16.5mm	EN12270:2013 UIAA 124
Single / 4	A1614AA	Gold	12kN	30g	11.0 - 17.6mm	EN12270:2013 UIAA 124
Single / 5	A1615AA	Blue	12kN	32g	13.2 - 19.4mm	EN12270:2013 UIAA 124
Single / 6	A1616AA	Red	12kN	39g	15.6 - 22.6mm	EN12270:2013 UIAA 124
Single / 7	A1617AA	Grey	12kN	40g	18.9 - 25.8mm	EN12270:2013 UIAA 124
Single / 8	A1618AA	Turquoise	12kN	45g	22.3 - 29.0mm	EN12270:2013 UIAA 124
Single / 9	A1619AA	Gold	12kN	50g	25.2 - 32.1mm	EN12270:2013 UIAA 124
Single / 10	A1620AA	Silver	12kN	56g	28.8 - 32.6mm	EN12270:2013 UIAA 124
Single / 11	A1621AA	Green	12kN	68g	33.1 - 37.4mm	EN12270:2013 UIAA 124

› HB Alloy Offsets

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 7-11	A1817/21AA	Assorted		195g		EN12270:2013 UIAA 124
Single / 7	A1817AA	Gold	12kN	27g	12.0 - 15.1mm	EN12270:2013 UIAA 124
Single / 8	A1818AA	Blue	12kN	30g	13.5 - 17.9mm	EN12270:2013 UIAA 124
Single / 9	A1819AA	Red	12kN	37g	17.1 - 21.4mm	EN12270:2013 UIAA 124
Single / 10	A1820AA	Grey	12kN	45g	19.4 - 25.1mm	EN12270:2013 UIAA 124
Single / 11	A1821AA	Turquoise	12kN	56g	23.2 - 30.0mm	EN12270:2013 UIAA 124



› Torque Nuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-4	A1741/44	Assorted	14kN	374g		EN12270:2013 UIAA 124
Single / 1	A1741	Green	14kN	54g	31.0 - 41.0mm	EN12270:2013 UIAA 124
Single / 2	A1742	Red	14kN	70g	36.0 - 49.0mm	EN12270:2013 UIAA 124
Single / 3	A1743	Gold	14kN	104g	44.0 - 59.0mm	EN12270:2013 UIAA 124
Single / 4	A1744	Blue	14kN	146g	54.0 - 71.0mm	EN12270:2013 UIAA 124

› Wired Torque Nuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-4	A1751/54A	Assorted	12kN	430g		EN12270:2013
Single / 1	A1751A	Green	12kN	69g	31.0 - 41.0mm	EN12270:2013
Single / 2	A1752A	Red	12kN	86g	36.0 - 49.0mm	EN12270:2013
Single / 3	A1753A	Gold	12kN	114g	44.0 - 59.0mm	EN12270:2013
Single / 4	A1754A	Blue	12kN	161g	54.0 - 71.0mm	EN12270:2013

› Micro Wallnuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 00-3/4	A1600/59AA	Assorted		30g		EN12270:2013 UIAA 124
Single / 00	A1600AA	Gold	2kN	5g	4.0 - 9.7mm	EN12270:2013 UIAA 124
Single / 0	A1610AA	Blue	2kN	6g	4.6 - 10.8mm	EN12270:2013 UIAA 124
Single / 1/2	A1658AA	Red	4kN	9g	5.1 - 11.7mm	EN12270:2013 UIAA 124
Single / 3/4	A1659AA	Grey	6kN	10g	5.9 - 12.6mm	EN12270:2013 UIAA 124

› Peenuts

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-5	A1511/15AA	Assorted		61g		EN12270:2013 UIAA 124
Single / 1	A1511AA	Red	4kN	8g	6.5 - 11.5mm	EN12270:2013 UIAA 124
Single / 2	A1512AA	Grey	5kN	9g	6.8 - 12.1mm	EN12270:2013 UIAA 124
Single / 3	A1513AA	Purple	5kN	10g	7.8 - 12.7mm	EN12270:2013 UIAA 124
Single / 4	A1514AA	Green	8kN	16g	8.9 - 13.2mm	EN12270:2013 UIAA 124
Single / 5	A1515AA	Silver	8kN	18g	9.2 - 13.9mm	EN12270:2013 UIAA 124

› IMP Brass Nuts


PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 1-5	A1721/25A	Assorted		51g		EN12270:2013 UIAA 124
Set / 2-4	A1722/24A	Assorted		31g		EN12270:2013 UIAA 124
Single / 1	A1721A	Blue	4kN	4g	4.0 - 5.6mm	EN12270:2013 UIAA 124
Single / 2	A1722A	Red	5kN	8g	4.8 - 6.4mm	EN12270:2013 UIAA 124
Single / 3	A1723A	Silver	5kN	10g	6.4 - 7.9mm	EN12270:2013 UIAA 124
Single / 4	A1724A	Purple	7kN	13g	7.9 - 9.5mm	EN12270:2013 UIAA 124
Single / 5	A1725A	Green	7kN	16g	9.5 - 11.7mm	EN12270:2013 UIAA 124

› HB Brass Offset

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Set / 0-6	A1700/06A	Assorted		85g		EN12270:2013 UIAA 124
Set / 2-4	A1702/04A	Assorted		33g		EN12270:2013 UIAA 124
Single / 0	A1700A	Gold	2kN	4g	3.7 - 5.5mm	EN12270:2013 UIAA 124
Single / 1	A1701A	Blue	4kN	7g	4.3 - 6.5mm	EN12270:2013 UIAA 124
Single / 2	A1702A	Red	5kN	9g	5.6 - 7.5mm	EN12270:2013 UIAA 124
Single / 3	A1703A	Grey	5kN	10g	6.0 - 8.5mm	EN12270:2013 UIAA 124
Single / 4	A1704A	Purple	7kN	14g	7.5 - 10.2mm	EN12270:2013 UIAA 124
Single / 5	A1705A	Green	7kN	17g	8.6 - 11.7mm	EN12270:2013 UIAA 124
Single / 6	A1706A	Silver	10kN	24g	9.8 - 13.9mm	EN12270:2013 UIAA 124

› Protection Packages

PRODUCT NAME	PRODUCT CODE	COLOUR	STRENGTH	WEIGHT	RANGE	CERTIFICATION
Walnut Set 1-11, Offset Set 7-11	NUTSET1	Assorted		624g		EN12270:2013
Walnut Set 1-11, Torque Set 1-4	NUTSET2	Assorted		803g		EN12270:2013
Walnut Set 1-11, Offset Set 7-11, Torque Set 1-4	NUTSET3	Assorted		998g		EN12270:2013



Carabiners



New

› Wisp

The Wisp is the lightest fully rated carabiner in the DMM range. At 22g, it is designed for multi-pitch trad and alpine climbing where minimising weight and bulk is a priority.

While the Wisp prioritises a compact profile to save space on a harness, it maintains a 20mm gate opening. This ensures the carabiner remains easy to clip, avoiding the handling compromises often found in ultralight hardware. Small but not too small, the Wisp provides weight savings without sacrificing safety or durability.

The Wisp is a versatile component for any rack. It is available in seven colours specifically matched to the DMM cam range, allowing for instant gear identification when racked on a harness. Its compact size also makes it suitable for secondary tasks, such as clipping shoes, water bottles, or keys to a rucksack or bouldering mat.



PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Wisp Red	A618RD	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Matt Grey	A618MG	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Blue	A618BL	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Gold	A618GD	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Green	A618GR	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Purple	A618PR	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp Silver	A618SI	51 x 84mm	22g	20kN	8kN	8kN	20mm	EN12275:2013 Type B
Wisp 6 Pack Assorted	A618-P6	51 x 84mm	132g	20kN	8kN	8kN	20mm	EN12275:2013 Type B



> Alpha Wire

Ergonomic, full-sized, clean-nosed carabiner for all climbing and mountaineering disciplines.

MAJOR AXIS 25kN
WEIGHT 36g



> Aether

The Aether is suited to fast and light climbs where there can be no compromise in weight or security. Its lightweight body is complemented by a clean nose to prevent accidental opening or snagging.

MAJOR AXIS 21kN
WEIGHT 28g



> Spectre 2

A classic all-round carabiner suitable for trad, sport and winter climbing.

MAJOR AXIS 24kN
WEIGHT 33g



> Phantom Wire

The Phantom Wire minimises weight while maintaining an ergonomic size with a small gate notch to reduce snagging. Steep baskets aid correct loading. Ideally suited for quickdraw use when trad, alpine or winter climbing.

MAJOR AXIS 21kN
WEIGHT 27g



> Alpha Sport Straight

An ergonomic sport climbing carabiner that gives confident handling, easy clipping, and durability for working routes.

MAJOR AXIS 24kN
WEIGHT 46g



> Alpha Sport Bent

The ergonomic Alpha shape with a hot-forged, curved gate for smooth clipping on the rope end of a sport quickdraw.

MAJOR AXIS 24kN
WEIGHT 46g



> Shadow Straight

A lightweight sport carabiner that is still tough enough to withstand working routes. Also ideal for climbers who occasionally trad climb.

MAJOR AXIS 24kN
WEIGHT 42g



> Shadow Bent

A lightweight and clean nose sport carabiner for the rope clipping end of a quickdraw.

MAJOR AXIS 24kN
WEIGHT 43g



> PerfectO Straight

A compact, true oval carabiner that maintains ease of use and is suitable for racking gear.

MAJOR AXIS 24kN
WEIGHT 50g



> WallDO

The WallDO is an Offset oval wiregate, with a large gate opening and narrow nose, the WallDO can be clipped into anything from complicated anchors to tiny pegs.

MAJOR AXIS 23kN
WEIGHT 37g



> Revolver Wiregate

The innovative combination of a pulley wheel in a carabiner for reducing rope drag. It can also be used in an improvised hauling system.

MAJOR AXIS 24kN
WEIGHT 51g



> XSRE Wire

With an offset oval wiregate and I-Beam construction for optimum strength to weight ratio.

MAJOR AXIS 4kN
WEIGHT 8g NON PPE



> XSRE

A fully featured miniature carabiner that can be used for any non-safety critical use that comes to mind.

MAJOR AXIS 4kN
WEIGHT 8g NON PPE



> Alpha Steel

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha biners. Available with or without a captive bar.

MAJOR AXIS 26kN
WEIGHT 134g



› Alpha Wire

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Alpha Wire Red	A608RD	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire Matt Grey	A608MG	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire Blue	A608BL	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire Gold	A608GD	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire Green	A608GR	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire Purple	A608PR	60 x 100mm	36g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121
Alpha Wire 6 Pack Assorted	A608-P6		216g	25kN	9kN	9kN	27mm	EN12275:2013 Type B UIAA121

› Aether

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Aether Blue	A498BL	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Gold	A498GL	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Green	A498GR	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Matt Grey	A498MG	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Purple	A498PR	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Red	A498RD	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether Turquoise	A498TQ	54 x 91 x 12mm	28g	21kN	7kN	8kN	23mm	EN12275:2013 Type B
Aether 6 Pack Assorted	A498-P6	54 x 91 x 12mm	168g	21kN	7kN	8kN	23mm	EN12275:2013 Type B

› Spectre 2

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Spectre 2 Gold	A358GL	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Purple	A358PR	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Green	A358GR	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Blue	A358BL	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Red	A358RD	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Matt Grey	A358MG	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 Silver	A358	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 6 Pack Assorted	A358-P6	56 x 97mm	198g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121
Spectre 2 6 Pack Silver	A358SI-P6	56 x 97mm	165g	24kN	8kN	9kN	23mm	EN12275:2013 Type B UIAA121

› Phantom Wire

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Phantom Wire Red	A418RD	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Matt Grey	A418MG	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Blue	A418BL	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Gold	A418GL	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Green	A418GR	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Purple	A418PR	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire Silver	A418	91 x 54 x 8.5mm	27g	21kN	7kN	8kN	22mm	EN12275:2013 Type B
Phantom Wire 6 Pack Assorted	A418-P6	91 x 54 x 8.5 mm	162g	21kN	7kN	8kN	22mm	EN12275:2013 Type B

› Alpha Sport

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Alpha Sport Bent Gate Lime	A526LG	61 x 102mm	46g	24kN	8kN	9kN	25mm	EN12275:2013 Type B UIAA121
Alpha Sport Bent Gate Red	A526RD	61 x 102mm	46g	24kN	8kN	9kN	25mm	EN12275:2013 Type B UIAA121
Alpha Sport Straight Gate Lime	A521LG	61 x 102mm	46g	24kN	8kN	9kN	22mm	EN12275:2013 Type B UIAA121
Alpha Sport Straight Gate Red	A521RD	61 x 102mm	46g	24kN	8kN	9kN	22mm	EN12275:2013 Type B UIAA121

› Shadow Snapgate

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Shadow Snap Gate Straight Blue	A301BL	58 x 102mm	42g	24kN	9kN	10kN	20mm	EN12275:2013 Type B UIAA121
Shadow Snap Gate Straight Purple	A301P	58 x 102mm	42g	24kN	9kN	10kN	20mm	EN12275:2013 Type B UIAA121
Shadow Snap Gate Bent Blue	A306BL	58 x 102mm	43g	24kN	9kN	10kN	25mm	EN12275:2013 Type B UIAA121
Shadow Snap Gate Bent Purple	A306P	58 x 102mm	43g	24kN	9kN	10kN	25mm	EN12275:2013 Type B UIAA121

› PerfectO Straight

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
PerfectO Snap Gate Red	A591RD	56 x 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate Titanium	A591	56 x 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate Blue	A591BL	56 x 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate Green	A591GR	56 x 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate Matt Grey	A591MG	56 X 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate Orange	A591OR	56 x 95mm	50g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B
PerfectO Snap Gate 4 Pack Assorted	A591-P4	56 x 95mm	200g	24kN	7kN	7kN	19mm	EN12275:2013 Type X&B

› WalIDO

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
WalIDO Blue	A408BL	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Green	A408GR	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Lime	A408LG	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Matt Grey	A408MG	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Orange	A408OR	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Pink	A408PK	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Purple	A408PR	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Red	A408RD	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO Turquoise	A408TQ	56 x 97mm	37g	23kN	9kN	7kN	25mm	EN12275:2013 Type B
WalIDO 4 Pack Assorted	A408-P4	56 x 97mm	148g	23kN	9kN	7kN	25mm	EN12275:2013 Type B

› Revolver

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Revolver Wiregate Titanium	A238	59 x 103mm	51g	24kN	7kN	9kN	24mm	EN12275:2013 Type B UIAA121
Revolver Wiregate Lime	A238LG	59 x 103mm	51g	24kN	7kN	9kN	24mm	EN12275:2013 Type B UIAA121
Revolver Wiregate Matt Grey	A238MG	59 x 103mm	51g	24kN	7kN	9kN	24mm	EN12275:2013 Type B UIAA121

› XSRE Wire

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CERTIFICATION
XSRE Wire Green	A538GR	34 x 60mm	9g	4kN	16mm	Not PPE
XSRE Wire Lime	A538LG	34 x 60mm	9g	4kN	16mm	Not PPE
XSRE Wire Matt Grey	A538MG	34 x 60mm	9g	4kN	16mm	Not PPE
XSRE Wire Purple	A538PR	34 x 60mm	9g	4kN	16mm	Not PPE
XSRE Wire Red	A538RD	34 x 60mm	9g	4kN	16mm	Not PPE
XSRE Wire Turquoise	A538TQ	34 x 60mm	9g	4kN	16mm	Not PPE

› XSRE

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CERTIFICATION
XSRE Green	A531GR	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Lime	A531LG	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Matt Grey	A531MG	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Purple	A531PR	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Red	A531RD	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Turquoise	A531TQ	32 x 57mm	8g	4kN	13mm	Not PPE
XSRE Blue	A531BL	32 x 57mm	8g	4kN	13mm	Not PPE

› Alpha Steel

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Alpha Steel Standard	C526	62 x 107mm	134g	26kN	9kN	14kN	25mm	EN12275:2013 Type B
Alpha Steel Captive Bar	C526CB	62 x 107mm	135g	26kN	9kN	14kN	25mm	EN12275:2013 Type B

Quickdraws



New



› Wisp Quickdraws

The Wisp Quickdraw provides significant weight savings for climbers on long, technical routes. By pairing the 22g Wisp carabiner with lightweight slings, the cumulative weight of a full rack is reduced, aiding efficiency on multi-pitch trad and alpine objectives.

The carabiners feature a 20mm gate opening, maintaining reliable handling and clipping performance despite their compact size. This ensures that the Wisp remains functional in alpine environments where conditions can make gear manipulation difficult.

Wisp Quickdraws are available in 12cm, 18cm, and 25cm lengths to suit various preferences and requirements. For meandering pitches and extending placements, the Wisp is also available as a 60cm alpine quickdraw.



› Wisp Quickdraws

WISP QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
12cm	A618-12PR	Matt Grey/Purple	12cm	56g	20mm
18cm	A618-18PR	Matt Grey/Purple	18cm	58g	20mm
25cm	A618-25PR	Matt Grey/Purple	25cm	61g	20mm
60cm	A618-60PR	Matt Grey/Purple	60cm	67g	20mm

› Alpha Wire Quickdraw

An ergonomic full size wire gate quickdraw with a clean nose and wide gate opening for easy clipping.

11mm Dynatec
12cm, 18cm, 25cm



› Aether Quickdraw

With its clean nose design, Aether minimizes the possibility of getting snagged on ropes, wires, or bolts. It's lightweight structure is unparalleled and is one of the lightest carabiners available in the market.

11mm Dynatec
12cm, 18cm, 25cm



› Spectre 2 Quickdraw

The Spectre 2 quickdraw is perfect for climbers building their first rack. The carabiners are full sized for easy handling, have a small gate notch for reduced snagging, and I-Beam construction to reduce weight.

11mm Dynatec
12cm, 18cm, 25cm



› Phantom Quickdraw

Starting from just 65g, the Phantom is the perfect quickdraw when weight is the prime concern. Alpine 60cm quickdraw also available.

11mm Dynatec
12cm, 18cm, 25cm, 60cm



› Alpha Sport Quickdraw

An ergonomic sport climbing quickdraw that gives confident handling, easy clipping, and durability for working routes.

Nylon vari-width
12cm, 18cm, 25cm



› Shadow Quickdraw

A lightweight sport quickdraw that is still tough enough to withstand working routes. Ideal for redpointing and onsighting.

Nylon vari-width
12cm, 18cm, 25cm



› Shadow/Spectre 2 Hybrid Quickdraw

A Shadow/Spectre hybrid on a vari-width quickdraw for long sport routes when weight saving is at a premium.

Nylon vari-width
12cm, 18cm, 25cm



› Alpha Steel Quickdraw

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha carabiners.

MAJOR AXIS: 26kN
Nylon vari-width
12cm, 18cm



› Alpha Wire Quickdraw

ALPHA WIRE QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
12cm / Single	A608-12RD	Matt Grey/Red	12cm	79g	25mm
12cm / 6 Pack	A608-12RDP6	Matt Grey/Red	12cm	474g	25mm
18cm / Single	A608-18RD	Matt Grey/Red	18cm	81g	25mm
18cm / 6 Pack	A608-18RDP6	Matt Grey/Red	18cm	486g	25mm
25cm / Single	A608-25RD	Matt Grey/Red	25cm	84g	25mm
25cm / 6 Pack	A608-25RDP6	Matt Grey/Red	25cm	504g	25mm

› Aether Quickdraw

AETHER QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
12cm / Single	A498-12	Turquoise/Matt Grey	12cm	65g	23mm
12cm / 6 Pack	A498-12P6	Turquoise/Matt Grey	12cm	390g	23mm
18cm / Single	A498-18	Turquoise/Matt Grey	18cm	67g	23mm
18cm / 6 Pack	A498-18P6	Turquoise/Matt Grey	18cm	402g	23mm
25cm / Single	A498-25	Turquoise/Matt Grey	25cm	70g	23mm
25cm / 6 Pack	A498-25P6	Turquoise/Matt Grey	25cm	420g	23mm
60cm / Single	A498-60	Turquoise/Matt Grey	60cm	82g	23mm

› Spectre 2 Quickdraw

SPECTRE 2 QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
Green / 12cm / Single	A358-12GRA	Matt Grey/Green	12cm	75g	23mm
Green / 12cm / 6 Pack	A358-12GRAP6	Matt Grey/Green	12cm	450g	23mm
Green / 18cm / Single	A358-18GRA	Matt Grey/Green	18cm	77g	23mm
Green / 18cm / 6 Pack	A358-18GRAP6	Matt Grey/Green	18cm	462g	23mm
Green / 25cm / Single	A358-25GRA	Matt Grey/Green	25cm	80g	23mm
Green / 25cm / 6 Pack	A358-25GRAP6	Matt Grey/Green	25cm	480g	23mm
Blue / 12cm / Single	A358-12BLA	Matt Grey/Blue	12cm	75g	23mm
Blue / 12cm / 6 Pack	A358-12BLAP6	Matt Grey/Blue	12cm	450g	23mm
Blue / 18cm / Single	A358-18BLA	Matt Grey/Blue	18cm	77g	23mm
Blue / 18cm / 6 Pack	A358-18BLAP6	Matt Grey/Blue	18cm	462g	23mm
Blue / 25cm / Single	A358-25BLA	Matt Grey/Blue	25cm	80g	23mm
Blue / 25cm / 6 Pack	A358-25BLAP6	Matt Grey/Blue	25cm	480g	23mm

› Phantom Quickdraw

PHANTOM WIRE QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
12cm / Single	A418-12RD	Matt Grey/Red	12cm	63g	22mm
12cm / 6 Pack	A418-12RDP6	Matt Grey/Red	12cm	378g	22mm
18cm / Single	A418-18RD	Matt Grey/Red	18cm	65g	22mm
18cm / 6 Pack	A418-18RDP6	Matt Grey/Red	18cm	390g	22mm
25cm / Single	A418-25RD	Matt Grey/Red	25cm	67g	22mm
25cm / 6 Pack	A418-25RDP6	Matt Grey/Red	25cm	402g	22mm
60cm / Single	A418-60RD	Matt Grey/Red	60cm	74g	22mm

› Alpha Sport Quickdraw

ALPHA SPORT QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
Lime / 12cm / Single	A526LG-12VW	Titanium/Lime	12cm	112g	22/25mm
Lime / 12cm / 6 Pack	A526LG-12VWP6	Titanium/Lime	12cm	672g	22/25mm
Lime / 18cm / Single	A526LG-18VW	Titanium/Lime	18cm	117g	22/25mm
Lime / 18cm / 6 Pack	A526LG-18VWP6	Titanium/Lime	18cm	702g	22/25mm
Lime / 25cm / Single	A526LG-25VW	Titanium/Lime	25cm	122g	22/25mm
Lime / 25cm / 6 Pack	A526LG-25VWP6	Titanium/Lime	25cm	732g	22/25mm
Red / 12cm / Single	A526RD-12VW	Titanium/Red	12cm	112g	22/25mm
Red / 12cm / 6 Pack	A526RD-12VWP6	Titanium/Red	12cm	672g	22/25mm
Red / 18cm / Single	A526RD-18VW	Titanium/Red	18cm	117g	22/25mm
Red / 18cm / 6 Pack	A526RD-18VWP6	Titanium/Red	18cm	702g	22/25mm
Red / 25cm / Single	A526RD-25VW	Titanium/Red	25cm	122g	22/25mm
Red / 25cm / 6 Pack	A526RD-25VWP6	Titanium/Red	25cm	732g	22/25mm

› Shadow Quickdraw

SHADOW QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
Blue / 12cm / Single	A306BL-12	Titanium/Blue	12cm	103g	20/25mm
Blue / 12cm / 6 Pack	A306BL-12P6	Titanium/Blue	12cm	618g	20/25mm
Blue / 18cm / Single	A306BL-18	Titanium/Blue	18cm	108g	20/25mm
Blue / 18cm / 6 Pack	A306BL-18P6	Titanium/Blue	18cm	648g	20/25mm
Blue / 25cm / Single	A306BL-25	Titanium/Blue	25cm	113g	20/25mm
Blue / 25cm / 6 Pack	A306BL-25P6	Titanium/Blue	25cm	678g	20/25mm
Purple / 12cm / Single	A306P-12VW	Titanium/Purple	12cm	103g	20/25mm
Purple / 12cm / 6 Pack	A306P-12VWP6	Titanium/Purple	12cm	618g	20/25mm
Purple / 18cm / Single	A306P-18VW	Titanium/Purple	18cm	108g	20/25mm
Purple / 18cm / 6 Pack	A306P-18VWP6	Titanium/Purple	18cm	648g	20/25mm
Purple / 25cm / Single	A306P-25VW	Titanium/Purple	25cm	113g	20/25mm
Purple / 25cm / 6 Pack	A306P-25VWP6	Titanium/Purple	25cm	678g	20/25mm



› Shadow/Spectre 2 Hybrid Quickdraw

SHADOW HYBRID QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
Blue / 12cm / Single	A301-358BL-12	Titanium/Blue	12cm	93g	20/23mm
Blue / 12cm / 6 Pack	A301-358BL-12P6	Titanium/Blue	12cm	558g	20/23mm
Blue / 18cm / Single	A301-358BL-18	Titanium/Blue	18cm	98g	20/23mm
Blue / 18cm / 6 Pack	A301-358BL-18P6	Titanium/Blue	18cm	588g	20/23mm
Blue / 25cm / Single	A301-358BL-25	Titanium/Blue	25cm	103g	20/23mm
Purple / 12cm / Single	A301-358PR-12	Titanium/Purple	12cm	93g	20/23mm
Purple / 12cm / 6 Pack	A301-358PR-12P6	Titanium/Purple	12cm	558g	20/23mm
Purple / 18cm / Single	A301-358PR-18	Titanium/Purple	18cm	98g	20/23mm
Purple / 18cm / 6 Pack	A301-358PR-18P6	Titanium/Purple	18cm	588g	20/23mm
Purple / 25cm / Single	A301-358PR-25	Titanium/Purple	25cm	103g	20/23mm

› Alpha Steel Quickdraw

ALPHA STEEL QUICKDRAW	PRODUCT CODE	COLOUR	SLING LENGTH	WEIGHT	GATE OPENING
Standard / 12cm	C526-12	Black	12cm	151g	25mm
With Maillon / 12cm	C526-12MR	Silver/Black	12cm	288g	25mm
Standard / 18cm	C526-18	Black	18cm	156g	25mm
With Maillon / 18cm	C526-18MR	Silver/Black	18cm	293g	25mm



> **Alpha Wire 6 pack**

11mm Dynatec
12cm, 18cm, 25cm



> **Aether 6 pack**

11mm Dynatec
12cm, 18cm, 25cm



> **Spectre 6 pack**

11mm Dynatec
12cm, 18cm, 25cm



> **Phantom 6 pack**

11mm Dynatec
12cm, 18cm, 25cm



> **Alpha Sport 6 pack**

Nylon vari-width
12cm, 18cm, 25cm



> **Shadow 6 pack**

Nylon vari-width
12cm, 18cm, 25cm




> **Shadow/Spectre Hybrid 6 pack**

Nylon vari-width
12cm, 18cm



Slings



> Dynatec 8mm

Ultra-thin, lightweight slings for minimising rack weight and ideal for threads.



> Dynatec 11mm

Lightweight Dynatec quickdraw slings with in-built keeper.



> Dynatec 11mm

Lightweight slings for creating threads, runners and anchors.



> Nylon Vari-width

Sport climbing slings that are easy to pull on when working routes. Rubber keeper included.



> Nylon 16mm

Durable nylon slings for creating threads and anchors.



> Nylon 26mm

Strong and durable nylon slings for heavy duty use.



> Dynatec Sling 8mm

PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
30cm / Grey	SP0830GY	30cm	Grey		12g	22kN	EN566:2017
30cm / Green	SP0830GR	30cm	Green	8mm	12g	22kN	EN566:2017
60cm / Purple	SP0860PR	60cm	Purple	8mm	20g	22kN	EN566:2017
60cm / Gold	SP0860GD	60cm	Gold	8mm	20g	22kN	EN566:2017
120cm / Grey	SP08120GY	120cm	Grey	8mm	39g	22kN	EN566:2017
120cm / Red	SP08120RD	120cm	Red	8mm	39g	22kN	EN566:2017
240cm / Blue	SP08240BL	240cm	Blue	8mm	73g	22kN	EN566:2017
240cm / Green	SP08240GR	240cm	Green	8mm	73g	22kN	EN566:2017
400cm / Blue	SP08400BL	400cm	Blue	8mm	120g	22kN	EN566:2017
60cm / Grey	SP0860GY	60cm	Grey	8mm	20g	22kN	EN566:2017

› Dynatec Sling 11mm

PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
30cm / Green	SP1130GR	30cm	Green	11mm	12g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
60cm / Gold	SP1160GD	60cm	Gold	11mm	26g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
60cm / Orange	SP1160OR	60cm	Orange	11mm	26g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
60cm / Purple	SP1160PR	60cm	Purple	11mm	26g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
120cm / Grey	SP11120GY	120cm	Grey	11mm	48g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
120cm / Lime	SP11120LG	120cm	Lime	11mm	48g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
120cm / Red	SP11120RD	120cm	Red	11mm	48g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
240cm / Green	SP11240GR	240cm	Green	11mm	95g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104
240cm / Blue	SP11240BL	240cm	Blue	11mm	95g	22kN	EN566:2017
							EN354:2010
							EN795:2012 Type B
							UIAA104

› Dynatec Quickdraw Sling 11mm

PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
Grey / 12cm	SP1112ASGY	12cm	Grey	11mm	9g	22kN	EN566:2017
							UIAA104
Red / 12cm	SP1112ASRD	12cm	Red	11mm	9g	22kN	EN566:2017
							UIAA104
Grey / 18cm	SP1118BAS	18cm	Grey	11mm	11g	22kN	EN566:2017
							UIAA104
Red / 18cm	SP1118ASRD	18cm	Red	11mm	11g	22kN	EN566:2017
							UIAA104
Red / 25cm	SP1125AS	25cm	Red	11mm	14g	22kN	EN566:2017
							UIAA104
Grey / 25cm	SP1125ASGY	25cm	Grey	11mm	14g	22kN	EN566:2017
							UIAA104

› Nylon Vari-width Quickdraw Sling


PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
QD Sling / 12cm	MA16SL12	12cm	Anthracite	16-25mm	18g	22kN	EN566:2017
QD Sling / 18cm	MA16SL18	18cm	Anthracite	16-25mm	24g	22kN	EN566:2017
QD Sling / 25cm	MA16SL25	25cm	Anthracite	16-25mm	33g	22kN	EN566:2017

› Nylon Sling 16mm

PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
Blue / 120cm	MA16120BL	120cm	Blue	16mm	92g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B
Black / 120cm	MA16120BLK	120cm	Black	16mm	92g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B
Black / 240cm	MA16240BLK	240cm	Black	16mm	180g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B
Red / 240cm	MA16240RD	240cm	Red	16mm	180g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B
Black / 60cm	MA1660BLK	60cm	Black	16mm	47g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B
Red / 60cm	MA1660RD	60cm	Red	16mm	47g	22kN	EN566:2017 EN354:2010 EN795:2012 Type B

› Nylon Sling 26mm

PRODUCT NAME	PRODUCT CODE	LENGTH	COLOUR	WIDTH	WEIGHT	STRENGTH	CERTIFICATION
60cm	MA2660BLK	60cm	Black	26mm	72g	30kN	EN566:2017 EN354:2010 EN795:2012 Type B
120cm	MA26120BLK	120cm	Black	26mm	138g	30kN	EN566:2017 EN354:2010 EN795:2012 Type B
240cm	MA26240BLK	240cm	Black	26mm	276g	30kN	EN566:2017 EN354:2010 EN795:2012 Type B



Locking Carabiners





› **Shadow HMS**

A large, yet lightweight, HMS carabiner with a short gate to maximise gate opening. The deep and wide top basket can take three clove hitches (<9.5mm rope).

MAJOR AXIS 26kN
WEIGHT 70g

SCREWGATE, KWIKLOCK, LOCKSAFE



› **Phantom HMS**

A compact, lightweight carabiner ideally suited for belaying and rigging.

MAJOR AXIS 25kN
WEIGHT 56g

SCREWGATE, KWIKLOCK, LOCKSAFE



› **Ceros**

Features an internal wiregate to correctly align the carabiner on the belay loop; minimising the chance of cross-loading. The horn prevents devices from rotating to the spine of the carabiner.

MAJOR AXIS 25kN
WEIGHT 86g

SCREWGATE, KWIKLOCK, LOCKSAFE



› **Belay Master**

A belay carabiner with a nylon clip that prevents cross-loading and ensures the gate is closed and locked.

MAJOR AXIS 25kN
WEIGHT 93g

SCREWGATE



› **Phantom**

A lightweight locking carabiner that helps minimise rack weight.

MAJOR AXIS 24kN
WEIGHT 42g

SCREWGATE



› **Shadow**

A mid-size multipurpose locking carabiner.

MAJOR AXIS 24kN
WEIGHT 50g

SCREWGATE, KWIKLOCK, LOCKSAFE



› **Ultra O**

A very stable locking carabiner that gives predictable loading and allows attachments to sit centrally.

MAJOR AXIS 25kN
WEIGHT 67g

SCREWGATE, KWIKLOCK, LOCKSAFE



› **PerfectO**

A compact, true oval carabiner that is easy to use one-handed. It provides effective centring of loads.

MAJOR AXIS 24kN
WEIGHT 60g


SCREWGATE, KWIKLOCK, LOCKSAFE





› **XSRE Locksafe**

Useful on a harness to organise gear as it is clipping keys onto a belt loop. The screwgate locking version gives increased security when required.



› **XSRE Lock Captive Bar**

Locking screwgate and captive bar for extra security. The removable threaded captive bar helps ensure the correct orientation with lanyards and holds components securely.



› **Revolver**

A locking carabiner with an integrated pulley wheel that reduces friction and rope drag. It can be used in lightweight hauling systems.

MAJOR AXIS 24kN
WEIGHT 63g

SCREWGATE, KWIKLOCK, LOCKSAFE



› Phantom HMS

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Phantom HMS Screwgate Lime	A572LG	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 Type B
								EN12275:2013 Type B&H
Phantom HMS Screwgate Titanium	A572	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 Type B
								EN12275:2013 Type B&H
Phantom HMS Screwgate Matt Grey	A572MG	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 Type B
								EN12275:2013 Type B&H
Phantom HMS Locksafe Matt Grey	A577MG	71 x 96mm	62g	25kN	9kN	7kN	19mm	EN362:2004 Type B
								EN12275:2013 Type B&H
Phantom HMS Screwgate Orange	A572OR	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 Type B
								EN12275:2013 Type B&H

› Shadow HMS

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Shadow HMS Screwgate Lime	A682LG	115 x 77 mm	70g	26kN	9kN	7kN	22mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Screwgate Titanium	A682	115 x 77 mm	70g	26kN	9kN	7kN	22mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Kwiklock Titanium	A683	115 x 77 mm	77g	26kN	9kN	7kN	21mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Locksafe Titanium	A687	115 x 77 mm	77g	26kN	9kN	7kN	21mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Screwgate Matt Grey	A682MG	115 x 77 mm	70g	26kN	9kN	7kN	22mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Locksafe Matt Grey	A687MG	115 x 77 mm	77g	26kN	9kN	7kN	21mm	EN12275:2013 Type B&H
								EN362:2004 Type B
Shadow HMS Screwgate Orange	A682OR	115 x 77 mm	70g	26kN	9kN	7kN	22mm	EN12275:2013 Type B&H
								EN362:2004 Type B

› Ceros

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Ceros Screwgate Lime	A562LG	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Screwgate Titanium	A562	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Screwgate Matt Grey	A562MG	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Screwgate Orange	A562OR	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Kwiklock Titanium	A563	74 x 121mm	92g	25kN	7kN	7kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Locksafe Titanium	A567	74 x 121mm	93g	25kN	7kN	7kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
Ceros Locksafe Matt Grey	A567MG	74 x 121mm	93g	25kN	7kN	7kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T

› Belay Master

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Belay Master Titanium	A872	70 x 115mm	93g	25kN	10kN	8kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
								UIAA121
Belay Master Lime	A872LG	70 x 115mm	93g	25kN	10kN	8kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
								UIAA121
Belay Master Matt Grey	A872MG	70 x 115mm	93g	25kN	10kN	8kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
								UIAA121
Belay Master Orange	A872OR	70 x 115mm	93g	25kN	10kN	8kN	19mm	EN362:2004 Type B&T
								EN12275:2013 Type B&H&T
								UIAA121

› Shadow

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Shadow Locking Screwgate Single Lime	A302LG	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Screwgate Single Titanium	A302	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Screwgate Single Matt Grey	A302MG	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Screwgate Single Orange	A302OR	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Locksafe Single Titanium	A307	62 x 102mm	58g	24kN	7kN	9kN	17mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Locksafe Single Matt Grey	A307MG	62 x 102mm	50g	24kN	7kN	9kN	17mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Kwiklock Single Titanium	A303	62 x 102mm	57g	24kN	7kN	9kN	17mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Screwgate 3 Pack Blue/Red/Green	A302-P3	62 x 102mm	150g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Shadow Locking Screwgate 3 Pack Lime/Grey/Orange	A302-P3A	62 x 102mm	150g	24kN	7kN	9kN	18mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121

› Phantom

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Phantom Locking Lime	A312LG	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Phantom Locking Titanium	A312	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Phantom Locking Matt Grey	A312MG	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121
Phantom Locking Orange	A312OR	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 Type B
								EN12275:2013 Type B
								UIAA121

› Ultra O

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Ultra O Locksafe Titanium	A327	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Locksafe Matt Grey	A327MG	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate Titanium	A322	63 x 109mm	68g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate Lime	A322LG	63 x 109mm	68g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate Matt Grey	A322MG	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate Orange	A322OR	63 x 109mm	68g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Kwiklock Titanium	A323	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate 3 Pack Blue/Red/Green	A322-P3	63 x 109mm	204g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121
Ultra O Screwgate 3 Pack Lime/Grey/Orange	A322-P3A	63 x 109mm	204g	25kN	12kN	7kN	22mm	EN362:2004 Type B
								EN12275:2013 Type X&B
								UIAA121

› PerfectO

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
PerfectO Locking Locksafe Matt Grey	A597MG	56 X 95mm	66g	24kN	7kN	7kN	15mm	EN12275:2013 Type X&B EN362:2004 Type B
PerfectO Locking Screwgate Lime	A592LG	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 Type X&B EN362:2004 Type B
PerfectO Locking Screwgate Matt Grey	A592MG	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 Type X&B EN362:2004 Type B
PerfectO Locking Screwgate Orange	A592OR	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 Type X&B EN362:2004 Type B

› Revolver

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CERTIFICATION
Revolver Titanium Locksafe	A277	60 x 109mm	70g	24kN	8kN	8kN	15mm	EN362:2004 Type B EN12275:2013 Type B UIAA121
Revolver Matt Grey Locksafe	A277MG	60 x 109mm	70g	24kN	8kN	8kN	15mm	EN362:2004 Type B EN12275:2013 Type B UIAA121
Revolver Lime Screwgate	A272LG	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 Type B EN12275:2013 Type B UIAA121
Revolver Titanium Screwgate	A272	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 Type B EN12275:2013 Type B UIAA121
Revolver Matt Grey Screwgate	A272MG	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 Type B EN12275:2013 Type B UIAA121
Revolver Titanium Kwiklock	A273	60 x 109mm	69g	24kN	8kN	8kN	15mm	EN362:2004 Type B EN12275:2013 Type B UIAA121

› XSRE Lock

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CERTIFICATION
XSRE Lock Green	A532GR	35 x 57mm	10g	4kN	12mm	Not PPE
XSRE Lock Lime	A532LG	35 x 57mm	10g	4kN	12mm	Not PPE
XSRE Lock Matt Grey	A532MG	35 x 57mm	10g	4kN	12mm	Not PPE
XSRE Lock Purple	A532PR	35 x 57mm	10g	4kN	12mm	Not PPE
XSRE Lock Red	A532RD	35 x 57mm	10g	4kN	12mm	Not PPE
XSRE Lock Turquoise	A532TQ	35 x 57mm	10g	4kN	12mm	Not PPE

› XSRE Lock Captive Bar

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CERTIFICATION
XSRE Lock Captive Bar Green	A482CBGR	35 x 57mm	11g	4kN	12mm	Not PPE
XSRE Lock Captive Bar Lime	A482CBLG	35 x 57mm	11g	4kN	12mm	Not PPE
XSRE Lock Captive Bar Matt Grey	A482CBMG	35 x 57mm	11g	4kN	12mm	Not PPE
XSRE Lock Captive Bar Purple	A482CBPR	35 x 57mm	11g	4kN	12mm	Not PPE
XSRE Lock Captive Bar Red	A482CBRD	35 x 57mm	11g	4kN	12mm	Not PPE
XSRE Lock Captive Bar Turquoise	A482CBTQ	35 x 57mm	11g	4kN	12mm	Not PPE

› XSRE Locksafe

PRODUCT NAME	PRODUCT CODE	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CERTIFICATION
XSRE Locksafe Silver/Red	A537SI	35 x 60mm	13g	4kN	12mm	Not PPE
XSRE Locksafe Matt Grey	A537MG	35 x 60mm	13g	4kN	12mm	Not PPE
XSRE Locksafe Titanium/Green	A537	35 x 60mm	13g	4kN	12mm	Not PPE
XSRE Locksafe Red	A537RD	35 x 60mm	13g	4kN	12mm	Not PPE

Belay and Descent



> Pivot

A versatile, high performance belay device. The Pivot's shackle reduces the force needed to initiate lowering, increasing control when lowering one or two seconds in guide mode.



> Pivot/Phantom HMS Belay Set

A compact and lightweight technical belay set.



> Mantis

A very lightweight belay device that inspires confident belaying. It is suitable for all round climbing with single, half, or twin ropes.



> Mantis/ Shadow HMS Belay Set

A compact and lightweight technical belay set.



> Figure 8

The classic abseil device, ideal for walls and centres running group abseil sessions.



> Bat Plate

Generous radii allow direct attachment of textiles as well as carabiners. The oversized hole allows for effortless centralising of anchors and gives a perfect clipping-in point. Ideal for big walls and complex rigging.



› Pivot and Pivot/Phantom HMS Belay Set

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	MEETS REQUIREMENTS OF
Pivot Single Lime	A1160LG	Lime	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot Single Orange	A1160OR	Orange	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot Single Matt Grey	A1160MG	Matt Grey	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot Pivot/Phantom HMS Set Lime	A1160LG/572	Lime	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN12275:2013 Type H EN362:2004 Type B EN15151-2:2012
Pivot Pivot/Phantom HMS Set Orange	A1160OR/572	Orange	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN12275:2013 Type H EN362:2004 Type B EN15151-2:2012
Pivot Pivot/Phantom HMS Set Matt Grey	A1160MG/572	Matt Grey	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN12275:2013 Type H EN362:2004 Type B EN15151-2:2012

› Mantis and Mantis/Shadow HMS Belay Set

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	MEETS REQUIREMENTS OF
Mantis Single Lime	A1165LG	Lime	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis Mantis/Shadow HMS Set Lime	A1165LG/682	Lime	131g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN12275:2013 Type B&H EN362:2004 Type B EN15151-2:2012
Mantis Single Matt Grey	A1165MG	Matt Grey	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis Mantis/Shadow HMS Set Matt Grey	A1165MG/682	Matt Grey	131g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN12275:2013 Type B&H EN362:2004 Type B EN15151-2:2012
Mantis Single Orange	A1165OR	Orange	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis Mantis/Shadow HMS Set Orange	A1165OR/682	Orange/Matt Grey	131g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN12275:2013 Type B&H EN362:2004 Type B EN15151-2:2012

› Figure 8

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	MEETS REQUIREMENTS OF
Figure 8 Matt Grey	A1150MG	Matt Grey	116g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Figure 8 Lime	A1150LG	Lime	116g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Figure 8 Silver	A1150P	Silver	116g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012

› Bat Plate

PRODUCT NAME	PRODUCT CODE	COLOUR	MBS	WLL	DIMENSIONS	WEIGHT	CERTIFICATION
Bat Plates XS Orange	RIG-XS-OR	Orange	36kN	7kN	62 x 62 x 8mm	37g	EN17961:2025

› **ProPad+ Rope Protector**

Heavy duty canvas/coir rope protector that can be attached to edges. Replaceable wear sheet adds longevity.



› **K-Pro Rope Protector**

Heavy duty kevlar/canvas rope protector that can be attached to ropes. The ultimate in-line rope protection.



Harnesses





› **Renegade**

All season, all mountain harness with reinforced lumbar support and hypalon inserts for winter racking. Plentiful gear loops for carrying the biggest of racks.

WEIGHT: 395 / 415 / 450g



› **Puma**

A supportive, fully featured women's all round harness that is suitable for climbing in summer and winter.

WEIGHT: 350 / 370 / 395 / 430g



› **Viper**

A perfect first harness. Highly featured and comfortable.

WEIGHT: 365 / 400 / 435g



› **Vixen**

A perfect first harness for women. Highly featured and comfortable.

WEIGHT: 345 / 360 / 370 / 410g



› **Tomcat**

The Tomcat is a well featured harness that is sized specifically for younger climbers.

WEIGHT: 385g



› **Tom Kitten**

A full body kids harness that maximises support and stability for younger climbers.

WEIGHT: 330g

› Renegade

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Renegade L	HM103RD-L	Red	L	450g	34 - 41	87 - 104	22 - 28	55 - 70	EN12277:2015 Type C
Renegade M	HM103RD-M	Red	M	415g	30 - 36	75 - 91	20 - 25	50 - 63	EN12277:2015 Type C
Renegade S	HM103RD-S	Red	S	395g	25 - 31	64 - 79	18 - 23	45 - 58	EN12277:2015 Type C

› Puma

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Puma L	HW103PR-L	Purple	L	430g	30 - 36	75 - 91	23 - 26	58 - 67	EN12277:2015 Type C
Puma M	HW103PR-M	Purple	M	395g	26 - 31	66 - 80	21 - 24	53 - 62	EN12277:2015 Type C
Puma S	HW103PR-S	Purple	S	370g	24 - 28	61 - 71	19 - 22	47 - 56	EN12277:2015 Type C
Puma XS	HW103PR-XS	Purple	XS	350g	22 - 27	57 - 69	17 - 20	43 - 52	EN12277:2015 Type C

› Vixen and Viper

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE
Vixen & Vixen Pack Pack L	HW104PKBL-L	Light Blue	L
Vixen & Vixen Pack Pack M	HW104PKBL-M	Light Blue	M
Vixen & Vixen Pack Pack S	HW104PKBL-S	Light Blue	S
Vixen & Vixen Pack Pack XS	HW104PKBL-XS	Light Blue	XS
Vixen & Vixen Pack Single L	HW104BL-L	Light Blue	L
Vixen & Vixen Pack Single M	HW104BL-M	Light Blue	M
Vixen & Vixen Pack Single S	HW104BL-S	Light Blue	S

› Tomcat

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Tomcat	TOMC	Red/Grey	One size	385g	20 - 30	50 - 75	16 - 20	40 - 50	EN12277:2015 +A1:2018 Type C

› Tom Kitten

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	TORSO HEIGHT (IN)	TORSO HEIGHT (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Tom Kitten	TOMK	Red/Grey	One size	330g	14 - 24	35 - 62	9 - 22	23 - 55	EN12277:2015 Type B



Ropes and Cords



› **Statement**

A tough, single rope that is suited for use at the wall. Now comes with tangle free 3D coil technology for easy uncoiling.

DIAMETER: 10.0mm



› **Super Big Jim**

A durable dynamic rope built for heavy duty use at climbing walls and outdoor centres.

DIAMETER: 10.5mm



› **Worksafe**

A well balanced all-rounder. The DMM Worksafe rope is the perfect low-stretch rope for most rope access, work positioning, work restraint and fall arrest systems. The 32 strand polyamide construction provides impressive wear resistance, good grip and excellent handling characteristics.




› **Worksafe Plus**

The Worksafe Plus boasts a tighter woven sheath than our Worksafe rope. This increases the durability and abrasion resistance even further than the Worksafe, but still gives superb knotability and compatibility with rope grabs and devices.



› **Accessory Cord**

Supple, robust accessory cords of various diameters.



› Statement

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	NO. OF UIAA FALLS	IMPACT FORCE	% OF SHEATH	CERTIFICATION
Statement 10mm Blue 30m	RP102BL-30	Blue	10mm	30m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 40m	RP102BL-40	Blue	10mm	40m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 50m	RP102BL-50	Blue	10mm	50m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 60m	RP102BL-60	Blue	10mm	60m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 70m	RP102BL-70	Blue	10mm	70m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 100m	RP102BL-100	Blue	10mm	100m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Blue 300m	RP102BL-300	Blue	10mm	300m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 30m	RP102CO-30	Copper	10mm	30m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 40m	RP102CO-40	Copper	10mm	40m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 50m	RP102CO-50	Copper	10mm	50m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 60m	RP102CO-60	Copper	10mm	60m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 70m	RP102CO-70	Copper	10mm	70m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 100m	RP102CO-100	Copper	10mm	100m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023
Statement 10mm Copper 300m	RP102CO-300	Copper	10mm	300m	65g/m	7	8.7kN	38	EN892:2012 + A3:2023

› Super Big Jim

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	NO. OF UIAA FALLS	IMPACT FORCE	% OF SHEATH	CERTIFICATION
Super Big Jim 10.5mm Blue 100m	RP192BL-100	Midnight Blue	10.5mm	100m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Blue 200m	RP192BL-200	Midnight Blue	10.5mm	200m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Blue 30m	RP192BL-30	Midnight Blue	10.5mm	30m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Blue 300m	RP192BL-300	Midnight Blue	10.5mm	300m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Blue 40m	RP192BL-40	Midnight Blue	10.5mm	40m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Orange 100m	RP192OR-100	Orange	10.5mm	100m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Orange 200m	RP192OR-200	Orange	10.5mm	200m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Orange 30m	RP192OR-30	Orange	10.5mm	30m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Orange 300m	RP192OR-300	Orange	10.5mm	300m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023
Super Big Jim 10.5mm Orange 40m	RP192OR-40	Orange	10.5mm	40m	70g/m	9	8.5kN	40	EN892:2012 + A3:2023

› **Worksafe**

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	BREAKING FORCE	BREAKING FORCE WITH FIG 8 KNOT	CERTIFICATION
Worksafe 11mm Black 100m	RP901BK-100	Black	11mm	100m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm Black 200m	RP901BK-200	Black	11mm	200m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm Black 50m	RP901BK-50	Black	11mm	50m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm Black 700m	RP901BK-700	Black	11mm	700m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm White/Blue/Grey 100m	RP901WI-100	White/Blue/Grey	11mm	100m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm White/Blue/Grey 200m	RP901WI-200	White/Blue/Grey	11mm	200m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm White/Blue/Grey 50m	RP901WI-50	White/Blue/Grey	11mm	50m	75g/m	32kN	18kN	EN1891:1998 Type A
Worksafe 11mm White/Blue/Grey 700m	RP901WI-700	White/Blue/Grey	11mm	700m	75g/m	32kN	18kN	EN1891:1998 Type A

› **Worksafe Plus**

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	BREAKING FORCE	BREAKING FORCE WITH FIG 8 KNOT	CERTIFICATION
Worksafe Plus 10mm White/Red/Grey 100m	RP910WI-100	White/Red/Grey	10mm	100m	66g/m	30kN	16kN	EN1891:1998 Type A
Worksafe Plus 10mm White/Red/Grey 200m	RP910WI-200	White/Red/Grey	10mm	200m	66g/m	30kN	16kN	EN1891:1998 Type A
Worksafe Plus 10mm White/Red/Grey 50m	RP910WI-50	White/Red/Grey	10mm	50m	66g/m	30kN	16kN	EN1891:1998 Type A
Worksafe Plus 10mm White/Red/Grey 700m	RP910WI-700	White/Red/Grey	10mm	700m	66g/m	30kN	16kN	EN1891:1998 Type A


PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	BREAKING FORCE	BREAKING FORCE WITH FIG 8 KNOT	CERTIFICATION
Worksafe Plus 10.5mm White/Red/Grey 100m	RP915WI-100	White/Red/Grey	10.5mm	100m	72g/m	31kN	18kN	EN1891:1998 Type A
Worksafe Plus 10.5mm White/Red/Grey 200m	RP915WI-200	White/Red/Grey	10.5mm	200m	72g/m	31kN	18kN	EN1891:1998 Type A
Worksafe Plus 10.5mm White/Red/Grey 50m	RP915WI-50	White/Red/Grey	10.5mm	50m	72g/m	31kN	18kN	EN1891:1998 Type A
Worksafe Plus 10.5mm White/Red/Grey 700m	RP915WI-700	White/Red/Grey	10.5mm	700m	72g/m	31kN	18kN	EN1891:1998 Type A

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	BREAKING FORCE	BREAKING FORCE WITH FIG 8 KNOT	CERTIFICATION
Worksafe Plus 11mm Black 100m	RP911BK-100	Black	11mm	100m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm Black 200m	RP911BK-200	Black	11mm	200m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm Black 50m	RP911BK-50	Black	11mm	50m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm Black 700m	RP911BK-700	Black	11mm	700m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm White/Red/ Grey 100m	RP911WI-100	White/Red/Grey	11mm	100m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm White/Red/ Grey 200m	RP911WI-200	White/Red/Grey	11mm	200m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm White/Red/ Grey 50m	RP911WI-50	White/Red/Grey	11mm	50m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004
Worksafe Plus 11mm White/Red/ Grey 700m	RP911WI-700	White/Red/Grey	11mm	700m	75g/m	33kN	18kN	EN1891:1998 Type A EN365:2004

› Accessory Cord

PRODUCT NAME	PRODUCT CODE	COLOUR	DIAMETER	LENGTH	WEIGHT (G/M)	MBS	CERTIFICATION
Accessory Cord 2mm	RP002BL-100	Blue	2mm	100m	2.1g/m	0.6kN	EN564:2014
Accessory Cord 3mm	RP003NA-100	Indigo	3mm	100m	6g/m	2.4kN	EN564:2014
Accessory Cord 4mm	RP004GR-100	Green	4mm	100m	10g/m	4.1kN	EN564:2014
Accessory Cord 7mm	RP007YE-100	Yellow	7mm	100m	32g/m	14kN	EN564:2014
Accessory Cord 8mm	RP008GR-100	Green	8mm	100m	41g/m	16.4kN	EN564:2014
Accessory Cord 4mm New	RPES004BL-100	Blue	4mm	100m	16g/m	6kN	EN564:2023
Accessory Cord 5mm New	RPES005RD-100	Red	5mm	100m	21g/m	9kN	EN564:2023
Accessory Cord 6mm New	RPES006GR-100	Green	6mm	100m	30g/m	11kN	EN564:2023
Accessory Cord 7mm New	RPES007BL-100	Blue	7mm	100m	38g/m	13kN	EN564:2023
Accessory Cord 8mm New	RPES008RD-100	Red	8mm	100m	55g/m	18kN	EN564:2023

Winter Equipment





› Apex

The new Apex boasts excellent balance for ice climbing - improvements owed to less weight in the handle and tube, making it more top heavy. Pick weights are included, allowing the user to further tune the axe's swing. The refined shaft geometry also gives greater clearance and stability on steep terrain.



› Cortex

The Cortex is a premium tool well suited to the most out-there mixed, ice, and dry tooling routes.

The exoskeleton I-Beam profile is CNC'd from a single aluminium billet, achieving an optimal strength-to-weight ratio and delivering a perfectly balanced swing. This fully 'Type 2' (T) tool utilises a modular pick system. Choose from an Ice Pick, Ice Tech Pick, or a burly Dry tooling pick depending on the task ahead.



› Spire Tech

The Spire Tech is a modern, versatile & lightweight snow & ice tool. The bent shaft and machined grips make it suitable for more technical or sustained terrain when walking, mountaineering or ski touring. The refined design and careful material choices result in a 45cm axe that weighs in at only 323g.



› Spire

The Spire is our new lightweight mountaineering axe that's tough enough to deal with the demands of modern winter mountaineering, yet light enough for general walking and ski touring. Optimised lightweight tubing and a complete redesign of our bungs and steelwork has found a fine balance that means it carries without effort yet can penetrate ice and cut steps when required.



› Vertex

A very lightweight technical mountaineering tool with modular pick system, for use in a wide variety alpine terrain. The shaft geometry is straight enough to be efficient on less steep ground and for plunging in snow yet curved enough to have a precise swing and provide clearance over ice bulges.



› Flux

At 35cm in length, the Flux is suited for ski mountaineering, ski touring and winter fell running. The Flux is light and compact enough to carry easily, fitting into most backpacks comfortably.

› **Deadman**

A snow anchor featuring a large surface area for resistance in soft snow, a stainless steel striker plate for durability, and a galvanised wire for secure attachment in gullies and cornice top-outs



› **Bulldog 2 & Terrier 2**

Versatile drive-in pieces of winter protection that can create secure placements in frozen turf and thin cracks.



› **Slide Lock Leash**

Intuitive to use and operable with one hand featuring a minimalist design for improved functionality and durability.



› **Vault Wire Gate**

A robust aluminium racking carabiner that keeps valuable ice screws safe and secure, and allows efficient selection of the correct length.



› **Grippy Grip Tape**

Grippy Grip Tape in three metre rolls is perfect for providing extra grip when using the upper hand rest and provides extra insulation.




> Freedom Single Leash

Single sprung tether that gives the freedom of climbing leashless, but stop you losing your axe if you drop it.



> Freedom Revo Leash

Double sprung tethers with built in swivel that give the freedom of climbing leashless, but stop you losing your axe if you drop it leashless.



› Cortex

PRODUCT NAME	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CERTIFICATION
Cortex - Custom Text	A0494	Red	50cm	589 g	EN13089:2011+A1:2015 Type 2

› Apex

PRODUCT NAME	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CERTIFICATION
Apex - Custom Text Adze	A0491	Red	50cm	559 g	EN13089:2011+A1:2015 Type 2
Apex - Custom Text Hammer	A0492	Red	50cm	559 g	EN13089:2011+A1:2015 Type 2

› Vertex

PRODUCT NAME	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CERTIFICATION
Vertex - Custom Text Adze 50cm	A0473A	Red	50cm	430 g	EN13089:2011+A1:2015 Type 2
Vertex - Custom Text Adze 55cm	A0471A	Red	55cm	445 g	EN13089:2011+A1:2015 Type 2
Vertex - Custom Text Hammer 50cm	A0474A	Red	50cm	430 g	EN13089:2011+A1:2015 Type 2
Vertex - Custom Text Hammer 55cm	A0472A	Red	55cm	445 g	EN13089:2011+A1:2015 Type 2

› Spire Tech

PRODUCT NAME	PRODUCT CODE	LENGTH	WEIGHT	CERTIFICATION
Spire Tech	A0441	45cm	323 g	EN13089:2011+A1:2015 Type 1

› Spire Tech Custom Text

PRODUCT NAME	PRODUCT CODE	LENGTH	WEIGHT	CERTIFICATION
Spire Tech - Custom Text 45cm	A0441A	45cm	323 g	EN13089:2011+A1:2015 Type 1
Spire Tech - Custom Text 50cm	A0442A	50cm	337 g	EN13089:2011+A1:2015 Type 1
Spire Tech - Custom Text 55cm	A0443A	55cm	351 g	EN13089:2011+A1:2015 Type 1

› Spire

PRODUCT NAME	PRODUCT CODE	LENGTH	WEIGHT	CERTIFICATION
Spire 55cm	A0446A	55cm	352 g	EN13089:2011+A1:2015 Type 1
Spire 60cm	A0447A	60cm	366 g	EN13089:2011+A1:2015 Type 1
Spire 65cm	A0448A	65cm	380 g	EN13089:2011+A1:2015 Type 1
Spire 75cm	A0449A	75cm	409 g	EN13089:2011+A1:2015 Type 1

› Flux

PRODUCT NAME	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CERTIFICATION
Flux Adze	A0453A	Red	35cm	238 g	EN13089:2011+A1:2015 Type 1
Flux Hammer	A0450A	Red	35cm	238 g	EN13089:2011+A1:2015 Type 1

› Deadman

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	CERTIFICATION
Deadman	A1300	Red	360g	Manufacturers Technical Specification QAP74

› Bulldog 2 & Terrier 2

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	STRENGTH	CERTIFICATION
Bulldog 2	C2375	Black	131g	10kN	ITS-QUAL-04 V1
Terrier 2	C2385	Black	70g	10kN	ITS-QUAL-04 V1

› Freedom Single Leash and Freedom Revo Leash

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT
Freedom Leash Revo XSRE Leash	A0235	Black	94g
Freedom Leash Single XSRE Leash	A0236	Black	39g
Freedom Leash Revo Leash	A0237	Black	70g
Freedom Leash Single Leash	A0238	Black	27g

› Slide Lock Leash

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT
Slide Lock Leash	A0140	Black	25g

› Grippy Grip Tape

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT
Grippy Grip Tape	A0PIB-3	Black	37g

› Vault Wire Gate

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT	CERTIFICATION
Vault Wire Gate Red/Silver	A558	Silver/Red	63g	Not PPE
Vault Wire Gate Lime	A558LG	Lime	63g	Not PPE
Vault Wire Gate Matt Grey	A558MG	Matt Grey	63g	Not PPE

› Ice Tool Spares

PRODUCT NAME	PRODUCT CODE	COLOUR	WEIGHT
Ice Tool Spares Cortex/Apex/Vertex Compact Adze	A0470CA	Black	32g
Ice Tool Spares Cortex/Apex/Vertex Compact Hammer	A0470CH	Black	32g
Ice Tool Spares Cortex/Apex/Vertex Ice Pick	C0382	Black	228g
Ice Tool Spares Cortex/Apex/Vertex Ice Tech Pick	C0384	Black	106g
Ice Tool Spares Cortex/Apex/Vertex Micro Hammer	A0470MH	Black	22g
Ice Tool Spares Cortex/Apex/Vertex Pick Weights	A0470PW	Black	90g (total per pack of 2)
Ice Tool Spares Cortex/Apex Dry Pick	C0383	Black	114g

Bags and Chalk



> Flight

A sport climbing pack, sized to give you maximum carrying capacity and still fit most airline hand luggage restrictions.

VOLUME: 45l



> Classic Rope Bag

The Classic Rope Bag with an internal tarp transports your rope and accessories efficiently and comfortably.

VOLUME: 25l



> Pitcher

A simple and versatile tarp based rope bag that is ideal for the climbing wall.

VOLUME: 26l



> Porter

A robust equipment storage bag that is ideal for moving heavy loads.

VOLUME: 45 / 70l



> Transit Rope Bag

Being large and strong, the DMM Transit rope bucket easily swallows loads of up to 45 litres. It is the perfect protector for work ropes in the workplace, giving ease of storage and carrying ability whilst keeping ropes clean and safe on or off site.

VOLUME: 30l / 45l



> Tool Bag

The DMM Tool Bag is an essential piece of equipment for any technician who has to carry equipment to a worksite at height. Heavy duty fabrics and semi-rigid 'Equal D' cylinder shape make it free standing for easy loading and the easy opening/closing top makes it simple to use.

VOLUME: 4l / 6l



> Edge

A chalk bucket with plenty of carrying capacity for all your bouldering essentials.



> Traction

A medium sized chalk bag suitable for all types of climbing.



> Trad

A large chalk bag for carrying lots of chalk on long routes.



> Tube

A classic style chalk bag suitable for all types of climbing.



> **Liquid Chalk**

Liquid chalk forms a dry layer on your skin, keeping your hands dry on routes and boulder problems.



> **Finger Tape**

Low stretch finger tape for injury support, and taping flappers and cuts.



> **Chalk Ball**

Chalk balls keep chalk contained, and are sized to give your hands a good covering with just one squeeze.



> **Chalk Bag**

The Crushed Chalk bag contains 250g of pure magnesium carbonate, enough for the biggest boulder bucket.



> **Chalk Bag Belt**

An adjustable belt with a quick release buckle.



> **Finger Tape**

PRODUCT NAME	PRODUCT CODE	LENGTH	WIDTH	WEIGHT
Finger Tape	DMMCFT25	10m	25mm	62g



Walls and Centres





› **Stal Anchor**

A truly independent and equalised stainless steel climbing wall anchor available in three configurations. Features low profile updated 'puks'. Compatible with Quad Conversion Kit.

› **Brenin Threadback**

A new harness/buckle combination for 2020, bringing all day confidence buckles to the Brenin design.



› **Brenin Slidelock**

Improving on our classic Brenin harness, with increased durability, safety point colour coding and new slidelock stainless buckles, vertical tie-in-points & belay loop design.



› **Centre Threadback**

A robust centre harness with a horizontal tie-in point with increased durability, larger size tolerance for the smaller user, safety point colour coding and threadback stainless buckles.



› **Centre Slidelock**

A robust centre harness with a horizontal tie-in with increased durability, larger size tolerance for the smaller user, safety point colour coding and new slidelock stainless buckles.



› **Chest Harness Slidelock**

For increased security in situations where inversion is possible, using our new slidelock stainless buckles for easy adjustment.



› **Bridge Sling**

The Bridge increases the speed and security of connecting our Chest and centre sit harnesses. Available in Small and Large sizes.



› Brenin Threadback

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Brenin Threadback Size 1	HC301	Anthracite/Blue	Regular	425g	Up to 49	Up to 125	Up to 31	Up to 80	EN12277:2015 +A1:2018 Type C
Brenin Threadback Size 2	HC301XL	Anthracite/Orange	XL	450g	Up to 59	Up to 150	Up to 38	Up to 97	EN12277:2015 +A1:2018 Type C

› Brenin Slidelock

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Brenin Slidelock Size 1	HC302	Anthracite/Blue	Regular	425g	Up to 49	Up to 125	Up to 31	Up to 80	EN12277:2015 +A1:2018 Type C
Brenin Slidelock Size 2	HC302XL	Anthracite/Orange	XL	450g	Up to 59	Up to 150	Up to 38	Up to 97	EN12277:2015 +A1:2018 Type C

› Centre Threadback

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Centre Threadback Size 1	HC201	Anthracite/Blue	Regular	400g	Up to 49	Up to 125	Up to 32	Up to 80	EN12277:2015 +A1:2018 Type C
Centre Threadback Size 2	HC201XL	Anthracite/Orange	XL	425g	Up to 59	Up to 150	Up to 37	Up to 95	EN12277:2015 +A1:2018 Type C

› Centre Slidelock

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Centre Slidelock Size 1	HC202	Anthracite/Blue	Regular	405g	Up to 49	Up to 125	Up to 32	Up to 80	EN12277:2015 +A1:2018 Type C
Centre Slidelock Size 2	HC202XL	Anthracite/Orange	XL	425g	Up to 59	Up to 150	Up to 37	Up to 95	EN12277:2015 +A1:2018 Type C

› Chest Harness Slidelock

PRODUCT NAME	PRODUCT CODE	COLOUR	SIZE	WEIGHT	CHEST (IN)	CHEST (CM)	CERTIFICATION
Chest Harness Slidelock Size 1	CH402	Anthracite/Blue	One size	310g	30 - 45	75 - 115	EN12277:2015 +A1:2018 Type D
Chest Harness Slidelock Size 2	CH402XL	Anthracite/Orange	One size	330g	30 - 60	75 - 152	EN12277:2015 +A1:2018 Type D


› Bridge Sling

PRODUCT NAME	PRODUCT CODE	COLOUR	LENGTH	CERTIFICATION
Bridge Sling 15cm	MA16BS-15	Black	15cm	EN566:2017
Bridge Sling 20cm	MA16BS-20	Black	20cm	EN566:2017





Climbing Range



> Heritage T-Shirt

A super comfortable t-shirt with a relaxed '90s inspired boxy cut. Featuring our classic DMM logo, this is the perfect everyday tee - whether you're bouldering at the crag or heading into town. Made by our valued partners in Portugal from 100% organic cotton, with a strong emphasis on comfort and feel. Unisex fit.

COLOUR WAYS



> Climb Now Work Later T-Shirt

Wouldn't we all like to Climb Now and Work Later? Showcasing the iconic DMM logo and slogan on both front and back, and available in four different colours.

COLOUR WAYS



> Climb Anything T-Shirt

A relaxed '90s-style tee inspired by a piece of DMM history. Featuring our classic logo on the front and the Climb Anything, Anywhere, Anytime graphic on the back—taken straight from a 1998 print ad for the legendary Alien and Predator ice axes.

COLOUR WAYS



> Climb Now Work Later Hoodie

A super comfortable hoodie made for whatever your day throws at you. Featuring the Climb Now Work Later slogan on the chest and back, it's a go-to hoodie for work, weekends, and everything in between.

Made in Portugal from 300 GSM cotton with a brushed cotton inner, it's warm, soft and comfortable. Designed with a relaxed fit, drawstring hood and a kangaroo pocket for your essentials (or just your cold hands).

COLOUR WAYS



> Climb Now Work Later L/S T-Shirt

What's better than a dragon? A bigger dragon alongside the iconic DMM logo on the sleeve, and our Climb Now Work Later logo on the back.

COLOUR WAYS





Merchandise



> Heritage Beanie

Our previous run of beanies proved very popular, so we are bringing them back. This time it's a double skin turn-up beanie featuring a woven DMM heritage badge. All made in the UK.



> DMM Logo Mug

Enjoy your favourite brew in a DMM Logo Mug. Black on the outside with our heritage logos, and white on the inside, so easy to know when it needs a good clean, it's a handy reminder of life's priorities.



> Bar Towel

The DMM Bar Towel provides a dedicated accessory for this pre-climb problem. Removing grit, dust, and moisture from climbing shoes is essential for maximising friction on technical footholds.



> Climbing Sticker Pack

Seven stickers, one pack. The Climbing Sticker Pack features iconic logos and bold graphics, perfect for adding a touch of character to anything from water bottles to laptops.





CUSTOMER SERVICES

Our Customer Service advisor is here to help our distributors, retailers and end users with any queries relating to our products and service.

Our staff have a wide knowledge of production, retail, industry and recreational use of our products. We have completed PPE inspection courses to provide advice and inspect returned products. We pride ourselves by answering any enquiry quickly and concisely.

Our goal is to help you with any queries relating to product, sales, delivery, use, repair, service, inspection and warranty.

If you have any questions/queries about a DMM product or wish to talk to Customer Services, please email us at cs@dmmwales.com or call +44 (0) 1286 872 222.

We take great pride in our products and strive to produce impeccable goods. However, if a product does not perform to your satisfaction please email cs@dmmwales.com with the following:

- A brief explanation
- Serial number of the product
- Date and place of purchase (with a copy of the receipt)
- Pictures of the product
- Your preferred email, address and telephone number.

We will reply with the appropriate course of action. Regular inspection and servicing of your kit is essential as this will highlight any possible problems (see the product user instruction leaflet for more information). In the event of finding a fault, damage, or if you are unsure about a product you should stop using it immediately and contact us at cs@dmmwales.com.

Full details about inspection and maintenance of all DMM products are included in the user instructions supplied

with every product, these can also be found on the relevant product pages on our website. We highly recommend that our customers read these instructions and adhere to the recommendations set out in them.

RETURNS

To return items purchased through the DMM website, please fill in the form found on the website.

Returns for unwanted items must be made within 30 days of receiving the product.

For returning products purchased through a DMM approved retailer, please contact the retailer directly for assistance.

Returned products must be in as new condition with original packaging attached.

DMM will examine all returned products and will not accept the return if the item or its packaging shows any signs of use, damage or contamination.

For our Full Terms and Conditions, please see our website.



RESPONSIBLE MANUFACTURING

DMM manufactures equipment used for climbing and working at height. Manufacturing these products has an effect on the environment. Conscious of this, we are taking positive steps towards reducing our impact whilst improving the quality of life and well-being of our employees.

SERVICING, REPAIRS AND RE-SLINGING

We offer servicing and re-slinging for DMM Cams and Torque Nuts if they pass a quality inspection. Prior to sending them to us, we ask you to inspect and assess your gear in accordance to the supplied user instructions and inspection criteria. These are also available as PDF's on the product pages of our website.

Please note we can only offer this service/re-sling for DMM products.

We endeavor to carry out this service ASAP but during busy times this may take up to 6-8 weeks. Please allow plenty of time for this service and plan well in advance of your next climbing trip.

All DMM Cams & Torque Nuts can now be re-slung in North America

We are very pleased to have a 'Partner in Climb' in the USA. Mountain Tools in California will re-sling any DMM Cams or Torque Nuts. Their service page has the full details: mntools.com/cat/rclimb/cams/mt_camresling.htm.

Mountain Tools offer a re-sling service only. They will not perform a safety inspection on the product. If you are in any doubt of the integrity of your DMM products you should stop using it immediately, ask a competent person to check them or contact us for advice at cs@dmmwales.com.



WHAT ARE WE DOING?

- The majority of DMM products are made in our factory here in Wales, UK. This allows us to keep our supply chains as short as possible and support the local economy.
- By manufacturing high quality, durable products, we maximise the product lifespan. With careful maintenance, some of our products can potentially last more than a lifetime.
- Recycling waste metal from our production process.
- Processing the water used in the rumber process creating filtered clean water that goes to the local waste water treatment plant to be made safe for household consumption.
- The majority of our product packaging uses EU/IT PP5 (polypropylene) – classified as “widely recycled” by Recycle Now, the UK’s official recycling body.
- Offering cam reslinging and servicing to extend their life.
- Making continual improvements to the working environments at DMM.
- We are working towards ISO 14001 environmental management certification as part of our ongoing commitment to reducing our environmental impact.
- We hold all suppliers to our Supplier Code of Conduct, covering ethical sourcing, responsible materials, human rights, and environmental standards throughout our supply chain.

BS EN ISO 9001:2015 Quality Assurance Management System

The quality management system maintained by DMM is registered to BS EN ISO 9001:2015 quality management system requirements. The main aim of this system is reflected in our mission statement:

“Together each one of us will make a better, safer product for our customers”

Our system has evolved and continues to evolve as a result of nearly 30 years of development, investment and improvement to all of our activities. ‘Quality’ both actual and perceived is our number one objective, reflecting the fact that each and every day thousands of people around the world rely on DMM products to save their lives. Our system is audited and supervised by SGS (UK) Ltd and other independent third party auditors (e.g. customers and potential customers, trading standards and other regulatory bodies) at regular intervals to ensure continuing compliance to the requirements of BS EN ISO 9001:2015, and as part of our commitment to continuous improvement.

CE Marking and Product Conformance

The CE marking process is known as ‘type examination’ and is an important supplement to our quality management system. In line with the requirements of European Union Personal Protective Equipment [PPE] Directive/Regulation, all products designed and manufactured by DMM which are classified as PPE are independently type examined and tested to the relevant European Standard for Mountaineering and/ or Industrial Fall Arrest. Only after meeting the requirements of the PPE Directive/Regulation and the relevant European standard are we allowed to place the “CE” mark on our products. Type examination and CE marking is a legal requirement in Europe for all height safety PPE whether for industrial or leisure use.

BS EN ISO 9001:2015 compliance and CE marking/product conformance are monitored by CEN [Committee for European Normalisation] Notified Body SGS. It is also a legal requirement that we maintain our quality management system as part of the PPE Directive/Regulation ‘CE’ marking process.

In addition, many DMM products also conform to other non-European standards (for example ANSI and CAN/CSA for North American conformance). More information about these products can be found on our web site or by enquiring directly to our sales team.



3-Sigma Testing

This is our system for setting and monitoring the strength ratings as marked on our products, in-line with the minimum requirements of the relevant European and other standards, the ‘3 Sigma Testing’ method. DMM were the first company in our industry to use this Statistical Quality Control [SQC] technique. Using test data derived from samples tested to destruction at the design stage we can set the strength rating of the product. We then have a system of ongoing batch testing which monitors and ensures that the rated strength is maintained and actually exceeded.

Part of our philosophy at DMM is to continue to improve the breaking strength of our products in excess of the standards which may be required. We do this to lessen the chance of failure in situations and conditions which might not be reflected in the standard but which we know as climbers ourselves can cause product failure.

UIAA Safety Labels

The UIAA (Union of International Alpinists Associations) is a body which promotes the safety and interests of all parties involved in mountaineering and related activities worldwide. The UIAA publish standards for mountaineering equipment which supplement the requirements of the corresponding European standards mentioned above.





Made in Wales

Manufacturing high-quality safety equipment since 1981



3σ